


ボーリング及び井戸の設定【5街区】(1/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
	H28-8	○	○		+8.21	-3.29	11.50	+9.25	+4.21	-3.29	+4.99	+0.5
	H28-9	○	○		+8.17	-2.83	11.00	+9.17	+4.17	-2.83	+4.60	+0.7
	H29-7	○	○		+6.48	-2.52	9.00	+7.51	+3.94	-2.52	+3.92	+0.7
	H29-8	○	○		+6.43	-2.07	8.50	+7.43	+3.92	-2.07	+4.29	+0.9
	H29-9	○	○		+6.44	-2.06	8.50	+7.44	+3.97	-2.06	+4.83	+1.0
	H30-6	○	○		+7.99	-1.51	9.50	+9.00	+3.99	-1.51	+4.80	+1.2
	H30-7	○	○		+6.43	-2.07	8.50	+7.43	+3.94	-2.07	+4.70	+0.9
	H30-8	○	○		+6.75	-1.75	8.50	+7.75	+4.19	-1.75	+4.54	+1.2
	H30-9	○	○		+7.74	-1.76	9.50	+8.74	+3.80	-1.76	+5.39	+1.1
	H31-4	○	○		+7.96	-1.54	9.50	+8.97	+3.96	-1.54	+4.92	+1.2
	H31-5	○	○		+7.92	-1.58	9.50	+8.99	+3.92	-1.58	+5.01	+1.2
	H31-7	○	○		+7.72	-1.28	9.00	+8.72	+3.79	-1.28	+5.21	+1.3
	H31-8	○	○		+7.70	-1.30	9.00	+8.70	+3.79	-1.30	+5.12	+1.3
	H31-9	○	○		+7.74	-1.26	9.00	+8.77	+3.87	-1.26	+5.40	+1.4
	H32-7	○	○		+7.75	-1.25	9.00	+8.80	+3.91	-1.25	+5.15	+1.4
	H32-8	○	○		+7.70	-1.30	9.00	+8.74	+3.87	-1.30	+5.25	+1.4
	H32-9	○	○		+7.88	-1.62	9.50	+8.92	+3.87	-1.62	+5.36	+1.1
	H33-5	○	○		+7.75	-1.75	9.50	+8.77	+3.75	-1.75	+5.23	+1.0
	H33-6	○	○		+7.74	-1.76	9.50	+8.77	+3.74	-1.76	+5.31	+1.0
	H33-7	○	○		+7.11	-1.89	9.00	+8.11	+3.98	-1.89	+5.55	+1.2
	H33-8	○	○		+6.80	-1.70	8.50	+7.80	+4.30	-1.70	+5.23	+1.3
	H33-9	○	○		+6.82	-1.68	8.50	+7.82	+4.30	-1.68	+4.61	+1.3
	H34-4	○	○		+7.68	-1.82	9.50	+8.71	+3.68	-1.82	+5.18	+0.9
	H34-5	○	○		+7.64	-1.36	9.00	+8.65	+3.64	-1.36	+5.20	+1.1
	H34-6	○	○		+7.62	-1.38	9.00	+8.62	+3.62	-1.38	+5.23	+1.1
	H34-7	○	○		+6.80	-1.70	8.50	+7.84	+4.34	-1.70	+5.37	+1.3
	H34-8	○	○		+6.84	-1.66	8.50	+7.87	+4.32	-1.66	+5.10	+1.3
	H34-9	○	○		+6.88	-1.12	8.00	+7.88	+4.32	-1.12	+4.95	+1.6
	H35-5	○	○		+7.59	-1.41	9.00	+8.61	+3.59	-1.41	+5.47	+1.1
	H35-6	○	○		+7.60	-1.40	9.00	+8.60	+3.60	-1.40	+5.49	+1.1
	H35-7	○	○		+6.87	-1.13	8.00	+7.87	+4.41	-1.13	+5.11	+1.7
	H35-8	○	○		+6.83	-1.17	8.00	+7.83	+4.35	-1.17	+5.34	+1.6
	H35-9	○	○		+6.82	-1.18	8.00	+7.82	+4.37	-1.18	+5.48	+1.6
	H36-4	○	○		+7.65	-0.85	8.50	+8.70	+3.65	-0.85	+5.35	+1.4
	H36-5	○	○		+7.66	-0.84	8.50	+8.69	+3.66	-0.84	+5.45	+1.4
	H36-6	○	○		+7.67	-0.83	8.50	+8.71	+3.67	-0.83	+5.40	+1.4
	H36-7	○	○		+6.84	-1.16	8.00	+7.85	+4.32	-1.16	+5.41	+1.6
	H36-8	○	○		+6.89	-1.11	8.00	+7.93	+4.28	-1.11	+5.11	+1.5
	H36-9	○	○		+6.89	-0.61	7.50	+7.93	+4.26	-0.61	+5.11	+1.8
	H37-4	○	○		+7.73	-0.77	8.50	+8.74	+3.73	-0.77	+5.29	+1.5
	H37-6	○	○		+7.76	-1.24	9.00	+8.76	+3.76	-1.24	+5.37	+1.3
	H37-7	○	○		+6.86	-0.64	7.50	+7.86	+4.32	-0.64	+5.29	+1.8
	H37-8	○	○		+6.83	-1.17	8.00	+7.83	+4.32	-1.17	+5.24	+1.6
	H37-9	○	○		+6.86	-1.14	8.00	+7.88	+4.36	-1.14	+5.32	+1.6
	H38-7	○	○		+6.86	-1.14	8.00	+7.88	+4.27	-1.14	+5.10	+1.5
	H38-8	○	○		+6.81	-1.69	8.50	+7.86	+4.34	-1.69	+5.13	+1.3
	H38-9	○	○		+6.86	-1.64	8.50	+7.91	+4.38	-1.64	+5.13	+1.4
	H39-5	○	○		+7.93	-1.57	9.50	+8.97	+3.93	-1.57	+5.17	+1.2
	H39-6	○	○		+7.93	-2.07	10.00	+8.96	+3.93	-2.07	+5.17	+0.9
	H39-7	○	○		+6.89	-1.61	8.50	+7.89	+4.44	-1.61	+5.41	+1.4
	H39-8	○	○		+6.93	-2.07	9.00	+7.94	+4.41	-2.07	+5.35	+1.2
	H39-9	○	○		+6.91	-2.09	9.00	+7.97	+4.42	-2.09	+5.18	+1.2
	H40-4	○	○		+8.01	-1.99	10.00	+9.04	+4.01	-1.99	+5.19	+1.0
	H40-6	○	○		+8.07	-2.43	10.50	+9.10	+4.07	-2.43	+4.51	+0.8
	H40-7	○	○		+6.82	-2.18	9.00	+7.82	+4.42	-2.18	+5.12	+1.2
	H40-8	○	○		+6.81	-2.19	9.00	+7.81	+4.38	-2.19	+5.17	+1.1
	H40-9	○	○		+6.74	-2.26	9.00	+7.74	+4.38	-2.26	+5.31	+1.1
	H41-4	○	○		+8.10	-2.40	10.50	+9.10	+4.10	-2.40	+5.15	+0.9
	H41-5	○	○		+8.11	-2.39	10.50	+9.11	+4.11	-2.39	+5.10	+0.9

ボーリング及び井戸の設定【5街区】(2/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	H41-7	○	○		+6.83	-2.67	9.50	+7.83	+4.39	-2.67	+5.32	+0.9
	H41-8	○	○		+6.83	-2.67	9.50	+7.83	+4.37	-2.67	+5.14	+0.9
	H41-9	○	○		+6.81	-2.69	9.50	+7.81	+4.34	-2.69	+5.03	+0.8
	H42-7	○	○		+6.81	-2.69	9.50	+7.81	+4.36	-2.69	+5.06	+0.9
	H42-8	○	○		+6.80	-2.70	9.50	+7.83	+4.35	-2.70	+4.87	+0.9
	H42-9	○	○		+6.84	-2.66	9.50	+7.88	+4.43	-2.66	+4.84	+0.9
	I27-8	○	○		+8.01	-2.49	10.50	+9.01	+4.01	-2.49	+5.40	+0.8
	I27-9	○	○		+6.40	-2.60	9.00	+7.40	+3.93	-2.60	+5.68	+0.7
	I28-1	○	○		+8.15	-2.85	11.00	+9.15	+4.15	-2.85	+4.27	+0.6
	I28-2	○	○		+6.50	-3.20	9.70	+7.51	+4.00	-3.20	+2.38	+0.5
	I28-3	○	○		+6.53	-2.97	9.50	+7.55	+4.03	-2.97	+4.75	+0.5
	I28-4	○	○		+6.45	-3.05	9.50	+7.47	+3.95	-3.05	+3.68	+0.4
	I28-5	○	○		+6.57	0.57	既実施箇所	+7.59	+3.09	+0.57	+4.53	+1.8
	I28-6	○	○		+6.52	-2.48	9.00	+7.54	+4.02	-2.48	+3.94	+0.8
	I28-7	○	○		+6.43	-2.57	9.00	+7.43	+3.93	-2.57	+4.66	+0.7
	I28-8	○	○		+6.48	-2.52	9.00	+7.48	+3.98	-2.52	+5.39	+0.7
	I28-9	○	○		+6.48	-2.02	8.50	+7.48	+3.98	-2.02	+5.73	+1.0
	I29-1	○	○		+6.44	-2.56	9.00	+7.44	+3.94	-2.56	+4.21	+0.7
	I29-2	○	○		+6.42	-2.08	8.50	+7.45	+3.92	-2.08	+4.55	+0.9
	I29-3	○	○		+6.47	-2.03	8.50	+7.52	+3.97	-2.03	+4.84	+1.0
	I29-4	○	○		+6.47	-2.03	8.50	+7.47	+3.97	-2.03	+4.64	+1.0
	I29-5	○	○		+6.42	-2.08	8.50	+7.46	+3.92	-2.08	+4.98	+0.9
	I29-6	○	○		+6.44	-2.06	8.50	+7.44	+3.94	-2.06	+4.48	+0.9
	I29-7	○	○		+6.46	-2.04	8.50	+7.46	+3.96	-2.04	+5.63	+1.0
	I29-8	○	○		+6.48	-2.02	8.50	+7.48	+3.98	-2.02	+5.08	+1.0
	I29-9	○	○		+6.49	-2.01	8.50	+7.49	+3.99	-2.01	+5.62	+1.0
	I30-1	○	○		+6.44	-2.06	8.50	+7.45	+3.94	-2.06	+4.76	+0.9
	I30-2	○	○		+6.69	-1.81	8.50	+7.70	+4.19	-1.81	+5.14	+1.2
	I30-3	○	○		+7.80	-1.70	9.50	+8.85	+3.80	-1.70	+5.23	+1.0
	I30-4	○	○		+6.49	-2.01	8.50	+7.49	+3.99	-2.01	+4.78	+1.0
	I30-5	○	○		+6.69	-1.81	8.50	+7.70	+4.19	-1.81	+5.51	+1.2
	I30-6	○	○		+7.83	-1.67	9.50	+8.84	+3.83	-1.67	+5.30	+1.1
	I30-7	○	○		+6.51	-1.49	8.00	+7.51	+4.01	-1.49	+5.09	+1.3
	I30-8	○	○		+6.62	-1.88	8.50	+7.62	+4.12	-1.88	+4.68	+1.1
	I30-9	○	○		+7.83	1.83	既実施箇所	+8.81	+3.31	+1.83	+5.82	+2.6
	I31-1	○	○		+7.78	-1.22	9.00	+8.80	+3.78	-1.22	+5.18	+2.8
	I31-2	○	○		+7.77	-1.23	9.00	+8.77	+3.77	-1.23	+4.81	+1.3
	I31-3	○	○		+7.79	-1.21	9.00	+8.82	+3.79	-1.21	+5.47	+1.3
	I31-4	○	○		+7.78	-1.22	9.00	+8.80	+3.78	-1.22	+5.11	+1.3
	I31-5	○	○		+7.80	-1.20	9.00	+8.85	+3.80	-1.20	+4.78	+1.3
	I31-6	○	○		+7.75	-1.25	9.00	+8.75	+3.75	-1.25	+5.01	+1.3
	I31-7	○	○		+7.82	-1.18	9.00	+8.82	+3.82	-1.18	+5.24	+1.3
	I31-8	○	○		+7.86	-1.14	9.00	+8.86	+3.86	-1.14	+5.28	+1.4
	I31-9	○	○		+7.78	-1.22	9.00	+8.78	+3.78	-1.22	+5.33	+1.3
	I32-1	○	○		+7.71	-1.29	9.00	+8.73	+3.71	-1.29	+4.84	+1.2
	I32-2	○	○		+7.47	-1.03	8.50	+8.47	+3.98	-1.03	+4.64	+1.5
	I32-3	○	○		+7.65	-1.35	9.00	+8.65	+3.68	-1.35	+5.44	+1.2
	I32-4	○	○		+7.65	-1.35	9.00	+8.66	+3.65	-1.35	+5.29	+1.1
	I32-5	○	○		+7.40	-1.10	8.50	+8.42	+3.90	-1.10	+4.88	+1.4
	I32-6	○	○		+7.28	-1.22	8.50	+8.28	+3.95	-1.22	+5.56	+1.5
	I32-7	○	○		+7.70	-1.30	9.00	+8.70	+3.70	-1.30	+5.19	+1.2
	I32-8	○	○		+7.29	-1.21	8.50	+8.29	+3.79	-1.21	+5.29	+1.3
	I32-9	○	○		+6.79	-1.21	8.00	+7.81	+3.85	-1.21	+5.64	+1.6
	I33-1	○	○		+7.48	-1.52	9.00	+8.51	+4.30	-1.52	+4.80	+1.1
	I33-2	○	○		+6.80	-1.20	8.00	+7.80	+4.30	-1.20	+4.70	+1.5
	I33-3	○	○		+6.80	-1.20	8.00	+7.80	+4.30	-1.20	+4.73	+1.5
	I33-4	○	○		+6.81	-1.69	8.50	+7.81	+4.23	-1.69	+4.73	+1.2
	I33-5	○	○		+6.76	-1.24	8.00	+7.76	+4.26	-1.24	+4.84	+1.5
	I33-6	○	○		+6.76	-1.24	8.00	+7.76	+4.26	-1.24	+4.36	+1.5
	I33-7	○	○		+6.73	-1.27	8.00	+7.73	+4.23	-1.27	+4.73	+1.5
	I33-8	○	○		+6.77	-1.23	8.00	+7.77	+4.27	-1.23	+4.65	+1.5
	I33-9	○	○		+6.81	-1.69	8.50	+7.81	+4.31	-1.69	+4.46	+1.3
	I34-1	○	○		+6.84	-1.66	8.50	+7.88	+4.34	-1.66	+4.75	+1.3

ボーリング及び井戸の設定【5街区】(3/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	I34-2	○	○		+6.82	-1.18	8.00	+7.83	+4.32	-1.18	+4.83	+1.6
	I34-3	○	○		+6.82	-1.18	8.00	+7.82	+4.32	-1.18	+4.79	+1.6
	I34-4	○	○		+6.83	-1.67	8.50	+7.83	+4.33	-1.67	+3.86	+1.3
	I34-5	○	○		+6.85	-1.15	8.00	+7.85	+4.35	-1.15	+4.56	+1.6
	I34-6	○	○		+6.80	-1.20	8.00	+7.82	+4.30	-1.20	+4.45	+1.5
	I34-7	○	○		+6.83	-1.67	8.50	+7.83	+4.33	-1.67	+2.63	+1.3
	I34-8	○	○		+6.79	-1.21	8.00	+7.79	+4.29	-1.21	+3.54	+1.5
	I34-9	○	○		+6.73	-1.27	8.00	+7.76	+4.23	-1.27	+4.05	+1.5
	I35-1	○	○		+6.91	-1.09	8.00	+7.92	+4.41	-1.09	+4.28	+1.7
	I35-2	○	○		+6.85	-1.15	8.00	+7.86	+4.35	-1.15	+4.75	+1.6
	I35-3	○	○		+6.87	-1.13	8.00	+7.87	+4.37	-1.13	+5.10	+1.6
	I35-4	○	○		+6.82	-1.18	8.00	+7.82	+4.32	-1.18	+5.21	+1.6
	I35-5	○	○		+6.82	1.29	既実施箇所	+7.80	+3.30	+1.29	+5.06	+2.6
	I35-6	○	○		+6.79	-1.21	8.00	+7.81	+4.29	-1.21	+4.81	+1.5
	I35-7	○	○		+6.75	-1.25	8.00	+7.78	+4.25	-1.25	+4.89	+1.5
	I35-8	○	○		+6.80	-1.20	8.00	+7.81	+4.30	-1.20	+4.87	+1.5
	I35-9	○	○		+6.77	-1.23	8.00	+7.77	+4.27	-1.23	+4.79	+1.5
	I36-1	○	○		+6.82	-1.18	8.00	+7.82	+4.32	-1.18	+4.89	+1.6
	I36-2	○	○		+6.78	-1.22	8.00	+7.79	+4.28	-1.22	+5.07	+1.5
	I36-3	○	○		+6.76	-1.24	8.00	+7.77	+4.26	-1.24	+4.80	+1.5
	I36-4	○	○		+6.79	-1.21	8.00	+7.79	+4.29	-1.21	+5.13	+1.5
	I36-5	○	○		+6.78	-1.22	8.00	+7.78	+4.28	-1.22	+4.82	+1.5
	I36-6	○	○		+6.75	-1.25	8.00	+7.75	+4.25	-1.25	+4.80	+1.5
	I36-7	○	○		+6.72	-1.28	8.00	+7.74	+4.22	-1.28	+4.81	+1.5
	I36-8	○	○		+6.72	-1.28	8.00	+7.75	+4.22	-1.28	+4.80	+1.5
	I36-9	○	○		+6.70	-1.30	8.00	+7.74	+4.20	-1.30	+4.79	+1.5
	I37-1	○	○		+6.82	-1.18	8.00	+7.82	+4.32	-1.18	+4.79	+1.6
	I37-2	○	○		+6.82	-1.18	8.00	+7.82	+4.32	-1.18	+4.86	+1.6
	I37-3	○	○		+6.86	-1.14	8.00	+7.88	+4.36	-1.14	+4.65	+1.6
	I37-4	○	○		+6.78	-1.22	8.00	+7.81	+4.28	-1.22	+4.85	+1.5
	I37-5	○	○		+6.87	-1.13	8.00	+7.87	+4.37	-1.13	+4.83	+1.6
	I37-6	○	○		+6.84	-1.16	8.00	+7.85	+4.34	-1.16	+4.83	+1.6
	I37-7	○	○		+6.74	-1.26	8.00	+7.74	+4.24	-1.26	+4.90	+1.5
	I37-8	○	○		+6.78	-1.22	8.00	+7.84	+4.28	-1.22	+4.87	+1.5
	I37-9	○	○		+6.81	-1.19	8.00	+7.82	+4.31	-1.19	+4.74	+1.6
	I38-1	○	○		+6.77	-1.23	8.00	+7.82	+4.27	-1.23	+4.62	+1.5
	I38-2	○	○		+6.84	-1.66	8.50	+7.84	+4.34	-1.66	+4.53	+1.3
	I38-3	○	○		+6.88	-1.62	8.50	+7.88	+4.38	-1.62	+4.58	+1.4
	I38-4	○	○		+6.80	-1.20	8.00	+7.80	+4.30	-1.20	+4.70	+1.6
	I38-5	○	○		+6.90	-1.60	8.50	+7.90	+4.40	-1.60	+4.33	+1.4
	I38-6	○	○		+6.95	-1.55	8.50	+7.98	+4.45	-1.55	+4.55	+1.5
	I38-7	○	○		+6.89	-1.61	8.50	+7.89	+4.39	-1.61	+4.63	+1.4
	I38-8	○	○		+6.95	-1.55	8.50	+7.95	+4.45	-1.55	+4.65	+1.5
	I38-9	○	○		+6.95	-1.55	8.50	+7.95	+4.45	-1.55	+4.54	+1.5
	I39-1	○	○		+6.94	-1.56	8.50	+7.94	+4.44	-1.56	+4.57	+1.4
	I39-2	○	○		+6.91	-2.09	9.00	+7.91	+4.41	-2.09	+4.61	+1.2
	I39-3	○	○		+6.92	-2.08	9.00	+7.92	+4.42	-2.08	+4.64	+1.2
	I39-4	○	○		+6.93	-1.57	8.50	+7.93	+4.43	-1.57	+4.58	+1.4
	I39-5	○	○		+6.95	-1.55	8.50	+7.95	+4.45	-1.55	+4.65	+1.5
	I39-6	○	○		+6.94	-2.06	9.00	+7.94	+4.44	-2.06	+4.54	+1.2
	I39-7	○	○		+7.01	-1.49	8.50	+8.01	+4.51	-1.49	+5.32	+1.5
	I39-8	○	○		+6.99	-1.51	8.50	+7.99	+4.49	-1.51	+4.62	+1.5
	I39-9	○	○		+6.98	-2.02	9.00	+7.98	+4.48	-2.02	+4.63	+1.2
	I40-1	○	○		+6.92	-2.08	9.00	+7.92	+4.42	-2.08	+4.59	+1.2
	I40-2	○	○		+6.88	-2.12	9.00	+7.91	+4.38	-2.12	+4.51	+1.1
	I40-3	○	○		+6.88	-2.12	9.00	+7.90	+4.38	-2.12	+4.50	+1.1
	I40-4	○	○		+6.93	-2.07	9.00	+7.94	+4.43	-2.07	+4.58	+1.2
	I40-5	○	○		+6.91	-2.09	9.00	+7.91	+4.41	-2.09	+4.42	+1.2
	I40-6	○	○		+6.89	-2.11	9.00	+7.89	+4.39	-2.11	+4.52	+1.1
	I40-7	○	○		+6.95	-2.05	9.00	+7.95	+4.45	-2.05	+4.58	+1.2
	I40-8	○	○		+6.93	-2.07	9.00	+7.93	+4.43	-2.07	+4.52	+1.2
	I40-9	○	○		+6.94	-2.06	9.00	+7.95	+4.44	-2.06	+4.48	+1.2
	I41-1	○	○		+6.89	-2.61	9.50	+7.89	+4.39	-2.61	+4.53	+0.9

ボーリング及び井戸の設定【5街区】(4/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	I41-2	○	○		+6.87	-2.63	9.50	+7.90	+4.37	-2.63	+4.46	+0.9
	I41-3	○	○		+6.84	-2.66	9.50	+7.86	+4.34	-2.66	+4.92	+0.8
	I41-4	○	○		+6.85	-2.15	9.00	+7.85	+4.35	-2.15	+4.45	+1.1
	I41-5	○	○		+6.87	-3.13	10.00	+7.87	+4.37	-3.13	+3.99	+0.9
	I41-6	○	○		+6.85	-0.13	既実施箇所	+7.67	+3.17	-0.13	+4.01	+1.5
	I41-7	○	○		+6.91	-2.09	9.00	+7.91	+4.41	-2.09	+4.45	+1.2
	I41-8	○	○		+6.89	-2.11	9.00	+7.89	+4.39	-2.11	+4.44	+1.1
	I41-9	○	○		+6.88	-2.12	9.00	+7.88	+4.38	-2.12	+5.31	+1.1
	I42-1	○	○		+6.86	-2.64	9.50	+7.86	+4.36	-2.64	+4.84	+0.9
	I42-2	○	○		+6.85	-2.65	9.50	+7.85	+4.35	-2.65	+5.23	+0.8
	I42-3	○	○		+6.93	-2.57	9.50	+7.93	+4.43	-2.57	+4.45	+0.9
	I42-4	○	○		+6.82	-2.68	9.50	+7.82	+4.32	-2.68	+4.87	+0.8
	I42-5	○	○		+6.85	-2.15	9.00	+7.85	+4.35	-2.15	+5.20	+1.1
	I42-6	○	○		+6.85	-2.15	9.00	+7.85	+4.35	-2.15	+4.88	+1.1
	I42-7	○	○		+6.89	-2.11	9.00	+7.89	+4.39	-2.11	+5.29	+1.1
	I42-8	○	○		+6.82	-2.18	9.00	+7.82	+4.32	-2.18	+5.44	+1.1
	I42-9	○	○		+6.85	-2.15	9.00	+7.88	+4.33	-2.15	+4.98	+1.1
	I43-1	○	○		+6.89	-2.61	9.50	+7.89	+4.35	-2.61	+4.92	+0.9
	I43-4	○	○		+6.92	-2.08	9.00	+7.92	+4.35	-2.08	+5.09	+1.1
	I43-7	○	○		+6.88	-2.12	9.00	+7.88	+4.33	-2.12	+4.97	+1.1
	J26-3	○	○		+8.44	-2.56	11.00	+9.48	+3.94	-2.56	+4.21	+0.7
	J27-2	○	○		+7.97	-2.53	10.50	+9.02	+3.97	-2.53	+5.11	+0.7
	J27-3	○	○		+6.43	-2.07	8.50	+7.43	+3.91	-2.07	+5.81	+0.9
	J27-6	○	○		+6.42	-2.08	8.50	+7.42	+3.92	-2.08	+5.44	+0.9
	J27-8	○	○		+7.90	-2.10	10.00	+8.93	+3.86	-2.10	+5.36	+0.9
	J27-9	○	○		+6.50	-2.00	8.50	+7.51	+3.90	-2.00	+4.41	+0.9
	J28-1	○	○		+6.41	-2.09	8.50	+7.42	+3.91	-2.09	+4.93	+0.9
	J28-2	○	○		+6.41	-2.09	8.50	+7.42	+3.91	-2.09	+4.02	+0.9
	J28-3	○	○		+6.45	-2.05	8.50	+7.48	+3.95	-2.05	+5.14	+0.9
	J28-4	○	○		+6.42	-2.08	8.50	+7.42	+3.92	-2.08	+5.22	+0.9
	J28-5	○	○		+6.42	-2.08	8.50	+7.42	+3.92	-2.08	+5.38	+0.9
	J28-6	○	○		+6.47	-1.53	8.00	+7.52	+3.97	-1.53	+5.53	+1.2
	J28-7	○	○		+6.40	-1.60	8.00	+7.43	+3.90	-1.60	+5.63	+1.1
	J28-8	○	○		+6.42	-1.58	8.00	+7.42	+3.91	-1.58	+5.79	+1.2
	J28-9	○	○		+6.47	-1.53	8.00	+7.47	+3.97	-1.53	+5.35	+1.2
	J29-1	○	○		+6.49	-2.01	8.50	+7.49	+3.99	-2.01	+5.73	+1.0
	J29-2	○	○		+6.49	-2.01	8.50	+7.49	+3.99	-2.01	+5.68	+1.0
	J29-3	○	○		+6.46	-1.54	8.00	+7.46	+3.96	-1.54	+5.67	+1.2
	J29-4	○	○		+6.47	-1.53	8.00	+7.51	+3.97	-1.53	+4.05	+1.2
	J29-5	○	○		+6.50	-1.50	8.00	+7.51	+4.00	-1.50	+4.33	+1.2
	J29-6	○	○		+6.50	-1.50	8.00	+7.50	+4.00	-1.50	+5.55	+1.2
	J29-7	○	○		+6.49	-1.51	8.00	+7.51	+3.99	-1.51	+3.74	+1.2
	J29-8	○	○		+6.50	-1.50	8.00	+7.50	+4.00	-1.50	+5.59	+1.2
	J29-9	○	○		+6.51	-1.49	8.00	+7.51	+4.01	-1.49	+5.73	+1.3
	J30-1	○	○		+6.47	-1.53	8.00	+7.47	+3.97	-1.53	+5.61	+1.2
	J30-2	○	○		+6.64	-1.86	8.50	+7.64	+4.14	-1.86	+5.12	+1.1
	J30-3	○	○		+7.82	-1.68	9.50	+8.85	+3.82	-1.68	+5.32	+1.1
	J30-4	○	○		+6.52	-1.48	8.00	+7.54	+4.02	-1.48	+5.57	+1.3
	J30-5	○	○		+6.67	-1.83	8.50	+7.67	+4.17	-1.83	+5.69	+1.2
	J30-6	○	○		+7.77	-1.73	9.50	+8.77	+3.77	-1.73	+5.59	+1.0
	J30-7	○	○		+6.52	-1.48	8.00	+7.52	+4.02	-1.48	+4.98	+1.3
	J30-8	○	○		+6.60	-1.40	8.00	+7.60	+4.10	-1.40	+5.77	+1.3
	J30-9	○	○		+7.70	-1.80	9.50	+8.70	+3.70	-1.80	+5.62	+0.9
	J31-1	○	○		+7.83	-1.67	9.50	+8.83	+3.83	-1.67	+5.24	+1.1
	J31-2	○	○		+7.75	-1.25	9.00	+8.75	+3.75	-1.25	+5.28	+1.2
	J31-3	○	○		+7.75	-1.25	9.00	+8.76	+3.75	-1.25	+5.14	+1.2
	J31-4	○	○		+7.68	-1.82	9.50	+8.68	+3.68	-1.82	+5.45	+0.9
	J31-5	○	○		+7.73	-1.77	9.50	+8.73	+3.73	-1.77	+5.49	+1.0
	J31-6	○	○		+7.75	-1.75	9.50	+8.77	+3.75	-1.75	+5.50	+1.0
	J31-7	○	○		+7.68	-1.82	9.50	+8.68	+3.68	-1.82	+5.51	+0.9
	J31-8	○	○		+7.73	-1.77	9.50	+8.73	+3.73	-1.77	+5.49	+1.0
	J31-9	○	○		+7.69	-1.81	9.50	+8.69	+3.69	-1.81	+5.63	+0.9
	J32-1	○	○		+7.68	-1.32	9.00	+8.68	+3.68	-1.32	+5.32	+1.2

ボーリング及び井戸の設定【5街区】(5/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	J32-2	○	○		+7.43	-1.57	9.00	+8.43	+3.43	-1.57	+5.33	+0.9
	J32-3	○	○		+6.78	-1.72	8.50	+7.82	+3.77	-1.72	+6.19	+1.3
	J32-4	○	○		+7.76	-1.74	9.50	+9.26	+4.26	-1.74	+5.54	+1.3
	J32-5	○	○		+7.43	-1.57	9.00	+8.46	+3.93	-1.57	+5.17	+1.2
	J32-6	○	○		+6.79	-1.71	8.50	+7.79	+3.70	-1.71	+6.17	+1.2
	J32-7	○	○		+7.79	-2.21	10.00	+8.79	+3.79	-2.21	+5.50	+0.8
	J32-8	○	○		+7.25	-1.75	9.00	+8.25	+3.75	-1.75	+5.55	+1.0
	J32-9	○	○		+6.82	-1.68	8.50	+7.82	+3.71	-1.68	+5.49	+1.2
	J33-1	○	○		+6.61	-1.89	8.50	+7.61	+4.11	-1.89	+4.69	+1.1
	J33-2	○	○		+6.67	-1.83	8.50	+7.70	+4.17	-1.83	+4.57	+1.2
	J33-3	○	○		+6.82	-1.68	8.50	+7.82	+4.32	-1.68	+4.72	+1.3
	J33-4	○	○		+6.71	-1.79	8.50	+7.73	+4.24	-1.79	+4.75	+1.2
	J33-5	○	○		+6.74	-1.76	8.50	+7.74	+4.24	-1.76	+4.62	+1.2
	J33-6	○	○		+6.63	-1.87	8.50	+7.63	+4.13	-1.87	+3.36	+1.1
	J33-7	○	○		+6.84	-1.66	8.50	+7.85	+4.34	-1.66	+4.64	+1.3
	J33-8	○	○		+6.75	-1.75	8.50	+7.75	+4.25	-1.75	+4.67	+1.2
	J33-9	○	○		+6.71	-1.79	8.50	+7.71	+4.21	-1.79	+3.60	+1.2
	J34-1	○	○		+6.80	-1.20	8.00	+7.80	+4.30	-1.20	+4.33	+1.5
	J34-2	○	○		+6.83	-1.67	8.50	+7.83	+4.33	-1.67	+1.57	+1.3
	J34-3	○	○		+6.73	-1.27	8.00	+7.73	+4.23	-1.27	+4.69	+1.5
	J34-4	○	○		+6.82	-1.68	8.50	+7.82	+4.32	-1.68	+3.53	+1.3
	J34-5	○	○		+6.81	-1.69	8.50	+7.81	+4.31	-1.69	+4.54	+1.3
	J34-6	○	○		+6.77	-1.23	8.00	+7.77	+4.27	-1.23	+4.42	+1.5
	J34-7	○	○		+6.71	-1.79	8.50	+7.76	+4.21	-1.79	+3.91	+1.2
	J34-8	○	○		+6.71	-1.79	8.50	+7.76	+4.21	-1.79	+4.67	+1.2
	J34-9	○	○		+6.61	-1.39	8.00	+7.66	+4.11	-1.39	+4.86	+1.4
	J35-1	○	○		+6.66	-1.34	8.00	+7.69	+4.16	-1.34	+4.31	+1.4
	J35-2	○	○		+6.72	-1.28	8.00	+7.72	+4.22	-1.28	+5.00	+1.5
	J35-3	○	○		+6.63	-0.87	7.50	+7.63	+4.13	-0.87	+4.82	+1.6
	J35-4	○	○		+6.69	-1.31	8.00	+7.69	+4.19	-1.31	+3.31	+1.4
	J35-5	○	○		+6.70	-1.30	8.00	+7.70	+4.20	-1.30	+4.93	+1.4
	J35-6	○	○		+6.69	-1.31	8.00	+7.69	+4.19	-1.31	+4.84	+1.4
	J35-7	○	○		+6.60	-1.40	8.00	+7.62	+4.10	-1.40	+4.85	+1.3
	J35-8	○	○		+6.77	-1.23	8.00	+7.80	+4.27	-1.23	+4.94	+1.5
	J35-9	○	○		+6.69	-1.31	8.00	+7.76	+4.19	-1.31	+4.85	+1.4
	J36-1	○	○		+6.72	-1.28	8.00	+7.72	+4.22	-1.28	+4.87	+1.5
	J36-2	○	○		+6.66	-0.84	7.50	+7.66	+4.16	-0.84	+4.79	+1.7
	J36-3	○	○		+6.70	-1.30	8.00	+7.70	+4.20	-1.30	+4.82	+1.5
	J36-4	○	○		+6.66	-1.34	8.00	+7.70	+4.16	-1.34	+4.89	+1.4
	J36-5	○	○		+6.70	-1.30	8.00	+7.70	+4.20	-1.30	+4.85	+1.5
	J36-6	○	○		+6.72	-1.28	8.00	+7.72	+4.22	-1.28	+4.86	+1.5
	J36-7	○	○		+6.71	-1.29	8.00	+7.71	+4.21	-1.29	+4.91	+1.5
	J36-8	○	○		+6.82	-1.18	8.00	+7.85	+4.32	-1.18	+5.00	+1.6
	J36-9	○	○		+6.77	-1.23	8.00	+7.77	+4.27	-1.23	+4.82	+1.5
	J37-1	○	○		+6.72	-1.28	8.00	+7.78	+4.22	-1.28	+4.89	+1.5
	J37-2	○	○		+6.78	-1.22	8.00	+7.82	+4.28	-1.22	+4.88	+1.5
	J37-3	○	○		+6.85	-1.15	8.00	+7.85	+4.35	-1.15	+4.79	+1.6
	J37-4	○	○		+6.68	0.72	既実施箇所	+7.72	+3.22	+0.72	+4.90	+2.0
	J37-5	○	○		+6.68	-1.32	8.00	+7.68	+4.18	-1.32	+4.82	+1.4
	J37-6	○	○		+6.71	-1.29	8.00	+7.73	+4.21	-1.29	+4.72	+1.5
	J37-7	○	○		+6.70	-1.30	8.00	+7.70	+4.20	-1.30	+4.87	+1.5
	J37-8	○	○		+6.61	-1.39	8.00	+7.61	+4.11	-1.39	+4.96	+1.4
	J37-9	○	○		+6.75	-1.25	8.00	+7.75	+4.25	-1.25	+5.39	+1.5
	J38-1	○	○		+6.85	-1.65	8.50	+7.85	+4.35	-1.65	+4.66	+1.4
	J38-2	○	○		+6.93	-1.57	8.50	+7.93	+4.43	-1.57	+4.57	+1.4
	J38-3	○	○		+6.93	-1.57	8.50	+7.93	+4.43	-1.57	+4.61	+1.4
	J38-4	○	○		+6.79	-1.21	8.00	+7.79	+4.29	-1.21	+4.53	+1.5
	J38-5	○	○		+6.81	-1.69	8.50	+7.81	+4.31	-1.69	+4.56	+1.3
	J38-6	○	○		+6.80	-1.70	8.50	+7.82	+4.30	-1.70	+4.50	+1.3
	J38-7	○	○		+6.84	-1.66	8.50	+7.84	+4.34	-1.66	+4.62	+1.3
	J38-8	○	○		+6.85	-1.65	8.50	+7.91	+4.35	-1.65	+4.52	+1.4
	J38-9	○	○		+6.87	-1.63	8.50	+7.87	+4.37	-1.63	+4.38	+1.4
	J39-1	○	○		+6.96	-1.54	8.50	+7.96	+4.46	-1.54	+4.58	+1.5

ボーリング及び井戸の設定【5街区】(6/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	J39-2	○	○		+6.94	-1.56	8.50	+7.94	+4.44	-1.56	+4.55	+1.4
	J39-3	○	○		+6.92	-2.08	9.00	+7.92	+4.42	-2.08	+4.60	+1.2
	J39-4	○	○		+6.81	-1.69	8.50	+7.81	+4.31	-1.69	+4.46	+1.3
	J39-5	○	○		+6.83	-1.67	8.50	+7.83	+4.33	-1.67	+4.56	+1.3
	J39-6	○	○		+6.86	-1.64	8.50	+7.86	+4.36	-1.64	+4.60	+1.4
	J39-7	○	○		+6.86	-1.64	8.50	+7.86	+4.36	-1.64	+4.43	+1.4
	J39-8	○	○		+6.95	-1.55	8.50	+7.95	+4.45	-1.55	+4.52	+1.5
	J39-9	○	○		+6.94	-1.56	8.50	+7.94	+4.44	-1.56	+4.59	+1.4
	J40-1	○	○		+6.82	-1.68	8.50	+7.84	+4.32	-1.68	+4.57	+1.3
	J40-2	○	○		+6.82	-1.68	8.50	+7.82	+4.32	-1.68	+4.46	+1.3
	J40-3	○	○		+6.87	-2.13	9.00	+7.87	+4.37	-2.13	+5.14	+1.1
	J40-4	○	○		+6.88	-1.62	8.50	+7.91	+4.38	-1.62	+4.59	+1.4
	J40-5	○	○		+6.89	-1.61	8.50	+7.93	+4.39	-1.61	+4.46	+1.4
	J40-6	○	○		+6.86	-1.64	8.50	+7.86	+4.36	-1.64	+4.04	+1.4
	J40-7	○	○		+6.86	-1.64	8.50	+7.86	+4.36	-1.64	+4.51	+1.4
	J40-8	○	○		+6.87	-1.63	8.50	+7.87	+4.37	-1.63	+4.45	+1.4
	J40-9	○	○		+6.85	-1.65	8.50	+7.85	+4.35	-1.65	+4.89	+1.4
	J41-1	○	○		+6.82	-2.18	9.00	+7.82	+4.32	-2.18	+5.24	+1.1
	J41-2	○	○		+6.83	-2.17	9.00	+7.83	+4.33	-2.17	+4.22	+1.1
	J41-3	○	○		+6.90	-2.10	9.00	+7.93	+4.40	-2.10	+5.20	+1.2
	J41-4	○	○		+6.86	-2.14	9.00	+7.86	+4.36	-2.14	+5.05	+1.1
	J41-5	○	○		+6.89	-2.11	9.00	+7.89	+4.39	-2.11	+4.30	+1.1
	J41-6	○	○		+6.94	-2.06	9.00	+7.94	+4.44	-2.06	+4.90	+1.2
	J41-7	○	○		+6.96	-2.04	9.00	+8.00	+4.46	-2.04	+5.20	+1.2
	J41-8	○	○		+6.97	-2.03	9.00	+7.97	+4.47	-2.03	+4.66	+1.2
	J41-9	○	○		+6.95	-2.05	9.00	+7.95	+4.45	-2.05	+4.90	+1.2
	J42-1	○	○		+6.90	-2.10	9.00	+7.90	+4.40	-2.10	+5.10	+1.1
	J42-2	○	○		+6.81	-2.19	9.00	+7.81	+4.31	-2.19	+5.30	+1.1
	J42-3	○	○		+6.87	-2.13	9.00	+7.87	+4.38	-2.13	+5.06	+1.1
	J42-4	○	○		+6.90	-2.10	9.00	+7.90	+4.40	-2.10	+5.06	+1.1
	J42-5	○	○		+6.89	-2.11	9.00	+7.89	+4.39	-2.11	+4.81	+1.1
	J42-6	○	○		+6.90	-2.10	9.00	+7.90	+4.40	-2.10	+5.04	+1.1
	J42-7	○	○		+6.90	-1.60	8.50	+7.90	+4.40	-1.60	+4.90	+1.4
	J42-8	○	○		+6.93	-2.07	9.00	+7.98	+4.43	-2.07	+4.63	+1.2
	J42-9	○	○		+6.98	-2.02	9.00	+7.98	+4.48	-2.02	+4.78	+1.2
	J43-1	○	○		+6.87	-1.63	8.50	+7.87	+4.38	-1.63	+5.02	+1.4
	J43-8	○	○		+8.91	-2.09	11.00	+9.96	+6.41	-2.09	+4.81	+2.2
	K26-6	○	○		+8.22	-2.28	10.50	+9.29	+3.62	-2.28	+4.27	+0.7
	K27-2	○	○		+7.86	-2.14	10.00	+8.86	+3.86	-2.14	+4.46	+0.9
	K27-3	○	○		+6.49	-1.51	8.00	+7.49	+3.98	-1.51	+5.44	+1.2
	K27-6	○	○		+6.49	-1.51	8.00	+7.49	+4.00	-1.51	+4.38	+1.3
	K27-8	○	○		+7.81	-2.19	10.00	+8.81	+3.64	-2.19	+4.32	+0.6
	K27-9	○	○		+6.41	-1.59	8.00	+7.44	+3.98	-1.59	+5.42	+1.2
	K28-1	○	○		+6.48	-1.52	8.00	+7.48	+3.98	-1.52	+5.72	+1.2
	K28-2	○	○		+6.47	-1.03	7.50	+7.47	+3.97	-1.03	+5.69	+1.5
	K28-3	○	○		+6.54	-1.46	8.00	+7.54	+4.04	-1.46	+5.72	+1.3
	K28-4	○	○		+6.50	-1.50	8.00	+7.53	+4.00	-1.50	+5.58	+1.2
	K28-5	○	○		+6.47	-1.03	7.50	+7.49	+3.97	-1.03	+5.39	+1.5
	K28-6	○	○		+6.52	-0.98	7.50	+7.52	+4.02	-0.98	+5.23	+1.5
	K28-7	○	○		+6.48	-1.52	8.00	+7.52	+3.98	-1.52	+5.42	+1.2
	K28-8	○	○		+6.51	-1.49	8.00	+7.55	+4.01	-1.49	+4.97	+1.3
	K28-9	○	○		+6.48	-1.02	7.50	+7.49	+3.98	-1.02	+5.52	+1.5
	K29-1	○	○		+6.49	-1.01	7.50	+7.49	+3.99	-1.01	+5.63	+1.5
	K29-2	○	○		+6.54	-1.46	8.00	+7.54	+4.04	-1.46	+5.65	+1.3
	K29-3	○	○		+6.49	-1.51	8.00	+7.49	+3.99	-1.51	+5.42	+1.2
	K29-4	○	○		+6.53	-0.97	7.50	+7.53	+4.03	-0.97	+5.07	+1.5
	K29-5	○	○		+6.52	-1.48	8.00	+7.52	+4.02	-1.48	+5.17	+1.3
	K29-6	○	○		+6.47	-1.53	8.00	+7.47	+3.97	-1.53	+4.79	+1.2
	K29-7	○	○		+6.49	-1.01	7.50	+7.51	+3.99	-1.01	+5.01	+1.5
	K29-8	○	○		+6.50	-1.50	8.00	+7.50	+4.00	-1.50	+5.10	+1.2
	K29-9	○	○		+6.41	-1.59	8.00	+7.44	+3.91	-1.59	+3.45	+1.2
	K30-1	○	○		+6.46	-1.54	8.00	+7.46	+3.96	-1.54	+4.49	+1.2
	K30-2	○	○		+6.58	-1.92	8.50	+7.61	+4.08	-1.92	+5.73	+1.1

ボーリング及び井戸の設定【5街区】(7/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	K30-3	○	○		+7.72	-2.28	10.00	+8.76	+3.72	-2.28	+5.63	+0.7
	K30-4	○	○		+6.42	-1.58	8.00	+7.42	+3.92	-1.58	+5.64	+1.2
	K30-5	○	○		+6.49	-2.01	8.50	+7.49	+3.99	-2.01	+5.60	+1.0
	K30-6	○	○		+7.73	-2.27	10.00	+8.73	+3.73	-2.27	+5.73	+0.7
	K30-7	○	○		+6.41	-2.09	8.50	+7.42	+3.91	-2.09	+3.46	+0.9
	K30-8	○	○		+6.64	-1.86	8.50	+7.65	+4.14	-1.86	+3.41	+1.1
	K30-9	○	○		+7.61	-2.39	10.00	+8.61	+3.61	-2.39	+4.59	+0.6
	K31-1	○	○		+7.74	-2.26	10.00	+8.74	+3.74	-2.26	+5.69	+0.7
	K31-2	○	○		+7.71	-2.29	10.00	+8.71	+3.71	-2.29	+5.62	+0.7
	K31-3	○	○		+7.79	-2.21	10.00	+8.79	+3.79	-2.21	+5.46	+0.8
	K31-4	○	○		+7.75	-2.25	10.00	+8.75	+3.75	-2.25	+5.82	+0.7
	K31-5	○	○		+7.75	-2.25	10.00	+8.75	+3.75	-2.25	+4.36	+0.7
	K31-6	○	○		+7.84	-2.66	10.50	+8.84	+3.84	-2.66	+5.57	+0.6
	K31-7	○	○		+7.88	-2.62	10.50	+8.88	+3.88	-2.62	+3.90	+0.6
	K31-8	○	○		+7.88	-2.62	10.50	+8.88	+3.88	-2.62	+4.32	+0.6
	K31-9	○	○		+7.88	-3.12	11.00	+8.88	+3.88	-3.12	+5.93	+0.4
	K32-1	○	○		+7.88	-2.12	10.00	+8.88	+3.88	-2.12	+5.48	+0.9
	K32-2	○	○		+7.47	-2.03	9.50	+8.47	+3.97	-2.03	+5.28	+1.0
	K32-3	○	○		+6.77	-2.23	9.00	+7.77	+3.65	-2.23	+5.74	+0.9
	K32-4	○	○		+7.72	-2.78	10.50	+8.72	+4.22	-2.78	+5.46	+0.7
	K32-5	○	○		+7.38	-2.62	10.00	+8.38	+3.88	-2.62	+5.78	+0.6
	K32-6	○	○		+6.73	-2.27	9.00	+7.73	+3.61	-2.27	+5.78	+0.9
	K32-7	○	○		+7.55	-2.95	10.50	+8.58	+4.05	-2.95	+4.75	+0.5
	K32-8	○	○		+7.17	-2.83	10.00	+8.18	+3.67	-2.83	+5.75	+0.4
	K32-9	○	○		+6.81	-2.69	9.50	+7.81	+3.56	-2.69	+5.70	+0.6
	K33-1	○	○		+6.82	-2.18	9.00	+7.82	+4.32	-2.18	+4.64	+1.1
	K33-2	○	○		+6.73	-1.77	8.50	+7.75	+4.23	-1.77	+4.36	+1.2
	K33-3	○	○		+6.72	-1.78	8.50	+7.72	+4.22	-1.78	+4.25	+1.2
	K33-4	○	○		+6.90	-2.10	9.00	+7.93	+4.40	-2.10	+4.21	+1.1
	K33-5	○	○		+6.78	-2.22	9.00	+7.78	+4.28	-2.22	+4.61	+1.0
	K33-6	○	○		+6.78	-1.72	8.50	+7.78	+4.28	-1.72	+3.92	+1.3
	K33-7	○	○		+6.83	-2.17	9.00	+7.83	+4.33	-2.17	+4.55	+1.1
	K33-8	○	○		+6.77	-2.23	9.00	+7.77	+4.27	-2.23	+4.63	+1.0
	K33-9	○	○		+6.86	-2.14	9.00	+7.86	+4.36	-2.14	+4.36	+1.1
	K34-1	○	○		+6.76	-1.74	8.50	+7.76	+4.26	-1.74	+3.88	+1.3
	K34-2	○	○		+6.68	-1.82	8.50	+7.68	+4.18	-1.82	+4.68	+1.2
	K34-3	○	○		+6.63	-1.87	8.50	+7.63	+4.13	-1.87	+4.77	+1.1
	K34-4	○	○		+6.70	-1.80	8.50	+7.70	+4.20	-1.80	+2.99	+1.2
	K34-5	○	○		+6.65	-1.85	8.50	+7.65	+4.15	-1.85	+4.22	+1.1
	K34-6	○	○		+6.68	-1.82	8.50	+7.71	+4.18	-1.82	+4.72	+1.2
	K34-7	○	○		+6.78	-1.72	8.50	+7.80	+4.28	-1.72	+3.48	+1.3
	K34-8	○	○		+6.69	-1.81	8.50	+7.73	+4.19	-1.81	+3.67	+1.2
	K34-9	○	○		+6.74	-1.76	8.50	+7.77	+4.24	-1.76	+4.72	+1.2
	K35-1	○	○		+6.72	-1.28	8.00	+7.74	+4.22	-1.28	+4.93	+1.5
	K35-2	○	○		+6.77	-1.23	8.00	+7.79	+4.27	-1.23	+4.91	+1.5
	K35-3	○	○		+6.75	0.75	既実施箇所	+7.76	+3.26	+0.75	+5.34	+2.0
	K35-4	○	○		+6.66	-1.84	8.50	+7.66	+4.16	-1.84	+4.72	+1.2
	K35-5	○	○		+6.76	-1.24	8.00	+7.76	+4.26	-1.24	+4.79	+1.5
	K35-6	○	○		+6.76	-1.24	8.00	+7.76	+4.26	-1.24	+4.84	+1.5
	K35-7	○	○		+6.66	-1.84	8.50	+7.66	+4.16	-1.84	+4.79	+1.2
	K35-8	○	○		+6.72	-1.78	8.50	+7.72	+4.22	-1.78	+4.75	+1.2
	K35-9	○	○		+6.65	-1.35	8.00	+7.65	+4.15	-1.35	+4.75	+1.4
	K36-1	○	○		+6.69	-1.31	8.00	+7.69	+4.19	-1.31	+4.86	+1.4
	K36-2	○	○		+6.83	-1.17	8.00	+7.87	+4.33	-1.17	+5.02	+1.6
	K36-3	○	○		+6.79	-1.21	8.00	+7.79	+4.29	-1.21	+5.67	+1.5
	K36-4	○	○		+6.73	-1.27	8.00	+7.73	+4.23	-1.27	+4.88	+1.5
	K36-5	○	○		+6.79	-1.21	8.00	+7.79	+4.29	-1.21	+4.99	+1.5
	K36-6	○	○		+6.79	-1.21	8.00	+7.86	+4.29	-1.21	+4.96	+1.5
	K36-7	○	○		+6.76	-1.24	8.00	+7.76	+4.26	-1.24	+5.09	+1.5
	K36-8	○	○		+6.80	-1.70	8.50	+7.87	+4.30	-1.70	+5.06	+1.3
	K36-9	○	○		+6.81	-1.19	8.00	+7.81	+4.31	-1.19	+4.80	+1.6
	K37-1	○	○		+6.76	-1.24	8.00	+7.76	+4.26	-1.24	+4.82	+1.5
	K37-2	○	○		+6.63	-1.37	8.00	+7.63	+4.13	-1.37	+4.85	+1.4

ボーリング及び井戸の設定【5街区】(8/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
	K37-3	○	○		+6.71	-1.29	8.00	+7.71	+4.21	-1.29	+4.72	+1.5
	K37-4	○	○		+6.73	-1.27	8.00	+7.73	+4.23	-1.27	+4.63	+1.5
	K37-5	○	○		+6.71	-1.29	8.00	+7.71	+4.11	-1.29	+5.34	+1.4
	K37-6	○	○		+6.75	-1.25	8.00	+7.77	+4.15	-1.25	+4.65	+1.5
	K37-7	○	○		+6.81	-1.19	8.00	+7.81	+4.31	-1.19	+4.71	+1.6
	K37-8	○	○		+6.70	-1.30	8.00	+7.70	+4.20	-1.30	+4.65	+1.5
	K37-9	○	○		+6.67	-1.33	8.00	+7.67	+4.17	-1.33	+4.69	+1.4
	K38-1	○	○		+6.69	-1.31	8.00	+7.69	+4.19	-1.31	+4.51	+1.4
	K38-2	○	○		+6.75	-1.25	8.00	+7.75	+4.25	-1.25	+4.51	+1.5
	K38-3	○	○		+6.83	-1.67	8.50	+7.83	+4.23	-1.67	+4.52	+1.3
	K38-4	○	○		+6.71	-1.29	8.00	+7.71	+4.21	-1.29	+4.45	+1.5
	K38-5	○	○		+6.84	-1.66	8.50	+7.84	+4.34	-1.66	+4.44	+1.3
	K38-6	○	○		+6.93	-1.57	8.50	+7.96	+4.43	-1.57	+4.52	+1.4
	K38-7	○	○		+6.67	-1.33	8.00	+7.69	+4.17	-1.33	+4.54	+1.4
	K38-8	○	○		+6.83	-1.67	8.50	+7.86	+4.33	-1.67	+4.63	+1.3
	K38-9	○	○		+6.96	-1.54	8.50	+7.96	+4.36	-1.54	+4.56	+1.4
	K39-1	○	○		+6.97	-1.53	8.50	+7.97	+4.37	-1.53	+4.46	+1.4
	K39-2	○	○		+6.98	-1.52	8.50	+7.98	+4.38	-1.52	+4.46	+1.4
	K39-3	○	○		+7.03	-1.47	8.50	+8.03	+4.43	-1.47	+4.47	+1.5
	K39-4	○	○		+7.02	-1.48	8.50	+8.02	+4.42	-1.48	+4.95	+1.5
	K39-5	○	○		+7.01	-1.49	8.50	+8.01	+4.41	-1.49	+4.45	+1.5
	K39-6	○	○		+6.98	-1.52	8.50	+7.99	+4.38	-1.52	+4.40	+1.4
	K39-7	○	○		+6.92	-1.58	8.50	+7.92	+4.32	-1.58	+4.94	+1.4
	K39-8	○	○		+6.98	-1.52	8.50	+7.98	+4.38	-1.52	+4.34	+1.4
	K39-9	○	○		+7.03	-1.47	8.50	+8.06	+4.43	-1.47	+4.38	+1.5
	K40-1	○	○		+6.95	-1.55	8.50	+8.01	+4.35	-1.55	+4.50	+1.4
	K40-2	○	○		+6.91	-1.59	8.50	+7.91	+4.31	-1.59	+4.90	+1.4
	K40-3	○	○		+6.91	-1.59	8.50	+7.91	+4.31	-1.59	+4.87	+1.4
	K40-4	○	○		+6.98	-1.52	8.50	+8.01	+4.38	-1.52	+5.40	+1.4
	K40-5	○	○		+7.02	-1.48	8.50	+8.02	+4.42	-1.48	+5.29	+1.5
	K40-6	○	○		+6.92	-1.58	8.50	+7.94	+4.32	-1.58	+4.81	+1.4
	K40-7	○	○		+6.94	-1.56	8.50	+7.95	+4.34	-1.56	+4.99	+1.4
	K40-8	○	○		+6.95	-1.55	8.50	+7.97	+4.35	-1.55	+5.03	+1.4
	K40-9	○	○		+6.92	-1.58	8.50	+7.93	+4.32	-1.58	+5.21	+1.4
	K41-1	○	○		+6.97	-1.53	8.50	+7.99	+4.37	-1.53	+5.06	+1.4
	K41-2	○	○		+7.02	-1.48	8.50	+8.05	+4.42	-1.48	+4.81	+1.5
	K41-3	○	○		+6.95	-1.55	8.50	+7.95	+4.35	-1.55	+4.70	+1.4
	K41-4	○	○		+6.94	-1.56	8.50	+7.94	+4.34	-1.56	+5.33	+1.4
	K41-5	○	○		+6.99	-1.51	8.50	+7.99	+4.39	-1.51	+4.75	+1.4
	K41-6	○	○		+6.92	-1.58	8.50	+7.92	+4.32	-1.58	+4.83	+1.4
	K41-7	○	○		+6.89	-1.61	8.50	+7.89	+4.29	-1.61	+5.33	+1.3
	K41-8	○	○		+6.85	-1.65	8.50	+7.85	+4.25	-1.65	+4.80	+1.3
	K41-9	○	○		+6.96	-1.54	8.50	+7.96	+4.36	-1.54	+4.61	+1.4
	K42-1	○	○		+6.99	-1.51	8.50	+7.99	+4.39	-1.51	+4.97	+1.4
	K42-2	○	○		+6.99	-1.51	8.50	+8.01	+4.39	-1.51	+4.74	+1.4
	K42-3	○	○		+7.00	-1.50	8.50	+8.00	+4.40	-1.50	+4.82	+1.5
	K42-4	○	○		+6.91	-1.59	8.50	+7.91	+4.31	-1.59	+4.96	+1.4
	K42-5	○	○		+6.94	-1.56	8.50	+7.94	+4.34	-1.56	+5.02	+1.4
	K42-6	○	○		+6.92	-1.58	8.50	+7.92	+4.34	-1.58	+4.77	+1.4
	K42-7	○	○		+6.96	-1.54	8.50	+8.00	+4.36	-1.54	+5.01	+1.4
	K42-8	○	○		+6.94	-1.56	8.50	+7.98	+4.34	-1.56	+4.94	+1.4
	K42-9	○	○		+6.87	-1.63	8.50	+7.95	+4.34	-1.63	+4.80	+1.4
	K43-2	○	○		+9.09	-1.41	10.50	+10.13	+4.49	-1.41	+4.90	+1.5
	K43-7	○	○		+9.29	-1.21	10.50	+10.30	+4.29	-1.21	+4.86	+1.5
	L26-5	○	○		+8.04	-2.96	11.00	+9.04	+4.04	-2.96	+3.78	+0.5
	L27-2	○	○		+7.78	-2.22	10.00	+8.78	+3.78	-2.22	+4.03	+0.8
	L27-3	○	○		+6.41	-2.09	8.50	+7.42	+3.97	-2.09	+5.38	+1.0
	L27-5	○	○		+7.71	-2.29	10.00	+8.73	+3.71	-2.29	+4.25	+0.7
	L27-6	○	○		+6.40	-2.10	8.50	+7.40	+3.98	-2.10	+4.16	+1.0
	L27-9	○	○		+6.41	-2.09	8.50	+7.41	+3.91	-2.09	+4.20	+0.9
	L28-1	○	○		+6.47	-1.53	8.00	+7.47	+3.97	-1.53	+5.28	+1.2
	L28-2	○	○		+6.57	-1.43	8.00	+7.57	+4.07	-1.43	+5.45	+1.3
	L28-3	○	○		+6.50	-1.50	8.00	+7.50	+4.00	-1.50	+5.21	+1.2

ボーリング及び井戸の設定【5街区】(9/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	L28-4	○	○		+6.48	-2.02	8.50	+7.48	+3.98	-2.02	+5.36	+1.0
	L28-5	○	○		+6.49	-1.51	8.00	+7.49	+3.99	-1.51	+5.24	+1.2
	L28-6	○	○		+6.47	-1.53	8.00	+7.50	+3.97	-1.53	+4.86	+1.2
	L28-7	○	○		+6.44	-2.06	8.50	+7.44	+3.94	-2.06	+4.60	+0.9
	L28-8	○	○		+6.44	0.45	既実施箇所	+7.45	+2.95	+0.45	+3.53	+1.7
	L28-9	○	○		+6.48	-2.02	8.50	+7.50	+3.98	-2.02	+3.83	+1.0
	L29-1	○	○		+6.48	-1.52	8.00	+7.50	+3.98	-1.52	+4.53	+1.2
	L29-2	○	○		+6.43	-1.57	8.00	+7.43	+3.93	-1.57	+5.48	+1.2
	L29-3	○	○		+6.45	-1.55	8.00	+7.45	+3.95	-1.55	+3.51	+1.2
	L29-4	○	○		+6.48	-1.52	8.00	+7.48	+3.98	-1.52	+5.54	+1.2
	L29-5	○	○		+6.48	-2.02	8.50	+7.48	+3.98	-2.02	+5.67	+1.0
	L29-6	○	○		+6.49	-2.01	8.50	+7.49	+3.99	-2.01	+4.35	+1.0
	L29-7	○	○		+6.56	-1.94	8.50	+7.56	+4.06	-1.94	+5.19	+1.1
	L29-8	○	○		+6.56	-1.94	8.50	+7.56	+4.06	-1.94	+6.03	+1.1
	L29-9	○	○		+6.54	-1.96	8.50	+7.54	+4.04	-1.96	+3.63	+1.0
	L30-1	○	○		+6.43	-2.07	8.50	+7.43	+3.93	-2.07	+2.54	+0.9
	L30-2	○	○		+6.42	-2.08	8.50	+7.42	+3.92	-2.08	+5.69	+0.9
	L30-3	○	○		+6.43	-2.57	9.00	+7.43	+3.93	-2.57	+5.46	+0.7
	L30-4	○	○		+6.50	-2.00	8.50	+7.53	+4.00	-2.00	+3.85	+1.0
	L30-5	○	○		+6.50	-2.00	8.50	+7.53	+4.00	-2.00	+4.85	+1.0
	L30-6	○	○		+6.44	-2.56	9.00	+7.45	+3.94	-2.56	+4.52	+0.7
	L30-7	○	○		+6.50	-2.50	9.00	+7.50	+4.00	-2.50	+3.00	+0.8
	L30-8	○	○		+6.55	-2.45	9.00	+7.55	+4.05	-2.45	+5.82	+0.8
	L30-9	○	○		+6.50	-2.50	9.00	+7.50	+4.00	-2.50	+3.95	+0.7
	L31-1	○	○		+6.42	-2.58	9.00	+7.42	+3.92	-2.58	+3.91	+0.7
	L31-2	○	○		+6.49	-3.01	9.50	+7.50	+3.99	-3.01	+4.70	+0.5
	L31-3	○	○		+6.40	-3.10	9.50	+7.40	+3.90	-3.10	+4.89	+0.4
	L31-4	○	○		+6.43	-2.57	9.00	+7.43	+3.93	-2.57	+4.24	+0.7
	L31-5	○	○		+6.49	-3.01	9.50	+7.53	+3.99	-3.01	+4.33	+0.5
	L31-6	○	○		+6.37	-3.13	9.50	+7.39	+3.87	-3.13	+4.32	+0.4
	L31-7	○	○		+6.40	-2.60	9.00	+7.40	+3.90	-2.60	+3.80	+0.6
	L31-8	○	○		+6.44	-3.06	9.50	+7.44	+3.94	-3.06	+3.97	+0.4
	L31-9	○	○		+6.40	-3.10	9.50	+7.40	+3.90	-3.10	+4.18	+0.4
	L32-1	○	○		+7.42	-3.08	10.50	+8.42	+3.92	-3.08	+5.59	+0.4
	L32-2	○	○		+7.09	-2.91	10.00	+8.09	+3.59	-2.91	+4.99	+0.3
	L32-3	○	○		+6.85	-2.65	9.50	+7.85	+4.42	-2.65	+4.00	+0.9
	L32-4	○	○		+6.36	-3.14	9.50	+7.39	+3.86	-3.14	+4.42	+0.4
	L32-5	○	○		+6.52	-2.98	9.50	+7.61	+4.02	-2.98	+4.33	+0.5
	L32-6	○	○		+6.69	-2.81	9.50	+7.78	+4.41	-2.81	+4.94	+0.9
	L32-7	○	○		+6.39	-3.11	9.50	+7.39	+3.89	-3.11	+4.11	+0.4
	L32-8	○	○		+6.43	-3.07	9.50	+7.49	+3.93	-3.07	+4.01	+0.4
	L32-9	○	○		+6.81	-2.69	9.50	+7.89	+4.36	-2.69	+4.62	+0.9
	L33-1	○	○		+6.84	-2.66	9.50	+7.84	+4.34	-2.66	+4.07	+0.8
	L33-2	○	○		+6.84	-2.16	9.00	+7.84	+4.34	-2.16	+4.62	+1.1
	L33-3	○	○		+6.87	-2.13	9.00	+7.87	+4.37	-2.13	+4.63	+1.1
	L33-4	○	○		+6.82	-2.68	9.50	+7.86	+4.32	-2.68	+4.33	+0.8
	L33-5	○	○		+6.83	-2.18	9.00	+7.83	+4.33	-2.18	+4.59	+1.1
	L33-6	○	○		+6.87	-2.14	9.00	+7.89	+4.37	-2.14	+4.59	+1.1
	L33-7	○	○		+6.79	-2.21	9.00	+7.84	+4.29	-2.21	+4.76	+1.0
	L33-8	○	○		+6.75	-2.26	9.00	+7.75	+4.25	-2.26	+4.54	+1.0
	L33-9	○	○		+6.77	-2.24	9.00	+7.81	+4.27	-2.24	+4.60	+1.0
	L34-1	○	○		+6.86	-2.14	9.00	+7.86	+4.36	-2.14	+5.05	+1.1
	L34-2	○	○		+6.71	-1.79	8.50	+7.71	+4.21	-1.79	+4.73	+1.2
	L34-3	○	○		+6.69	-1.81	8.50	+7.71	+4.19	-1.81	+4.64	+1.2
	L34-4	○	○		+6.83	-2.18	9.00	+7.88	+4.33	-2.18	+4.45	+1.1
	L34-5	○	○		+6.78	0.75	既実施箇所	+7.71	+3.21	+0.75	+4.62	+2.0
	L34-6	○	○		+6.72	-1.79	8.50	+7.72	+4.22	-1.79	+4.51	+1.2
	L34-7	○	○		+6.79	-2.22	9.00	+7.86	+4.29	-2.22	+3.93	+1.0
	L34-8	○	○		+6.90	-1.61	8.50	+7.92	+4.40	-1.61	+4.26	+1.4
	L34-9	○	○		+6.83	-1.68	8.50	+7.87	+4.33	-1.68	+4.55	+1.3
	L35-1	○	○		+6.69	-1.81	8.50	+7.69	+4.19	-1.81	+4.67	+1.2
	L35-2	○	○		+6.59	-1.41	8.00	+7.59	+4.09	-1.41	+4.69	+1.3
	L35-3	○	○		+6.68	-1.32	8.00	+7.68	+4.18	-1.32	+4.88	+1.4

ボーリング及び井戸の設定【5街区】(10/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	L35-4	○	○		+6.74	-1.77	8.50	+7.74	+4.14	-1.77	+4.54	+1.2
	L35-5	○	○		+6.69	-1.82	8.50	+7.72	+4.09	-1.82	+4.52	+1.1
	L35-6	○	○		+6.67	-1.34	8.00	+7.67	+4.17	-1.34	+4.60	+1.4
	L35-7	○	○		+6.81	-1.70	8.50	+7.81	+4.31	-1.70	+4.56	+1.3
	L35-8	○	○		+6.72	-1.79	8.50	+7.72	+4.22	-1.79	+4.85	+1.2
	L35-9	○	○		+6.77	-1.24	8.00	+7.77	+4.27	-1.24	+4.42	+1.5
	L36-1	○	○		+6.71	-1.29	8.00	+7.71	+4.21	-1.29	+4.88	+1.5
	L36-2	○	○		+6.79	-1.21	8.00	+7.79	+4.29	-1.21	+4.74	+1.5
	L36-3	○	○		+6.74	-1.26	8.00	+7.74	+4.24	-1.26	+4.75	+1.5
	L36-4	○	○		+6.71	-1.30	8.00	+7.71	+4.21	-1.30	+4.79	+1.5
	L36-5	○	○		+6.67	-1.33	8.00	+7.73	+4.17	-1.33	+4.60	+1.4
	L36-6	○	○		+6.70	-1.30	8.00	+7.74	+4.20	-1.30	+4.65	+1.4
	L36-7	○	○		+6.71	-1.30	8.00	+7.78	+4.21	-1.30	+4.60	+1.5
	L36-8	○	○		+6.65	-1.35	8.00	+7.65	+4.15	-1.35	+4.43	+1.4
	L36-9	○	○		+6.67	-1.33	8.00	+7.67	+4.17	-1.33	+5.83	+1.4
	L37-1	○	○		+6.69	-1.31	8.00	+7.78	+4.19	-1.31	+4.66	+1.4
	L37-2	○	○	○	+6.65	-1.35	8.00	+7.66	+4.15	-1.35	+4.62	+1.4
	L37-3	○	○		+6.69	-1.31	8.00	+7.69	+4.19	-1.31	+4.84	+1.4
	L37-4	○	○		+6.71	-1.29	8.00	+7.71	+4.21	-1.29	+4.71	+1.5
	L37-5	○	○		+6.64	-0.37	既実施箇所	+7.63	+3.13	-0.37	+4.74	+1.4
	L37-6	○	○		+6.63	-1.37	8.00	+7.63	+4.13	-1.37	+5.26	+1.4
	L37-7	○	○		+6.72	-1.28	8.00	+7.72	+4.22	-1.28	+5.88	+1.5
	L37-8	○	○		+6.60	-1.40	8.00	+7.63	+4.10	-1.40	+5.69	+1.3
	L37-9	○	○		+6.56	-1.44	8.00	+7.56	+4.06	-1.44	+4.55	+1.3
	L38-1	○	○		+6.74	-1.26	8.00	+7.74	+4.24	-1.26	+4.35	+1.5
	L38-2	○	○		+6.77	-1.23	8.00	+7.77	+4.27	-1.23	+4.26	+1.5
	L38-3	○	○		+6.87	-1.63	8.50	+7.87	+4.37	-1.63	+4.33	+1.4
	L38-4	○	○		+6.73	-1.27	8.00	+7.73	+4.23	-1.27	+4.63	+1.5
	L38-5	○	○		+6.82	-1.18	8.00	+7.82	+4.32	-1.18	+4.21	+1.6
	L38-6	○	○		+6.91	-1.09	8.00	+7.96	+4.41	-1.09	+4.25	+1.7
	L38-7	○	○		+6.71	-1.29	8.00	+7.71	+4.21	-1.29	+4.31	+1.5
	L38-8	○	○		+6.82	-1.18	8.00	+7.86	+4.32	-1.18	+4.61	+1.6
	L38-9	○	○		+6.88	-1.12	8.00	+7.96	+4.38	-1.12	+4.25	+1.6
	L39-1	○	○		+6.93	-1.57	8.50	+7.93	+4.33	-1.57	+5.34	+1.4
	L39-2	○	○		+6.94	-1.56	8.50	+7.94	+4.34	-1.56	+4.07	+1.4
	L39-3	○	○		+6.91	-1.59	8.50	+7.91	+4.31	-1.59	+4.72	+1.4
	L39-4	○	○		+6.91	-1.09	8.00	+7.91	+4.31	-1.09	+5.43	+1.6
	L39-5	○	○		+6.86	-1.14	8.00	+7.86	+4.36	-1.14	+4.16	+1.6
	L39-6	○	○		+6.83	-1.18	8.00	+7.83	+4.33	-1.18	+4.64	+1.6
	L39-7	○	○		+6.86	-1.14	8.00	+7.86	+4.36	-1.14	+5.31	+1.6
	L39-8	○	○		+6.88	-1.12	8.00	+7.88	+4.38	-1.12	+4.63	+1.6
	L39-9	○	○		+6.89	0.86	既実施箇所	+7.82	+3.32	+0.86	+3.63	+2.1
	L40-1	○	○		+6.87	-1.13	8.00	+7.87	+4.37	-1.13	+5.41	+1.6
	L40-2	○	○		+6.88	-1.12	8.00	+7.88	+4.38	-1.12	+5.28	+1.6
	L40-3	○	○		+6.81	-1.19	8.00	+7.81	+4.31	-1.19	+5.58	+1.6
	L40-4	○	○		+6.74	-1.27	8.00	+7.81	+4.24	-1.27	+4.92	+1.5
	L40-5	○	○		+6.76	-1.25	8.00	+7.76	+4.26	-1.25	+4.78	+1.5
	L40-6	○	○		+6.83	-1.18	8.00	+7.83	+4.33	-1.18	+4.61	+1.6
	L40-7	○	○		+6.77	-1.24	8.00	+7.77	+4.27	-1.24	+4.72	+1.5
	L40-8	○	○		+6.78	-1.23	8.00	+7.78	+4.28	-1.23	+4.65	+1.5
	L40-9	○	○		+6.77	-1.24	8.00	+7.77	+4.27	-1.24	+4.87	+1.5
	L41-1	○	○		+6.89	-1.11	8.00	+7.89	+4.39	-1.11	+5.08	+1.6
	L41-2	○	○		+6.84	-1.16	8.00	+7.84	+4.34	-1.16	+4.60	+1.6
	L41-3	○	○		+6.87	-1.13	8.00	+7.87	+4.37	-1.13	+5.12	+1.6
	L41-4	○	○		+6.82	-1.19	8.00	+7.82	+4.32	-1.19	+5.08	+1.6
	L41-5	○	○		+6.84	-1.17	8.00	+7.84	+4.34	-1.17	+4.47	+1.6
	L41-6	○	○		+6.89	-1.12	8.00	+7.89	+4.39	-1.12	+5.17	+1.6
	L41-7	○	○		+6.76	-1.25	8.00	+7.76	+4.26	-1.25	+4.99	+1.5
	L41-8	○	○		+6.80	-1.21	8.00	+7.84	+4.30	-1.21	+4.58	+1.5
	L41-9	○	○		+6.89	-1.12	8.00	+7.90	+4.39	-1.12	+5.11	+1.6
	L42-1	○	○		+6.91	-1.09	8.00	+7.96	+4.41	-1.09	+4.96	+1.7
	L42-2	○	○		+6.87	-1.13	8.00	+7.93	+4.37	-1.13	+4.87	+1.6
	L42-3	○	○		+6.98	-1.02	8.00	+7.98	+4.37	-1.02	+4.84	+1.6

ボーリング及び井戸の設定【5街区】(11/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	L42-4	○	○		+6.94	-1.07	8.00	+7.94	+4.44	-1.07	+4.96	+1.7
	L42-5	○	○		+6.89	-1.12	8.00	+7.89	+4.39	-1.12	+4.93	+1.6
	L42-6	○	○		+6.97	-1.03	8.00	+7.97	+4.39	-1.03	+4.67	+1.6
	L42-7	○	○		+6.86	-1.15	8.00	+7.86	+4.36	-1.15	+4.97	+1.6
	L42-8	○	○		+6.90	-1.11	8.00	+7.96	+4.40	-1.11	+4.87	+1.6
	L42-9	○	○		+6.99	-1.01	8.00	+7.99	+4.36	-1.01	+6.20	+2.4
	L43-1	○	○		+9.49	-1.01	10.50	+10.54	+3.99	-1.01	+4.86	+1.5
	M26-8	○	○		+7.94	-2.57	10.50	+8.98	+3.94	-2.57	+3.55	+0.7
	M27-1	○	○		+7.68	-2.32	10.00	+8.73	+3.68	-2.32	+4.10	+0.7
	M27-2	○	○		+7.52	-2.48	10.00	+8.55	+4.02	-2.48	+4.40	+0.8
	M27-3	○	○		+6.41	-2.09	8.50	+7.45	+3.91	-2.09	+4.26	+0.9
	M27-4	○	○		+7.59	-2.41	10.00	+8.59	+4.09	-2.41	+4.09	+0.8
	M27-5	○	○		+7.51	-2.49	10.00	+8.51	+4.02	-2.49	+4.77	+0.8
	M27-6	○	○		+6.41	-2.09	8.50	+7.41	+3.91	-2.09	+4.45	+0.9
	M27-7	○	○		+7.57	-2.43	10.00	+8.57	+4.07	-2.43	+3.94	+0.8
	M27-8	○	○		+7.52	-2.48	10.00	+8.55	+5.20	-2.48	+4.40	+1.5
	M27-9	○	○		+6.45	-2.05	8.50	+7.45	+3.95	-2.05	+4.45	+1.0
	M28-1	○	○		+6.44	-2.06	8.50	+7.44	+3.84	-2.06	+4.64	+0.9
	M28-2	○	○		+6.47	-2.03	8.50	+7.49	+3.87	-2.03	+4.60	+0.9
	M28-3	○	○		+6.50	-2.00	8.50	+7.50	+3.90	-2.00	+4.63	+1.0
	M28-4	○	○		+6.44	-2.06	8.50	+7.51	+3.84	-2.06	+4.25	+0.9
	M28-5	○	○		+6.47	-2.03	8.50	+7.50	+3.87	-2.03	+4.45	+0.9
	M28-6	○	○		+6.50	-2.00	8.50	+7.50	+3.90	-2.00	+4.48	+1.0
	M28-7	○	○		+6.46	-2.04	8.50	+7.50	+3.86	-2.04	+4.25	+0.9
	M28-8	○	○		+6.44	-2.06	8.50	+7.44	+3.84	-2.06	+4.38	+0.9
	M28-9	○	○		+6.49	-2.01	8.50	+7.52	+3.89	-2.01	+4.43	+0.9
	M29-1	○	○		+6.57	-1.93	8.50	+7.57	+3.97	-1.93	+4.05	+1.0
	M29-2	○	○		+6.57	-1.93	8.50	+7.57	+3.97	-1.93	+4.27	+1.0
	M29-3	○	○		+6.53	-2.47	9.00	+7.53	+4.03	-2.47	+4.59	+0.8
	M29-4	○	○		+6.44	-2.06	8.50	+7.44	+3.84	-2.06	+4.51	+0.9
	M29-5	○	○		+6.40	-2.10	8.50	+7.44	+3.80	-2.10	+5.03	+0.9
	M29-6	○	○		+6.45	-2.55	9.00	+7.45	+3.95	-2.55	+4.43	+0.7
	M29-7	○	○		+6.45	-2.05	8.50	+7.45	+3.95	-2.05	+4.41	+1.0
	M29-8	○	○		+6.44	-2.56	9.00	+7.44	+3.94	-2.56	+5.01	+0.7
	M29-9	○	○		+6.44	-2.56	9.00	+7.47	+3.94	-2.56	+4.28	+0.7
	M30-1	○	○		+6.53	-2.47	9.00	+7.60	+4.03	-2.47	+4.84	+0.8
	M30-2	○	○		+6.55	-2.45	9.00	+7.55	+4.05	-2.45	+4.38	+0.8
	M30-3	○	○		+6.37	-2.63	9.00	+7.42	+3.87	-2.63	+4.30	+0.6
	M30-4	○	○		+6.41	-2.59	9.00	+7.41	+3.91	-2.59	+4.50	+0.7
	M30-5	○	○		+6.49	-2.51	9.00	+7.49	+3.99	-2.51	+4.31	+0.7
	M30-6	○	○		+6.49	-3.01	9.50	+7.49	+3.99	-3.01	+4.38	+0.5
	M30-7	○	○		+6.44	-2.56	9.00	+7.45	+3.94	-2.56	+4.62	+0.7
	M30-8	○	○		+6.52	-2.98	9.50	+7.52	+4.02	-2.98	+4.69	+0.5
	M30-9	○	○		+6.59	-2.91	9.50	+7.59	+4.09	-2.91	+4.65	+0.6
	M31-1	○	○		+6.35	-2.65	9.00	+7.35	+3.85	-2.65	+4.29	+0.6
	M31-2	○	○		+6.43	0.40	既実施箇所	+7.40	+2.90	+0.40	+3.88	+1.9
	M31-3	○	○		+6.53	-2.97	9.50	+7.53	+4.03	-2.97	+4.06	+0.5
	M31-4	○	○		+6.49	-3.01	9.50	+7.49	+3.99	-3.01	+4.49	+0.5
	M31-5	○	○		+6.43	-3.07	9.50	+7.43	+3.93	-3.07	+4.03	+0.4
	M31-6	○	○		+6.57	-3.43	10.00	+7.57	+4.07	-3.43	+3.09	+0.3
	M31-7	○	○		+6.52	-2.98	9.50	+7.53	+4.02	-2.98	+4.58	+0.5
	M31-8	○	○		+6.50	-3.00	9.50	+7.52	+4.00	-3.00	+4.44	+0.5
	M31-9	○	○		+6.50	-3.00	9.50	+7.54	+4.00	-3.00	+4.03	+0.5
	M32-1	○	○		+6.40	-3.10	9.50	+7.40	+3.90	-3.10	+4.55	+0.4
	M32-2	○	○		+6.43	-3.07	9.50	+7.43	+3.93	-3.07	+4.26	+0.4
	M32-3	○	○		+6.71	-2.79	9.50	+7.71	+4.27	-2.79	+4.72	+0.8
	M32-4	○	○		+6.55	-3.45	10.00	+7.55	+4.05	-3.45	+4.72	+0.3
	M32-5	○	○		+6.50	-3.00	9.50	+7.50	+4.00	-3.00	+4.11	+0.5
	M32-6	○	○		+6.64	-2.86	9.50	+7.70	+4.28	-2.86	+4.67	+0.8
	M32-7	○	○		+6.50	-3.00	9.50	+7.53	+4.00	-3.00	+4.50	+0.5
	M32-8	○	○		+6.55	-2.95	9.50	+7.60	+4.05	-2.95	+4.51	+0.5
	M32-9	○	○		+6.54	-2.96	9.50	+7.55	+4.23	-2.96	+4.85	+0.7
	M33-1	○	○		+6.72	-2.78	9.50	+7.75	+4.22	-2.78	+4.26	+0.7

ボーリング及び井戸の設定【5街区】(12/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	M33-2	○	○		+6.77	-2.24	9.00	+7.81	+4.27	-2.24	+4.34	+1.0
	M33-3	○	○		+6.78	-2.23	9.00	+7.82	+4.28	-2.23	+4.08	+1.0
	M33-4	○	○		+6.71	-2.79	9.50	+7.78	+4.21	-2.79	+4.21	+0.7
	M33-5	○	○		+6.69	-2.32	9.00	+7.72	+4.19	-2.32	+4.49	+0.9
	M33-6	○	○		+6.67	-2.34	9.00	+7.67	+4.17	-2.34	+4.51	+0.9
	M33-7	○	○		+6.68	-2.82	9.50	+7.68	+4.18	-2.82	+4.16	+0.7
	M33-8	○	○		+6.63	-2.38	9.00	+7.66	+4.13	-2.38	+4.51	+0.9
	M33-9	○	○		+6.59	-2.42	9.00	+7.61	+4.09	-2.42	+4.25	+0.8
	M34-1	○	○		+6.85	-2.16	9.00	+7.85	+4.35	-2.16	+3.84	+1.1
	M34-2	○	○		+6.85	-1.66	8.50	+7.85	+4.35	-1.66	+5.00	+1.3
	M34-3	○	○		+6.86	-1.65	8.50	+7.86	+4.36	-1.65	+4.39	+1.4
	M34-4	○	○		+6.77	-2.24	9.00	+7.77	+4.27	-2.24	+4.51	+1.0
	M34-5	○	○		+6.73	-1.78	8.50	+7.76	+4.13	-1.78	+4.34	+1.2
	M34-6	○	○		+6.82	-1.69	8.50	+7.84	+4.22	-1.69	+4.33	+1.3
	M34-7	○	○		+6.68	-1.83	8.50	+7.70	+4.08	-1.83	+4.30	+1.1
	M34-8	○	○		+6.70	-1.81	8.50	+7.70	+4.10	-1.81	+3.52	+1.1
	M34-9	○	○		+6.74	-1.77	8.50	+7.74	+4.14	-1.77	+3.07	+1.2
	M35-1	○	○		+6.85	-1.66	8.50	+7.85	+4.25	-1.66	+4.40	+1.3
	M35-2	○	○		+6.70	-1.31	8.00	+7.70	+4.20	-1.31	+4.36	+1.4
	M35-3	○	○		+6.70	-1.31	8.00	+7.70	+4.20	-1.31	+4.32	+1.4
	M35-4	○	○		+6.82	-1.69	8.50	+7.82	+4.22	-1.69	+4.33	+1.3
	M35-5	○	○		+6.71	-1.30	8.00	+7.71	+4.21	-1.30	+4.30	+1.5
	M35-6	○	○		+6.62	-1.39	8.00	+7.62	+4.12	-1.39	+4.47	+1.4
	M35-7	○	○		+6.74	-1.77	8.50	+7.74	+4.24	-1.77	+4.18	+1.2
	M35-8	○	○		+6.74	-1.27	8.00	+7.74	+4.24	-1.27	+4.21	+1.5
	M35-9	○	○		+6.68	-1.32	8.00	+7.68	+4.19	-1.32	+4.44	+1.4
	M36-1	○	○		+6.68	-1.33	8.00	+7.68	+4.18	-1.33	+4.36	+1.4
	M36-2	○	○		+6.64	-1.36	8.00	+7.64	+4.14	-1.36	+4.30	+1.4
	M36-3	○	○		+6.73	-1.27	8.00	+7.73	+4.23	-1.27	+4.32	+1.5
	M36-4	○	○		+6.66	-1.35	8.00	+7.66	+4.16	-1.35	+4.35	+1.4
	M36-5	○	○		+6.70	-1.30	8.00	+7.70	+4.20	-1.30	+4.20	+1.4
	M36-6	○	○		+6.70	-1.30	8.00	+7.70	+4.20	-1.30	+4.14	+1.4
	M36-7	○	○		+6.61	-1.40	8.00	+7.61	+4.11	-1.40	+4.23	+1.4
	M36-8	○	○		+6.72	-1.28	8.00	+7.72	+4.22	-1.28	+4.14	+1.5
	M36-9	○	○		+6.70	-0.80	7.50	+7.70	+4.20	-0.80	+4.27	+1.7
	M37-1	○	○		+6.61	-1.39	8.00	+7.61	+4.11	-1.39	+5.00	+1.4
	M37-2	○	○		+6.56	-0.94	7.50	+7.59	+4.06	-0.94	+4.83	+1.6
	M37-3	○	○		+6.56	-0.94	7.50	+7.59	+4.06	-0.94	+4.48	+1.6
	M37-4	○	○	○	+6.63	-0.87	7.50	+7.63	+4.13	-0.87	+4.15	+1.6
	M37-5	○	○		+6.47	-1.03	7.50	+7.51	+3.97	-1.03	+4.34	+1.5
	M37-6	○	○		+6.57	-0.93	7.50	+7.58	+4.07	-0.93	+4.28	+1.6
	M37-7	○	○		+6.61	-0.89	7.50	+7.62	+4.11	-0.89	+4.17	+1.6
	M37-8	○	○		+6.48	-1.02	7.50	+7.48	+3.98	-1.02	+4.37	+1.5
	M37-9	○	○		+6.59	-0.91	7.50	+7.59	+4.09	-0.91	+4.21	+1.6
	M38-1	○	○		+6.66	-0.84	7.50	+7.70	+4.16	-0.84	+4.14	+1.7
	M38-2	○	○		+6.80	-1.20	8.00	+7.81	+4.30	-1.20	+4.70	+1.5
	M38-3	○	○		+6.87	-1.13	8.00	+7.87	+4.37	-1.13	+4.22	+1.6
	M38-4	○	○		+6.67	-0.83	7.50	+7.67	+4.17	-0.83	+4.13	+1.7
	M38-5	○	○		+6.79	-1.21	8.00	+7.80	+4.29	-1.21	+4.73	+1.5
	M38-6	○	○		+6.82	-1.18	8.00	+7.82	+4.32	-1.18	+4.23	+1.6
	M38-7	○	○		+6.65	-0.85	7.50	+7.65	+4.15	-0.85	+4.06	+1.6
	M38-8	○	○		+6.70	-0.80	7.50	+7.74	+4.20	-0.80	+5.33	+1.7
	M38-9	○	○		+6.72	-0.78	7.50	+7.78	+4.22	-0.78	+4.08	+1.7
	M39-1	○	○		+6.87	-1.13	8.00	+7.87	+4.37	-1.13	+4.64	+1.6
	M39-2	○	○		+6.82	-1.18	8.00	+7.83	+4.32	-1.18	+5.15	+1.6
	M39-3	○	○		+6.81	-1.20	8.00	+7.82	+4.31	-1.20	+4.61	+1.6
	M39-4	○	○		+6.81	-1.19	8.00	+7.81	+4.31	-1.19	+4.56	+1.6
	M39-5	○	○		+6.77	-1.23	8.00	+7.77	+4.27	-1.23	+4.00	+1.5
	M39-6	○	○		+6.82	-1.19	8.00	+7.82	+4.32	-1.19	+4.51	+1.6
	M39-7	○	○		+6.77	-0.73	7.50	+7.77	+4.27	-0.73	+4.63	+1.8
	M39-8	○	○		+6.68	-0.82	7.50	+7.68	+4.18	-0.82	+3.93	+1.7
	M39-9	○	○		+6.72	-1.29	8.00	+7.72	+4.22	-1.29	+4.90	+1.5
	M40-1	○	○		+6.83	-1.18	8.00	+7.86	+4.33	-1.18	+5.09	+1.6

ボーリング及び井戸の設定【5街区】(13/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	M40-2	○	○		+6.81	-1.20	8.00	+7.82	+4.31	-1.20	+4.87	+1.6
	M40-3	○	○		+6.80	-1.21	8.00	+7.80	+4.30	-1.21	+4.43	+1.5
	M40-4	○	○		+6.72	-1.29	8.00	+7.72	+4.22	-1.29	+4.91	+1.5
	M40-5	○	○		+6.81	-1.20	8.00	+7.88	+4.31	-1.20	+5.03	+1.6
	M40-6	○	○		+6.74	-1.27	8.00	+7.74	+4.24	-1.27	+3.20	+1.5
	M40-7	○	○		+6.74	-1.27	8.00	+7.74	+4.24	-1.27	+4.92	+1.5
	M40-8	○	○		+6.79	-1.22	8.00	+7.79	+4.29	-1.22	+4.92	+1.5
	M40-9	○	○		+6.72	-1.29	8.00	+7.75	+4.22	-1.29	+4.92	+1.5
	M41-1	○	○		+6.73	-1.28	8.00	+7.73	+4.23	-1.28	+4.96	+1.5
	M41-2	○	○		+6.73	-1.28	8.00	+7.73	+4.23	-1.28	+4.96	+1.5
	M41-3	○	○		+6.82	-1.19	8.00	+7.82	+4.32	-1.19	+4.83	+1.6
	M41-4	○	○		+6.76	-1.25	8.00	+7.76	+4.26	-1.25	+4.43	+1.5
	M41-5	○	○		+6.79	-1.22	8.00	+7.79	+4.29	-1.22	+4.89	+1.5
	M41-6	○	○		+6.81	-1.20	8.00	+7.81	+4.31	-1.20	+4.83	+1.6
	M41-7	○	○		+6.78	-1.23	8.00	+7.80	+4.28	-1.23	+4.42	+1.5
	M41-8	○	○		+6.75	-1.26	8.00	+7.77	+4.25	-1.26	+4.95	+1.5
	M41-9	○	○		+6.74	-1.27	8.00	+7.74	+4.24	-1.27	+4.85	+1.5
	M42-1	○	○		+6.81	-1.20	8.00	+7.89	+4.31	-1.20	+4.68	+1.6
	M42-2	○	○		+6.82	-1.19	8.00	+7.85	+4.32	-1.19	+4.86	+1.6
	M42-3	○	○		+6.85	-1.15	8.00	+7.85	+4.32	-1.15	+4.83	+1.6
	M42-4	○	○		+6.82	-1.19	8.00	+7.82	+4.27	-1.19	+4.91	+1.5
	M42-5	○	○		+6.77	-1.24	8.00	+7.77	+4.27	-1.24	+4.82	+1.5
	M42-6	○	○		+6.77	-1.23	8.00	+7.82	+4.27	-1.23	+4.86	+1.5
	M42-7	○	○		+6.79	-1.21	8.00	+7.81	+4.29	-1.21	+4.95	+1.5
	M42-8	○	○		+6.77	-1.23	8.00	+7.77	+4.27	-1.23	+4.85	+1.5
	M43-4	○	○		+9.85	-1.15	11.00	+10.85	+3.85	-1.15	+4.84	+1.4
	N27-1	○	○		+7.61	-2.39	10.00	+8.65	+3.61	-2.39	+3.63	+0.6
	N27-2	○	○		+7.70	-2.30	10.00	+8.71	+4.20	-2.30	+4.74	+1.0
	N27-3	○	○		+7.45	-2.55	10.00	+8.45	+4.02	-2.55	+5.23	+0.8
	N27-4	○	○		+7.72	-2.78	10.50	+8.77	+4.22	-2.78	+3.42	+0.7
	N27-5	○	○		+7.77	-2.23	10.00	+8.80	+3.77	-2.23	+4.16	+0.8
	N27-6	○	○		+7.67	-2.33	10.00	+8.68	+3.67	-2.33	+4.13	+0.7
	N27-8	○	○		+7.91	-2.59	10.50	+8.91	+3.91	-2.59	+3.38	+0.7
	N27-9	○	○		+7.97	-2.53	10.50	+8.97	+3.97	-2.53	+3.95	+0.7
	N28-1	○	○		+6.49	-2.01	8.50	+7.49	+3.99	-2.01	+4.44	+1.0
	N28-2	○	○		+6.50	-2.50	9.00	+7.50	+4.00	-2.50	+4.44	+0.8
	N28-3	○	○		+6.42	-2.58	9.00	+7.42	+3.92	-2.58	+4.17	+0.7
	N28-4	○	○		+6.44	-2.56	9.00	+7.44	+4.18	-2.56	+4.33	+0.9
	N28-5	○	○		+6.52	-2.48	9.00	+7.52	+4.02	-2.48	+4.21	+0.8
	N28-6	○	○		+6.51	-2.49	9.00	+7.51	+4.01	-2.49	+3.94	+0.8
	N28-7	○	○		+6.93	-2.57	9.50	+7.96	+4.33	-2.57	+3.87	+0.9
	N28-8	○	○		+6.69	-2.31	9.00	+7.70	+4.19	-2.31	+3.86	+0.9
	N28-9	○	○		+6.67	-2.33	9.00	+7.67	+4.17	-2.33	+3.87	+0.9
	N29-1	○	○		+6.43	-2.57	9.00	+7.45	+3.93	-2.57	+4.37	+0.7
	N29-2	○	○		+6.49	-2.51	9.00	+7.49	+3.99	-2.51	+4.23	+0.7
	N29-3	○	○		+6.58	-2.42	9.00	+7.58	+4.08	-2.42	+4.33	+0.8
	N29-4	○	○		+6.50	-2.50	9.00	+7.50	+4.00	-2.50	+4.01	+0.8
	N29-5	○	○		+6.54	-2.46	9.00	+7.54	+4.04	-2.46	+4.07	+0.8
	N29-6	○	○		+6.58	-2.92	9.50	+7.58	+4.08	-2.92	+4.09	+0.6
	N29-7	○	○		+6.51	-2.49	9.00	+7.51	+4.01	-2.49	+3.79	+0.8
	N29-8	○	○		+6.53	-2.97	9.50	+7.53	+4.03	-2.97	+3.94	+0.5
	N29-9	○	○		+6.57	-2.93	9.50	+7.61	+4.07	-2.93	+3.97	+0.6
	N30-1	○	○		+6.50	-3.00	9.50	+7.50	+4.00	-3.00	+4.42	+0.5
	N30-2	○	○		+6.54	-2.96	9.50	+7.60	+4.04	-2.96	+4.48	+0.5
	N30-3	○	○		+6.63	-2.87	9.50	+7.66	+4.13	-2.87	+4.75	+0.6
	N30-4	○	○		+6.52	-2.98	9.50	+7.52	+4.02	-2.98	+3.65	+0.5
	N30-5	○	○		+6.59	-2.91	9.50	+7.59	+4.09	-2.91	+4.04	+0.6
	N30-6	○	○		+6.59	-3.41	10.00	+7.59	+4.09	-3.41	+4.27	+0.3
	N30-7	○	○		+6.60	-2.90	9.50	+7.64	+4.10	-2.90	+3.94	+0.6
	N30-8	○	○		+6.54	-3.46	10.00	+7.54	+4.04	-3.46	+3.64	+0.3
	N30-9	○	○		+6.58	-3.42	10.00	+7.58	+4.08	-3.42	+4.02	+0.3
	N31-1	○	○		+6.55	-3.45	10.00	+7.58	+4.05	-3.45	+4.26	+0.3
	N31-2	○	○		+6.55	-3.45	10.00	+7.56	+4.05	-3.45	+4.44	+0.3

ボーリング及び井戸の設定【5街区】(14/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管 上端 (A.P. m) 下端 (A.P. m)		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
	N31-3	○	○		+6.53	-3.47	10.00	+7.53	+4.03	-3.47	+4.12	+0.3
	N31-4	○	○		+6.55	-3.45	10.00	+7.55	+4.05	-3.45	+4.04	+0.3
	N31-5	○	○		+6.54	-3.46	10.00	+7.57	+4.04	-3.46	+4.24	+0.3
	N31-6	○	○		+6.42	-3.58	10.00	+7.48	+3.92	-3.58	+4.02	+0.2
	N31-7	○	○		+6.59	-3.41	10.00	+7.59	+4.09	-3.41	+3.83	+0.3
	N31-8	○	○		+6.49	-3.51	10.00	+7.49	+3.99	-3.51	+3.93	+0.2
	N31-9	○	○		+6.47	-3.53	10.00	+7.53	+3.97	-3.53	+3.97	+0.2
	N32-1	○	○		+6.43	-3.07	9.50	+7.44	+3.93	-3.07	+4.50	+0.4
	N32-2	○	○		+6.51	-3.49	10.00	+7.53	+4.01	-3.49	+4.05	+0.3
	N32-3	○	○		+6.49	-3.01	9.50	+7.49	+4.17	-3.01	+4.82	+0.7
	N32-4	○	○		+6.42	-3.08	9.50	+7.42	+3.92	-3.08	+4.25	+0.4
	N32-5	○	○		+6.54	-3.46	10.00	+7.54	+4.04	-3.46	+4.25	+0.3
	N32-6	○	○		+6.50	-3.50	10.00	+7.50	+4.10	-3.50	+4.45	+0.4
	N32-7	○	○		+6.46	-3.54	10.00	+7.46	+3.96	-3.54	+4.16	+0.2
	N32-8	○	○		+6.59	-3.41	10.00	+7.59	+4.09	-3.41	+4.22	+0.3
	N32-9	○	○		+6.51	-3.49	10.00	+7.58	+4.08	-3.49	+3.97	+0.3
	N33-1	○	○		+6.74	-2.76	9.50	+7.74	+4.24	-2.76	+4.40	+0.7
	N33-2	○	○		+6.67	-2.34	9.00	+7.71	+4.17	-2.34	+4.51	+0.9
	N33-3	○	○		+6.69	-2.32	9.00	+7.74	+4.19	-2.32	+4.48	+0.9
	N33-4	○	○		+7.02	-2.98	10.00	+8.11	+4.52	-2.98	+4.87	+0.8
	N33-5	○	○		+6.64	-2.87	9.50	+7.64	+4.14	-2.87	+4.26	+0.6
	N33-6	○	○		+6.64	-2.37	9.00	+7.64	+4.14	-2.37	+4.24	+0.9
	N33-7	○	○		+6.55	-2.95	9.50	+7.55	+4.05	-2.95	+4.30	+0.5
	N33-8	○	○		+6.57	-2.44	9.00	+7.65	+4.07	-2.44	+4.13	+0.8
	N33-9	○	○		+6.58	-2.43	9.00	+7.58	+4.08	-2.43	+4.20	+0.8
	N34-1	○	○		+6.67	-1.84	8.50	+7.67	+4.17	-1.84	+3.99	+1.2
	N34-2	○	○		+6.73	-1.78	8.50	+7.80	+4.23	-1.78	+4.37	+1.2
	N34-3	○	○		+6.72	-1.79	8.50	+7.73	+4.22	-1.79	+3.67	+1.2
	N34-4	○	○		+6.62	-1.89	8.50	+7.62	+4.12	-1.89	+4.45	+1.1
	N34-5	○	○		+6.68	-1.83	8.50	+7.68	+4.18	-1.83	+4.28	+1.2
	N34-6	○	○		+6.62	-1.89	8.50	+7.62	+4.12	-1.89	+4.13	+1.1
	N34-7	○	○		+6.63	-1.88	8.50	+7.63	+4.13	-1.88	+3.95	+1.1
	N34-8	○	○		+6.59	-1.92	8.50	+7.59	+4.09	-1.92	+4.15	+1.1
	N34-9	○	○		+6.57	-1.44	8.00	+7.57	+4.07	-1.44	+3.90	+1.3
	N35-1	○	○		+6.71	-1.30	8.00	+7.71	+4.21	-1.30	+4.14	+1.5
	N35-2	○	○		+6.71	-1.30	8.00	+7.71	+4.21	-1.30	+4.11	+1.5
	N35-3	○	○		+6.68	-1.33	8.00	+7.74	+4.18	-1.33	+4.47	+1.4
	N35-4	○	○		+6.62	-1.89	8.50	+7.65	+4.12	-1.89	+4.31	+1.1
	N35-5	○	○		+6.65	-1.36	8.00	+7.65	+4.15	-1.36	+4.17	+1.4
	N35-6	○	○		+6.62	-1.39	8.00	+7.62	+4.12	-1.39	+4.40	+1.4
	N35-7	○	○		+6.56	-1.45	8.00	+7.56	+4.06	-1.45	+4.05	+1.3
	N35-8	○	○		+6.55	-1.46	8.00	+7.55	+4.05	-1.46	+4.11	+1.3
	N35-9	○	○		+6.50	-1.01	7.50	+7.50	+4.00	-1.01	+4.33	+1.5
	N36-1	○	○		+6.62	-1.39	8.00	+7.62	+4.12	-1.39	+4.35	+1.4
	N36-2	○	○		+6.63	-0.87	7.50	+7.66	+4.13	-0.87	+4.03	+1.6
	N36-3	○	○		+6.66	-0.84	7.50	+7.69	+4.16	-0.84	+4.10	+1.7
	N36-4	○	○		+6.53	-1.48	8.00	+7.59	+4.03	-1.48	+4.11	+1.3
	N36-5	○	○		+6.56	-0.94	7.50	+7.57	+4.06	-0.94	+4.03	+1.6
	N36-6	○	○		+6.52	-0.98	7.50	+7.56	+4.02	-0.98	+4.11	+1.5
	N36-7	○	○		+6.46	-1.05	7.50	+7.53	+3.96	-1.05	+4.01	+1.5
	N36-8	○	○		+6.47	-1.03	7.50	+7.47	+3.97	-1.03	+4.07	+1.5
	N36-9	○	○		+6.52	-0.98	7.50	+7.52	+4.02	-0.98	+4.02	+1.5
	N37-1	○	○		+6.63	-0.87	7.50	+7.63	+4.13	-0.87	+3.09	+1.6
	N37-2	○	○		+6.58	-0.92	7.50	+7.58	+4.08	-0.92	+4.31	+1.6
	N37-3	○	○		+6.53	-0.97	7.50	+7.53	+4.03	-0.97	+4.16	+1.5
	N37-4	○	○		+6.55	-0.95	7.50	+7.57	+4.05	-0.95	+4.13	+1.5
	N37-5	○	○		+6.51	-0.99	7.50	+7.53	+4.01	-0.99	+4.16	+1.5
	N37-6	○	○		+6.55	-0.95	7.50	+7.55	+4.05	-0.95	+4.09	+1.5
	N37-7	○	○		+6.53	-0.97	7.50	+7.56	+4.03	-0.97	+4.05	+1.5
	N37-8	○	○		+6.48	-1.02	7.50	+7.53	+3.98	-1.02	+4.11	+1.5
	N37-9	○	○		+6.51	-0.99	7.50	+7.54	+4.01	-0.99	+3.80	+1.5
	N38-1	○	○		+6.66	-0.84	7.50	+7.67	+4.16	-0.84	+4.74	+1.7
	N38-2	○	○		+6.58	-0.92	7.50	+7.58	+4.08	-0.92	+5.28	+1.6

ボーリング及び井戸の設定【5街区】(15/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
	N38-3	○	○		+6.70	-0.80	7.50	+7.70	+4.20	-0.80	+3.85	+1.7
	N38-4	○	○		+6.60	-0.90	7.50	+7.60	+4.10	-0.90	+5.24	+1.6
	N38-5	○	○		+6.59	-0.41	7.00	+7.59	+4.09	-0.41	+5.26	+1.8
	N38-6	○	○		+6.62	-0.88	7.50	+7.71	+4.12	-0.88	+4.11	+1.6
	N38-7	○	○		+6.54	-0.46	7.00	+7.54	+4.04	-0.46	+4.80	+1.8
	N38-8	○	○		+6.59	-0.41	7.00	+7.59	+4.09	-0.41	+5.26	+1.8
	N38-9	○	○		+6.49	-0.51	7.00	+7.49	+3.99	-0.51	+4.81	+1.7
	N39-1	○	○		+6.75	-0.75	7.50	+7.75	+4.25	-0.75	+4.72	+1.7
	N39-2	○	○		+6.63	-0.87	7.50	+7.63	+4.13	-0.87	+4.05	+1.6
	N39-3	○	○		+6.77	-0.74	7.50	+7.77	+4.27	-0.74	+4.95	+1.8
	N39-4	○	○		+6.69	-0.81	7.50	+7.69	+4.19	-0.81	+4.76	+1.7
	N39-5	○	○		+6.66	-0.84	7.50	+7.70	+4.16	-0.84	+4.26	+1.7
	N39-6	○	○		+6.73	-0.78	7.50	+7.75	+4.23	-0.78	+4.12	+1.7
	N39-7	○	○		+6.53	-0.97	7.50	+7.59	+4.03	-0.97	+4.75	+1.5
	N39-8	○	○		+6.50	0.50	既実施箇所	+7.53	+3.03	+0.50	+3.42	+1.8
	N39-9	○	○		+6.56	-0.95	7.50	+7.56	+4.06	-0.95	+4.34	+1.6
	N40-1	○	○		+6.78	-1.23	8.00	+7.79	+4.28	-1.23	+4.72	+1.5
	N40-2	○	○		+6.80	-1.21	8.00	+7.85	+4.30	-1.21	+4.72	+1.5
	N40-3	○	○		+6.84	-1.17	8.00	+7.87	+4.34	-1.17	+3.90	+1.6
	N40-4	○	○		+6.80	-1.21	8.00	+7.83	+4.30	-1.21	+4.86	+1.5
	N40-5	○	○		+6.79	-1.22	8.00	+7.79	+4.29	-1.22	+4.83	+1.5
	N40-6	○	○		+6.89	-1.12	8.00	+7.94	+4.39	-1.12	+4.79	+1.6
	N40-7	○	○		+6.76	-1.25	8.00	+7.77	+4.26	-1.25	+5.16	+1.5
	N40-8	○	○		+6.79	-1.22	8.00	+7.79	+4.29	-1.22	+4.34	+1.5
	N40-9	○	○		+6.83	-1.18	8.00	+7.83	+4.33	-1.18	+4.75	+1.6
	N41-1	○	○		+6.77	-1.24	8.00	+7.77	+4.27	-1.24	+5.10	+1.5
	N41-2	○	○		+6.69	-0.82	7.50	+7.69	+4.19	-0.82	+4.85	+1.7
	N41-3	○	○		+6.77	-1.24	8.00	+7.77	+4.27	-1.24	+5.10	+1.5
	N41-4	○	○		+6.81	-1.20	8.00	+7.85	+4.31	-1.20	+4.65	+1.6
	N41-5	○	○		+6.70	-0.81	7.50	+7.78	+4.20	-0.81	+4.63	+1.7
	N41-6	○	○		+6.69	-0.82	7.50	+7.76	+4.19	-0.82	+4.97	+1.7
	N41-7	○	○		+6.89	-1.12	8.00	+7.89	+4.39	-1.12	+4.74	+1.6
	N41-8	○	○		+6.83	-1.18	8.00	+7.83	+4.33	-1.18	+4.83	+1.6
	N41-9	○	○		+6.71	-1.30	8.00	+7.71	+4.21	-1.30	+4.93	+1.5
	N42-1	○	○		+6.82	-1.19	8.00	+7.82	+4.32	-1.19	+5.11	+1.6
	N42-2	○	○		+6.78	-1.23	8.00	+7.80	+4.28	-1.23	+4.83	+1.5
	N42-4	○	○		+6.75	-1.26	8.00	+7.77	+4.25	-1.26	+5.06	+1.5
	N42-5	○	○		+6.74	-1.27	8.00	+7.77	+4.24	-1.27	+4.91	+1.5
	N42-7	○	○		+6.72	-1.29	8.00	+7.80	+4.22	-1.29	+5.02	+1.5
	N42-8	○	○		+6.70	-0.81	7.50	+7.73	+4.20	-0.81	+4.76	+1.7
	N43-1	○	○		+9.92	-1.08	11.00	+10.98	+3.92	-1.08	+4.65	+1.4
	N43-7	○	○		+9.98	-1.02	11.00	+11.01	+3.98	-1.02	+3.84	+1.5
	O26-2	○	○		+8.65	-2.85	11.50	+9.65	+4.15	-2.85	+2.69	+0.7
	O27-1	○	○		+8.10	-2.90	11.00	+9.12	+3.60	-2.90	+3.09	+0.4
	O27-2	○	○		+8.08	-2.42	10.50	+9.08	+4.08	-2.42	+3.34	+0.8
	O27-3	○	○		+7.97	-2.53	10.50	+9.01	+3.97	-2.53	+3.83	+0.7
	O27-4	○	○		+8.41	-2.59	11.00	+9.43	+3.91	-2.59	+2.50	+0.7
	O27-5	○	○		+8.16	-2.84	11.00	+9.17	+4.16	-2.84	+2.89	+0.7
	O27-6	○	○		+7.90	-2.60	10.50	+8.90	+3.90	-2.60	+3.83	+0.7
	O27-8	○	○		+6.31	-2.69	9.00	+7.31	+3.81	-2.69	+2.03	+0.6
	O27-9	○	○		+6.39	-2.61	9.00	+7.39	+3.89	-2.61	+2.77	+0.6
	O28-1	○	○		+7.15	-2.35	9.50	+8.15	+3.63	-2.35	+4.20	+0.6
	O28-2	○	○		+6.90	-3.10	10.00	+7.92	+4.40	-3.10	+3.48	+0.9
	O28-3	○	○		+4.82	-2.68	7.50	+5.85	+4.20	-2.68	+2.54	+0.7
	O28-4	○	○		+6.58	-2.42	9.00	+7.63	+4.90	-2.42	+3.84	+1.7
	O28-5	○	○		+6.91	-2.59	9.50	+7.91	+4.41	-2.59	+3.79	+0.9
	O28-6	○	○		+4.70	-2.80	7.50	+5.70	+4.20	-2.80	+3.24	+0.7
	O28-7	○	○		+6.53	-2.47	9.00	+7.53	+3.74	-2.47	+2.79	+0.5
	O28-8	○	○		+4.34	-2.66	7.00	+5.34	+4.04	-2.66	+1.52	+0.8
	O28-9	○	○		+4.60	-2.90	7.50	+5.65	+4.04	-2.90	+2.79	+0.5
	O29-1	○	○		+6.52	-2.48	9.00	+7.54	+4.02	-2.48	+3.83	+0.8
	O29-2	○	○		+6.48	-3.02	9.50	+7.48	+3.98	-3.02	+3.85	+0.5
	O29-3	○	○		+6.52	-2.98	9.50	+7.56	+4.02	-2.98	+3.97	+0.5

ボーリング及び井戸の設定【5街区】(16/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	O29-4	○	○		+4.59	-2.91	7.50	+5.62	+4.17	-2.91	+2.75	+0.7
	O29-5	○	○		+6.54	-2.96	9.50	+7.54	+4.31	-2.96	+4.31	+0.8
	O29-6	○	○		+6.35	-3.15	9.50	+7.39	+3.85	-3.15	+3.94	+0.4
	O29-7	○	○		+4.89	-2.61	7.50	+5.94	+4.08	-2.61	+2.77	+0.6
	O29-8	○	○		+4.62	-2.88	7.50	+5.62	+4.12	-2.88	+3.77	+0.6
	O29-9	○	○		+4.52	-3.48	8.00	+5.52	+3.98	-3.48	+3.77	+0.2
	O30-1	○	○		+6.52	-3.48	10.00	+7.52	+4.02	-3.48	+3.97	+0.3
	O30-2	○	○		+6.50	-3.00	9.50	+7.50	+4.00	-3.00	+3.96	+0.5
	O30-3	○	○		+6.52	-3.48	10.00	+7.57	+4.02	-3.48	+4.00	+0.3
	O30-4	○	○		+6.38	-3.12	9.50	+7.38	+3.88	-3.12	+3.94	+0.4
	O30-5	○	○		+6.41	-3.59	10.00	+7.41	+3.91	-3.59	+3.96	+0.2
	O30-6	○	○		+6.35	-3.65	10.00	+7.35	+3.85	-3.65	+3.98	+0.1
	O30-7	○	○		+4.61	-3.89	8.50	+5.61	+3.73	-3.89	+3.23	-0.3
	O30-8	○	○		+4.57	-3.43	8.00	+5.57	+4.12	-3.43	+3.95	+0.4
	O30-9	○	○		+4.94	-3.56	8.50	+5.94	+3.99	-3.56	+3.57	+0.2
	O31-1	○	○		+6.54	-3.46	10.00	+7.54	+4.04	-3.46	+4.02	+0.3
	O31-2	○	○		+6.56	-3.44	10.00	+7.56	+4.06	-3.44	+3.95	+0.3
	O31-3	○	○		+6.54	-3.96	10.50	+7.54	+4.04	-3.96	+2.34	+0.0
	O31-4	○	○		+6.42	-3.58	10.00	+7.42	+3.92	-3.58	+5.12	+0.2
	O31-5	○	○		+6.43	-4.07	10.50	+7.43	+3.94	-4.07	+4.60	-0.1
	O31-6	○	○		+6.44	-4.06	10.50	+7.44	+4.25	-4.06	+4.21	+0.2
	O31-7	○	○		+5.26	-3.74	9.00	+6.26	+3.87	-3.74	+3.68	+0.1
	O31-8	○	○		+5.61	-3.89	9.50	+6.64	+4.11	-3.89	+4.08	+0.1
	O31-9	○	○		+5.48	-4.02	9.50	+6.48	+4.28	-4.02	+3.93	+0.3
	O32-1	○	○		+6.40	-3.60	10.00	+7.40	+3.90	-3.60	+3.96	+0.1
	O32-2	○	○		+6.51	-3.49	10.00	+7.53	+4.01	-3.49	+4.30	+0.3
	O32-3	○	○		+6.51	-3.49	10.00	+7.51	+4.00	-3.49	+4.14	+0.2
	O32-4	○	○		+6.38	-3.62	10.00	+7.39	+4.09	-3.62	+4.11	+0.3
	O32-5	○	○		+6.14	-3.36	9.50	+7.18	+3.64	-3.36	+4.25	+0.1
	O32-6	○	○		+6.19	-3.31	9.50	+7.22	+3.92	-3.31	+4.39	+0.4
	O32-7	○	○		+5.91	-4.09	10.00	+6.91	+3.99	-4.09	+4.02	-0.0
	O32-8	○	○		+6.11	-3.89	10.00	+7.11	+3.68	-3.89	+4.07	-0.1
	O32-9	○	○		+6.31	-3.69	10.00	+7.34	+3.80	-3.69	+4.31	+0.1
	O33-1	○	○		+6.46	-3.04	9.50	+7.50	+3.96	-3.04	+4.06	+0.5
	O33-2	○	○		+6.58	-2.43	9.00	+7.63	+4.08	-2.43	+4.11	+0.8
	O33-3	○	○		+6.54	-2.47	9.00	+7.59	+4.04	-2.47	+4.08	+0.8
	O33-4	○	○		+6.40	-3.10	9.50	+7.40	+3.90	-3.10	+4.47	+0.4
	O33-5	○	○		+6.91	-3.09	10.00	+7.91	+4.44	-3.09	+4.57	+0.7
	O33-6	○	○		+6.44	-2.57	9.00	+7.44	+3.94	-2.57	+3.91	+0.7
	O33-7	○	○		+6.33	-3.17	9.50	+7.33	+3.83	-3.17	+4.42	+0.3
	O33-8	○	○		+6.45	-3.05	9.50	+7.45	+3.95	-3.05	+3.70	+0.5
	O33-9	○	○		+6.48	-2.52	9.00	+7.48	+3.98	-2.52	+3.85	+0.7
	O34-1	○	○		+6.56	-2.45	9.00	+7.59	+4.06	-2.45	+4.08	+0.8
	O34-2	○	○		+6.51	-2.00	8.50	+7.54	+4.01	-2.00	+4.20	+1.0
	O34-3	○	○		+6.54	-1.47	8.00	+7.55	+4.04	-1.47	+4.09	+1.3
	O34-4	○	○		+6.52	-2.49	9.00	+7.57	+4.02	-2.49	+4.12	+0.8
	O34-5	○	○		+6.50	0.49	既実施箇所	+7.49	+2.99	+0.49	+4.34	+2.0
	O34-6	○	○		+6.47	-2.03	8.50	+7.49	+3.97	-2.03	+4.14	+1.0
	O34-7	○	○		+6.47	-2.53	9.00	+7.47	+3.97	-2.53	+3.51	+0.7
	O34-8	○	○		+6.43	-2.07	8.50	+7.43	+3.93	-2.07	+3.95	+0.9
	O34-9	○	○		+6.41	-2.09	8.50	+7.43	+3.91	-2.09	+4.01	+0.9
	O35-1	○	○		+6.49	-1.51	8.00	+7.49	+3.99	-1.51	+4.12	+1.2
	O35-2	○	○		+6.51	-1.50	8.00	+7.51	+4.01	-1.50	+4.06	+1.3
	O35-3	○	○		+6.49	-1.02	7.50	+7.49	+3.99	-1.02	+4.27	+1.5
	O35-4	○	○		+6.42	-1.59	8.00	+7.42	+3.92	-1.59	+3.86	+1.2
	O35-5	○	○		+6.48	-1.52	8.00	+7.48	+3.98	-1.52	+4.07	+1.2
	O35-6	○	○		+6.52	-1.49	8.00	+7.52	+4.02	-1.49	+4.08	+1.3
	O35-7	○	○		+6.42	-1.58	8.00	+7.42	+3.92	-1.58	+4.08	+1.2
	O35-8	○	○		+6.48	-1.52	8.00	+7.50	+3.98	-1.52	+4.10	+1.2
	O35-9	○	○		+6.51	-1.49	8.00	+7.56	+4.01	-1.49	+4.18	+1.3
	O36-1	○	○		+6.45	-1.06	7.50	+7.48	+3.95	-1.06	+3.94	+1.4
	O36-2	○	○		+6.60	-1.40	8.00	+7.62	+4.10	-1.40	+4.11	+1.4
	O36-3	○	○		+6.62	-1.38	8.00	+7.64	+4.12	-1.38	+5.00	+1.4

ボーリング及び井戸の設定【5街区】(17/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	O36-4	○	○		+6.58	-1.42	8.00	+7.62	+4.08	-1.42	+4.16	+1.3
	O36-5	○	○		+6.57	-1.43	8.00	+7.57	+4.07	-1.43	+4.04	+1.3
	O36-6	○	○		+6.58	-1.42	8.00	+7.60	+4.08	-1.42	+4.05	+1.3
	O36-7	○	○		+6.49	-1.51	8.00	+7.52	+3.99	-1.51	+5.02	+1.2
	O36-8	○	○		+6.61	-1.39	8.00	+7.64	+4.11	-1.39	+3.52	+1.4
	O36-9	○	○		+6.64	-1.36	8.00	+7.65	+4.14	-1.36	+2.22	+1.4
	O37-1	○	○		+6.62	-0.88	7.50	+7.62	+4.12	-0.88	+4.74	+1.6
	O37-2	○	○		+6.64	-0.86	7.50	+7.64	+4.14	-0.86	+4.12	+1.6
	O37-3	○	○		+6.70	-0.80	7.50	+7.71	+4.20	-0.80	+4.11	+1.7
	O37-4	○	○		+6.56	-1.44	8.00	+7.60	+4.06	-1.44	+3.83	+1.3
	O37-5	○	○		+6.66	0.43	既実施箇所	+7.43	+2.93	+0.43	+3.29	+1.9
	O37-6	○	○		+6.63	-0.87	7.50	+7.63	+4.13	-0.87	+3.38	+1.6
	O37-7	○	○		+6.66	-1.34	8.00	+7.66	+4.16	-1.34	+4.14	+1.4
	O37-8	○	○		+6.66	-1.34	8.00	+7.66	+4.16	-1.34	+3.89	+1.4
	O37-9	○	○		+6.70	-1.30	8.00	+7.70	+4.20	-1.30	+3.30	+1.5
	O38-1	○	○		+6.72	-0.78	7.50	+7.77	+4.22	-0.78	+4.76	+1.7
	O38-2	○	○		+6.55	-0.95	7.50	+7.60	+4.05	-0.95	+4.70	+1.8
	O38-3	○	○		+6.46	-1.04	7.50	+7.47	+3.96	-1.04	+4.54	+1.5
	O38-4	○	○		+6.64	-0.86	7.50	+7.64	+4.14	-0.86	+4.21	+1.6
	O38-5	○	○		+6.55	-0.95	7.50	+7.55	+4.05	-0.95	+4.42	+1.6
	O38-6	○	○		+6.53	-0.97	7.50	+7.53	+4.03	-0.97	+3.75	+1.5
	O38-7	○	○		+6.67	-1.33	8.00	+7.67	+4.17	-1.33	+4.06	+1.4
	O38-8	○	○		+6.66	-1.34	8.00	+7.66	+4.16	-1.34	+4.08	+1.4
	O38-9	○	○		+6.59	-1.41	8.00	+7.66	+4.09	-1.41	+3.94	+1.3
	O39-1	○	○		+6.54	-0.96	7.50	+7.59	+4.04	-0.96	+4.33	+1.5
	O39-2	○	○		+6.48	-1.02	7.50	+7.48	+3.98	-1.02	+4.62	+1.5
	O39-3	○	○		+6.53	-0.97	7.50	+7.53	+4.03	-0.97	+3.52	+1.5
	O39-4	○	○		+6.48	-1.02	7.50	+7.48	+3.98	-1.02	+4.25	+1.5
	O39-5	○	○		+6.56	-0.94	7.50	+7.60	+4.06	-0.94	+3.88	+1.6
	O39-6	○	○		+6.51	-1.00	7.50	+7.57	+4.01	-1.00	+3.84	+1.5
	O39-7	○	○		+6.51	-1.49	8.00	+7.53	+4.01	-1.49	+4.38	+1.3
	O39-8	○	○		+6.53	-1.47	8.00	+7.53	+4.03	-1.47	+3.40	+1.3
	O39-9	○	○		+6.53	-1.47	8.00	+7.53	+4.03	-1.47	+4.20	+1.3
	O40-1	○	○		+6.77	-1.24	8.00	+7.79	+4.27	-1.24	+5.09	+1.5
	O40-2	○	○		+6.77	-1.24	8.00	+7.82	+4.27	-1.24	+4.35	+1.5
	O40-3	○	○		+6.83	-1.18	8.00	+7.86	+4.33	-1.18	+4.59	+1.6
	O40-4	○	○		+6.72	-1.29	8.00	+7.74	+4.22	-1.29	+4.20	+1.5
	O40-5	○	○		+6.83	-1.18	8.00	+7.89	+4.33	-1.18	+3.89	+1.6
	O40-6	○	○		+6.86	-1.15	8.00	+7.86	+4.36	-1.15	+4.65	+1.6
	O40-7	○	○		+6.63	-1.37	8.00	+7.63	+4.13	-1.37	+5.15	+1.4
	O40-8	○	○		+6.79	-1.21	8.00	+7.79	+4.29	-1.21	+4.06	+1.5
	O40-9	○	○		+6.82	-1.18	8.00	+7.82	+4.32	-1.18	+4.76	+1.6
	O41-1	○	○		+6.86	-1.15	8.00	+7.89	+4.36	-1.15	+4.82	+1.6
	O41-2	○	○		+6.82	-1.19	8.00	+7.85	+4.32	-1.19	+4.70	+1.6
	O41-3	○	○		+6.76	-1.24	8.00	+7.77	+4.26	-1.24	+3.51	+1.8
	O41-4	○	○		+6.88	-1.13	8.00	+7.88	+4.38	-1.13	+4.82	+1.6
	O41-5	○	○		+6.81	-1.20	8.00	+7.85	+4.31	-1.20	+4.90	+1.6
	O41-6	○	○		+6.77	-1.24	8.00	+7.79	+4.27	-1.24	+4.91	+1.5
	O41-7	○	○		+6.79	-1.21	8.00	+7.81	+4.29	-1.21	+4.81	+1.5
	O41-8	○	○		+6.81	-1.19	8.00	+7.81	+4.31	-1.19	+4.79	+1.6
	O41-9	○	○		+6.76	-1.24	8.00	+7.76	+4.26	-1.24	+4.49	+1.5
	O42-1	○	○		+6.74	-1.27	8.00	+7.79	+4.24	-1.27	+4.68	+1.5
	O42-2	○	○		+6.70	-1.31	8.00	+7.72	+4.20	-1.31	+4.73	+1.4
	O42-3	○	○		+10.05	-1.45	11.50	+11.05	+4.05	-1.45	+4.47	+1.3
	O42-4	○	○		+6.80	-1.21	8.00	+7.80	+4.30	-1.21	+4.68	+1.5
	O42-5	○	○		+6.71	-0.30	既実施箇所	+7.68	+3.18	-0.30	+3.10	+1.4
	O42-7	○	○		+6.74	-1.26	8.00	+7.74	+4.24	-1.26	+4.69	+1.5
	O42-8	○	○		+6.75	-1.25	8.00	+7.75	+4.25	-1.25	+4.61	+1.5
	O42-9	○	○		+10.13	-1.37	11.50	+11.22	+4.13	-1.37	+5.14	+1.4
	P27-2	○	○		+4.41	-3.09	7.50	+5.41	+4.04	-3.09	+2.12	+0.5
	P27-3	○	○		+4.43	-3.07	7.50	+5.46	+4.04	-3.07	+2.18	+0.5
	P27-5	○	○		+4.21	-3.29	7.50	+5.25	+3.90	-3.29	+1.82	+0.4
	P27-6	○	○		+4.26	-3.24	7.50	+5.27	+3.90	-3.24	+1.76	+0.4

ボーリング及び井戸の設定【5街区】(18/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	P27-7	○	○		+4.22	-3.28	7.50	+5.22	+3.90	-3.28	+1.74	+0.4
	P27-8	○	○		+4.21	-3.29	7.50	+5.21	+3.90	-3.29	+0.87	+0.4
	P27-9	○	○		+4.23	-3.27	7.50	+5.23	+3.90	-3.27	+0.80	+0.4
	P28-1	○	○		+4.42	-3.08	7.50	+5.44	+4.04	-3.08	+2.57	+0.5
	P28-2	○	○		+4.44	-3.06	7.50	+5.44	+4.04	-3.06	+2.62	+0.5
	P28-3	○	○		+4.56	-2.94	7.50	+5.56	+4.04	-2.94	+2.85	+0.5
	P28-4	○	○		+4.43	-3.07	7.50	+5.43	+3.90	-3.07	+1.93	+0.4
	P28-5	○	○		+4.31	0.82	既実施箇所	+5.27	+2.77	+0.82	+2.67	+1.8
	P28-6	○	○		+4.32	-3.18	7.50	+5.32	+3.82	-3.18	+2.39	+0.3
	P28-7	○	○		+4.40	-3.10	7.50	+5.40	+3.90	-3.10	+2.03	+0.4
	P28-8	○	○		+4.19	-3.31	7.50	+5.23	+3.69	-3.31	+1.88	+0.2
	P28-9	○	○		+4.22	-3.28	7.50	+5.22	+3.72	-3.28	+2.19	+0.2
	P29-1	○	○		+4.41	-3.09	7.50	+5.41	+3.98	-3.09	+3.06	+0.5
	P29-2	○	○		+4.46	-3.04	7.50	+5.49	+3.98	-3.04	+3.10	+0.5
	P29-3	○	○		+3.78	-3.22	7.00	+4.78	+3.58	-3.22	+3.14	+0.8
	P29-4	○	○		+4.36	-3.14	7.50	+5.36	+3.86	-3.14	+2.98	+0.4
	P29-5	○	○		+4.48	-3.52	8.00	+5.48	+3.98	-3.52	+3.10	+0.2
	P29-6	○	○		+4.58	-3.42	8.00	+5.58	+4.08	-3.42	+3.13	+0.3
	P29-7	○	○		+4.26	-3.24	7.50	+5.26	+3.76	-3.24	+2.69	+0.3
	P29-8	○	○		+4.37	-3.63	8.00	+5.37	+3.87	-3.63	+2.83	+0.1
	P29-9	○	○		+4.39	-3.61	8.00	+5.39	+3.89	-3.61	+3.01	+0.1
	P30-1	○	○		+4.58	-3.42	8.00	+5.58	+4.13	-3.42	+3.36	+0.4
	P30-2	○	○		+4.87	-3.63	8.50	+5.87	+4.39	-3.63	+3.51	+0.4
	P30-3	○	○		+5.25	-3.75	9.00	+6.31	+4.75	-3.75	+3.64	+0.5
	P30-4	○	○		+4.63	-3.87	8.50	+5.64	+4.13	-3.87	+3.00	+0.1
	P30-5	○	○		+4.82	-3.68	8.50	+5.82	+4.32	-3.68	+3.27	+0.3
	P30-6	○	○		+5.00	-4.00	9.00	+6.03	+4.50	-4.00	+3.51	+0.2
	P30-7	○	○		+4.44	-3.56	8.00	+5.44	+3.94	-3.56	+2.97	+0.2
	P30-8	○	○		+4.54	-3.96	8.50	+5.54	+4.04	-3.96	+3.20	+0.0
	P30-9	○	○		+4.62	-3.88	8.50	+5.66	+4.12	-3.88	+3.41	+0.1
	P31-1	○	○		+5.38	-3.62	9.00	+6.38	+3.88	-3.62	+3.41	+0.1
	P31-2	○	○		+5.84	-3.66	9.50	+6.84	+3.95	-3.66	+2.57	-0.0
	P31-3	○	○		+5.81	-3.69	9.50	+6.81	+3.95	-3.69	+2.77	-0.0
	P31-4	○	○		+4.73	-3.77	8.50	+5.73	+3.95	-3.77	+3.81	+0.5
	P31-5	○	○		+6.56	-3.94	10.50	+7.59	+4.06	-3.94	+3.63	+0.1
	P31-6	○	○		+6.60	-3.90	10.50	+7.60	+4.10	-3.90	+3.70	+0.1
	P31-7	○	○		+4.65	-3.85	8.50	+5.65	+3.90	-3.85	+3.02	-0.1
	P31-8	○	○		+6.56	-3.94	10.50	+7.56	+4.06	-3.94	+3.55	+0.1
	P31-9	○	○		+6.56	-3.94	10.50	+7.58	+4.06	-3.94	+3.55	+0.1
	P32-1	○	○		+5.84	-3.66	9.50	+6.86	+3.95	-3.66	+2.74	-0.0
	P32-2	○	○		+5.59	-3.41	9.00	+6.64	+3.95	-3.41	+2.73	+0.2
	P32-3	○	○		+5.78	-3.22	9.00	+6.81	+3.95	-3.22	+2.89	+0.2
	P32-4	○	○		+6.52	-3.98	10.50	+7.52	+4.02	-3.98	+3.75	+0.0
	P32-5	○	○		+6.56	-3.44	10.00	+7.56	+4.06	-3.44	+3.71	+0.3
	P32-6	○	○		+6.55	-3.45	10.00	+7.60	+4.05	-3.45	+3.77	+0.3
	P32-7	○	○		+6.57	-3.93	10.50	+7.62	+4.07	-3.93	+3.67	+0.1
	P32-8	○	○		+6.57	-3.93	10.50	+7.57	+4.07	-3.93	+3.75	+0.1
	P32-9	○	○		+6.53	-3.47	10.00	+7.56	+4.03	-3.47	+3.72	+0.3
	P33-1	○	○		+6.58	-3.42	10.00	+7.62	+4.08	-3.42	+4.32	+0.3
	P33-2	○	○		+6.43	-3.07	9.50	+7.49	+3.93	-3.07	+3.56	+0.4
	P33-3	○	○		+6.46	-2.54	9.00	+7.46	+3.96	-2.54	+3.52	+0.7
	P33-4	○	○		+6.45	-3.05	9.50	+7.45	+3.95	-3.05	+3.82	+0.5
	P33-5	○	○		+6.40	-3.10	9.50	+7.40	+3.90	-3.10	+3.28	+0.4
	P33-6	○	○		+6.55	-2.95	9.50	+7.55	+4.05	-2.95	+3.28	+0.6
	P33-7	○	○		+6.47	-3.03	9.50	+7.47	+3.97	-3.03	+3.88	+0.5
	P33-8	○	○		+6.46	-3.04	9.50	+7.53	+3.96	-3.04	+3.11	+0.5
	P33-9	○	○		+6.58	-2.92	9.50	+7.61	+4.08	-2.92	+3.10	+0.6
	P34-1	○	○		+6.59	-2.41	9.00	+7.62	+4.09	-2.41	+3.80	+0.8
	P34-2	○	○		+6.51	-2.49	9.00	+7.51	+4.01	-2.49	+3.85	+0.8
	P34-3	○	○		+6.40	-2.10	8.50	+7.40	+3.90	-2.10	+4.45	+0.9
	P34-4	○	○		+6.60	-2.90	9.50	+7.60	+4.10	-2.90	+3.30	+0.6
	P34-5	○	○		+6.54	-2.46	9.00	+7.55	+4.04	-2.46	+3.33	+0.8
	P34-6	○	○		+6.48	-2.02	8.50	+7.48	+3.98	-2.02	+4.71	+1.0

ボーリング及び井戸の設定【5街区】(19/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	P34-7	○	○		+6.57	-2.43	9.00	+7.61	+4.07	-2.43	+3.09	+0.8
	P34-8	○	○		+6.57	-2.43	9.00	+7.64	+4.07	-2.43	+3.14	+0.8
	P34-9	○	○		+6.56	-2.44	9.00	+7.56	+4.06	-2.44	+3.55	+0.8
	P35-1	○	○		+6.48	-2.02	8.50	+7.52	+3.88	-2.02	+3.69	+0.9
	P35-2	○	○		+6.56	-1.94	8.50	+7.57	+3.96	-1.94	+2.95	+1.0
	P35-3	○	○		+6.50	-2.00	8.50	+7.50	+3.90	-2.00	+3.55	+1.0
	P35-4	○	○		+6.45	-2.05	8.50	+7.45	+3.85	-2.05	+3.22	+0.9
	P35-5	○	○		+6.48	-2.02	8.50	+7.48	+3.88	-2.02	+3.23	+0.9
	P35-6	○	○		+6.52	-1.98	8.50	+7.52	+4.02	-1.98	+4.57	+1.0
	P35-7	○	○		+6.52	-2.48	9.00	+7.52	+4.02	-2.48	+3.02	+0.8
	P35-8	○	○		+6.52	-1.98	8.50	+7.52	+4.02	-1.98	+3.11	+1.0
	P35-9	○	○		+6.57	-1.93	8.50	+7.57	+4.07	-1.93	+3.12	+1.1
	P36-1	○	○		+6.50	-1.50	8.00	+7.50	+4.00	-1.50	+3.81	+1.3
	P36-2	○	○		+6.58	-1.42	8.00	+7.64	+4.08	-1.42	+3.84	+1.3
	P36-3	○	○		+6.68	-1.82	8.50	+7.70	+4.08	-1.82	+3.66	+1.1
	P36-4	○	○		+6.47	-2.03	8.50	+7.50	+3.87	-2.03	+3.27	+0.9
	P36-5	○	○		+6.58	-1.92	8.50	+7.58	+3.98	-1.92	+4.07	+1.0
	P36-6	○	○		+6.64	-1.86	8.50	+7.64	+4.04	-1.86	+2.97	+1.1
	P36-7	○	○		+6.56	-1.94	8.50	+7.60	+3.96	-1.94	+3.16	+1.0
	P36-8	○	○	○	+6.51	-1.99	8.50	+7.53	+3.91	-1.99	+3.22	+1.0
	P36-9	○	○		+6.46	-2.04	8.50	+7.51	+3.86	-2.04	+1.93	+0.9
	P37-1	○	○		+6.67	-1.83	8.50	+7.70	+4.07	-1.83	+3.95	+1.1
	P37-2	○	○		+6.68	-1.82	8.50	+7.68	+4.08	-1.82	+3.15	+1.1
	P37-3	○	○		+6.63	-1.87	8.50	+7.65	+4.03	-1.87	+3.08	+1.1
	P37-4	○	○		+6.70	-1.80	8.50	+7.70	+4.10	-1.80	+2.78	+1.2
	P37-5	○	○		+6.72	-1.78	8.50	+7.73	+4.12	-1.78	+3.08	+1.2
	P37-6	○	○		+6.68	-1.82	8.50	+7.68	+4.08	-1.82	+3.52	+1.1
	P37-7	○	○		+6.48	-2.02	8.50	+7.48	+3.88	-2.02	+2.30	+0.9
	P37-8	○	○		+6.56	-1.94	8.50	+7.56	+3.96	-1.94	+2.43	+1.0
	P37-9	○	○		+6.55	-2.45	9.00	+7.55	+4.05	-2.45	+3.40	+0.8
	P38-1	○	○		+6.62	-1.38	8.00	+7.62	+4.12	-1.38	+3.96	+1.4
	P38-2	○	○		+6.58	-1.42	8.00	+7.60	+4.08	-1.42	+4.09	+1.3
	P38-3	○	○		+6.57	-1.43	8.00	+7.64	+4.07	-1.43	+3.91	+1.3
	P38-4	○	○		+6.50	-2.00	8.50	+7.53	+3.90	-2.00	+3.54	+1.0
	P38-5	○	○		+6.53	-1.97	8.50	+7.53	+3.93	-1.97	+4.07	+1.0
	P38-6	○	○		+6.53	-1.97	8.50	+7.53	+3.93	-1.97	+3.77	+1.0
	P38-7	○	○		+6.47	-2.03	8.50	+7.47	+3.87	-2.03	+2.80	+0.9
	P38-8	○	○		+6.52	-2.48	9.00	+7.52	+4.02	-2.48	+3.13	+0.8
	P38-9	○	○		+6.53	-1.97	8.50	+7.53	+3.93	-1.97	+3.38	+1.0
	P39-1	○	○		+6.57	-1.43	8.00	+7.62	+4.07	-1.43	+3.86	+1.3
	P39-2	○	○		+6.46	-1.54	8.00	+7.46	+3.96	-1.54	+4.46	+1.2
	P39-3	○	○		+6.58	-1.42	8.00	+7.58	+4.08	-1.42	+4.12	+1.3
	P39-4	○	○		+6.51	-1.99	8.50	+7.51	+3.91	-1.99	+4.28	+1.0
	P39-5	○	○		+6.53	-0.48	既実施箇所	+7.50	+3.00	-0.48	+4.01	+1.4
	P39-6	○	○		+6.52	-1.48	8.00	+7.59	+4.02	-1.48	+4.24	+1.3
	P39-7	○	○		+6.47	-2.03	8.50	+7.50	+3.87	-2.03	+5.03	+0.9
	P39-8	○	○		+6.50	-2.00	8.50	+7.54	+3.90	-2.00	+4.86	+0.9
	P39-9	○	○		+6.51	-1.99	8.50	+7.53	+3.91	-1.99	+3.72	+1.0
	P40-1	○	○		+6.59	-1.41	8.00	+7.59	+4.09	-1.41	+4.39	+1.3
	P40-2	○	○		+6.75	-1.25	8.00	+7.75	+4.25	-1.25	+4.38	+1.5
	P40-3	○	○		+6.78	-1.22	8.00	+7.84	+4.28	-1.22	+4.91	+1.5
	P40-4	○	○		+6.65	-1.85	8.50	+7.65	+4.05	-1.85	+4.29	+1.1
	P40-5	○	○		+6.67	-1.83	8.50	+7.72	+4.07	-1.83	+4.11	+1.1
	P40-6	○	○		+6.61	-1.39	8.00	+7.61	+4.11	-1.39	+4.70	+1.4
	P40-7	○	○		+6.64	-1.86	8.50	+7.64	+4.04	-1.86	+4.02	+1.1
	P40-8	○	○		+6.63	-1.87	8.50	+7.63	+4.03	-1.87	+3.89	+1.1
	P40-9	○	○		+6.63	-1.87	8.50	+7.64	+4.03	-1.87	+4.70	+1.1
	P41-1	○	○		+6.83	-1.67	8.50	+7.83	+4.23	-1.67	+4.79	+1.3
	P41-2	○	○		+6.83	-1.67	8.50	+7.87	+4.23	-1.67	+4.99	+1.3
	P41-3	○	○		+6.74	-1.26	8.00	+7.77	+4.24	-1.26	+4.56	+1.5
	P41-4	○	○		+6.74	-1.26	8.00	+7.82	+4.24	-1.26	+4.69	+1.5
	P41-5	○	○		+6.78	-1.22	8.00	+7.78	+4.28	-1.22	+4.71	+1.5
	P41-6	○	○		+6.72	-1.28	8.00	+7.77	+4.22	-1.28	+4.35	+1.5

ボーリング及び井戸の設定【5街区】(20/21)


街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	P41-7	○	○		+6.68	-1.82	8.50	+7.68	+4.08	-1.82	+4.03	+1.1
	P41-8	○	○		+6.66	-1.84	8.50	+7.66	+4.06	-1.84	+3.51	+1.1
	P41-9	○	○		+6.65	-1.35	8.00	+7.65	+4.15	-1.35	+2.88	+1.4
	P42-1	○	○		+6.78	-1.22	8.00	+7.78	+4.28	-1.22	+4.71	+1.5
	P42-2	○	○		+6.68	-1.32	8.00	+7.68	+4.28	-1.32	+4.94	+1.5
	P42-3	○	○		+10.17	-1.33	11.50	+11.17	+4.17	-1.33	+4.14	+1.4
	P42-4	○	○		+6.65	-1.35	8.00	+7.65	+4.15	-1.35	+3.20	+1.4
	P42-5	○	○		+6.64	-1.36	8.00	+7.65	+4.15	-1.36	+4.30	+1.4
	P42-7	○	○		+6.54	-1.46	8.00	+7.54	+4.04	-1.46	+4.84	+1.3
	P42-9	○	○		+10.34	-1.66	12.00	+11.34	+4.34	-1.66	+3.75	+1.3
	Q28-3	○	○		+6.91	-3.59	10.50	+7.91	+4.41	-3.59	+2.96	+0.4
	Q29-1	○	○		+6.97	-3.53	10.50	+7.97	+4.46	-3.53	+2.03	+0.5
	Q29-2	○	○		+6.94	-3.56	10.50	+8.03	+4.48	-3.56	+2.10	+0.5
	Q29-3	○	○		+4.31	-3.69	8.00	+5.31	+3.90	-3.69	+2.35	+0.2
	Q30-1	○	○		+4.32	-3.68	8.00	+5.32	+3.90	-3.68	+2.72	+0.2
	Q30-2	○	○		+4.41	-4.09	8.50	+5.41	+3.90	-4.09	+2.42	-0.1
	Q30-3	○	○		+4.54	-3.96	8.50	+5.61	+3.90	-3.96	+2.75	-0.1
	Q31-1	○	○		+4.58	-3.92	8.50	+5.63	+3.90	-3.92	+2.53	-0.1
	Q31-2	○	○		+6.55	-3.95	10.50	+7.55	+4.05	-3.95	+2.82	+0.0
	Q31-3	○	○		+6.57	-4.43	11.00	+7.57	+4.07	-4.43	+2.35	+0.1
	Q32-1	○	○		+6.53	-3.97	10.50	+7.53	+4.03	-3.97	+3.04	+0.0
	Q32-2	○	○		+6.54	-3.96	10.50	+7.54	+4.04	-3.96	+3.32	+0.0
	Q32-3	○	○		+6.54	-3.46	10.00	+7.56	+4.04	-3.46	+3.71	+0.3
	Q32-4	○	○		+6.96	-4.04	11.00	+7.97	+4.46	-4.04	+3.09	+0.2
	Q32-5	○	○		+7.01	-3.99	11.00	+8.01	+4.01	-3.99	+3.09	+0.0
	Q32-6	○	○		+6.85	-3.65	10.50	+7.85	+4.35	-3.65	+3.06	+0.3
	Q33-1	○	○		+6.50	-3.50	10.00	+7.50	+4.00	-3.50	+3.26	+0.2
	Q33-2	○	○		+6.44	-3.06	9.50	+7.44	+3.94	-3.06	+3.03	+0.4
	Q33-3	○	○		+6.51	-2.99	9.50	+7.51	+4.01	-2.99	+3.06	+0.5
	Q33-4	○	○		+6.60	-3.40	10.00	+7.60	+4.10	-3.40	+1.78	+0.3
	Q33-5	○	○		+6.51	-3.49	10.00	+7.51	+4.01	-3.49	+2.16	+0.3
	Q33-6	○	○		+6.49	-3.01	9.50	+7.50	+3.99	-3.01	+2.33	+0.5
	Q34-1	○	○		+6.54	-2.96	9.50	+7.54	+4.04	-2.96	+3.05	+0.5
	Q34-2	○	○		+6.55	-2.45	9.00	+7.55	+4.05	-2.45	+3.10	+0.8
	Q34-3	○	○		+6.51	-2.49	9.00	+7.51	+4.01	-2.49	+1.98	+0.8
	Q34-4	○	○		+6.51	-2.99	9.50	+7.55	+4.01	-2.99	+2.37	+0.5
	Q34-5	○	○		+6.54	-2.46	9.00	+7.56	+4.04	-2.46	+2.24	+0.8
	Q34-6	○	○		+6.52	-2.48	9.00	+7.53	+4.02	-2.48	+2.48	+0.8
	Q35-1	○	○		+6.52	-0.46	既実施箇所	+7.52	+3.02	-0.46	+1.99	+1.3
	Q35-2	○	○		+6.50	-2.50	9.00	+7.53	+4.00	-2.50	+2.68	+0.8
	Q35-3	○	○		+6.55	-2.45	9.00	+7.55	+4.05	-2.45	+2.65	+0.8
	Q35-4	○	○		+6.48	-2.52	9.00	+7.48	+3.83	-2.52	+2.38	+0.7
	Q35-5	○	○		+6.49	-2.51	9.00	+7.49	+3.99	-2.51	+2.15	+0.7
	Q35-6	○	○		+6.55	-2.45	9.00	+7.55	+4.05	-2.45	+2.06	+0.8
	Q35-7	○	○		+6.43	-2.57	9.00	+7.43	+3.98	-2.57	+1.46	+0.7
	Q35-8	○	○		+6.47	-2.53	9.00	+7.47	+3.97	-2.53	+1.31	+0.7
	Q35-9	○	○		+6.49	-2.51	9.00	+7.53	+3.99	-2.51	+1.24	+0.7
	Q36-1	○	○		+6.56	-2.44	9.00	+7.57	+4.06	-2.44	+3.52	+0.8
	Q36-2	○	○		+6.51	-2.49	9.00	+7.52	+4.01	-2.49	+2.38	+0.8
	Q36-3	○	○		+6.53	-2.47	9.00	+7.53	+4.03	-2.47	+2.23	+0.8
	Q36-4	○	○		+6.50	-2.50	9.00	+7.50	+4.00	-2.50	+2.05	+0.8
	Q36-5	○	○		+6.55	-2.45	9.00	+7.55	+4.05	-2.45	+2.15	+0.8
	Q36-6	○	○		+6.54	-2.46	9.00	+7.54	+4.04	-2.46	+2.12	+0.8
	Q36-7	○	○		+6.46	-2.54	9.00	+7.53	+3.96	-2.54	+1.45	+0.7
	Q36-8	○	○		+6.51	-2.49	9.00	+7.51	+4.01	-2.49	+1.32	+0.8
	Q36-9	○	○		+6.54	-2.46	9.00	+7.54	+4.04	-2.46	+1.25	+0.8
	Q37-1	○	○		+6.54	-2.46	9.00	+7.54	+4.04	-2.46	+2.22	+0.8
	Q37-2	○	○		+6.57	-2.43	9.00	+7.60	+4.07	-2.43	+2.21	+0.8
	Q37-3	○	○		+6.53	-2.47	9.00	+7.58	+4.03	-2.47	+3.13	+0.8
	Q37-4	○	○		+6.58	-2.42	9.00	+7.58	+4.08	-2.42	+2.09	+0.8
	Q37-5	○	○		+6.56	-2.44	9.00	+7.56	+4.06	-2.44	+2.04	+0.8
	Q37-6	○	○		+6.52	-2.48	9.00	+7.52	+4.02	-2.48	+2.03	+0.8
	Q37-7	○	○		+6.55	-2.45	9.00	+7.55	+4.05	-2.45	+1.91	+0.8

ボーリング及び井戸の設定【5街区】(21/21)

街区	調査機関
5街区	いであ株



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
								上端 (A.P. m)	下端 (A.P. m)			
	Q37-8	○	○		+6.56	-2.94	9.50	+7.56	+4.06	-2.94	+1.50	+0.6
	Q37-9	○	○		+6.54	-2.96	9.50	+7.55	+4.04	-2.96	+1.61	+0.5
	Q38-1	○	○		+6.60	-2.40	9.00	+7.62	+4.10	-2.40	+2.16	+0.9
	Q38-2	○	○		+6.52	-2.48	9.00	+7.52	+4.02	-2.48	+3.03	+0.8
	Q38-3	○	○		+6.53	-2.47	9.00	+7.53	+4.03	-2.47	+3.12	+0.8
	Q38-4	○	○		+6.59	-2.91	9.50	+7.59	+4.09	-2.91	+2.05	+0.6
	Q38-5	○	○		+6.54	-2.96	9.50	+7.58	+4.04	-2.96	+2.26	+0.5
	Q38-6	○	○		+6.59	-2.91	9.50	+7.62	+4.09	-2.91	+2.51	+0.6
	Q38-7	○	○		+6.52	-2.98	9.50	+7.52	+4.02	-2.98	+1.93	+0.5
	Q38-8	○	○		+6.55	-3.45	10.00	+7.55	+4.05	-3.45	+1.78	+0.3
	Q38-9	○	○		+6.58	-2.92	9.50	+7.58	+4.08	-2.92	+2.19	+0.6
	Q39-1	○	○		+6.52	-2.48	9.00	+7.52	+4.02	-2.48	+3.56	+0.8
	Q39-2	○	○		+6.58	-2.42	9.00	+7.61	+4.08	-2.42	+2.80	+0.8
	Q39-3	○	○		+6.54	-1.96	8.50	+7.54	+3.94	-1.96	+2.85	+1.0
	Q39-4	○	○		+6.53	-2.47	9.00	+7.57	+4.03	-2.47	+1.93	+0.8
	Q39-5	○	○		+6.45	-2.55	9.00	+7.45	+3.85	-2.55	+2.77	+0.6
	Q39-6	○	○		+6.50	-2.00	8.50	+7.56	+4.00	-2.00	+2.40	+1.0
	Q39-7	○	○		+6.54	-2.96	9.50	+7.54	+4.04	-2.96	+1.86	+0.5
	Q39-8	○	○		+6.56	-2.44	9.00	+7.56	+4.06	-2.44	+2.08	+0.8
	Q39-9	○	○		+6.57	-2.43	9.00	+7.57	+4.07	-2.43	+2.31	+0.8
	Q40-1	○	○		+6.54	-1.96	8.50	+7.54	+3.94	-1.96	+3.25	+1.0
	Q40-2	○	○		+6.55	-1.95	8.50	+7.60	+3.95	-1.95	+3.53	+1.0
	Q40-3	○	○		+6.58	-1.92	8.50	+7.61	+3.98	-1.92	+3.50	+1.0
	Q40-4	○	○		+6.49	-2.01	8.50	+7.53	+3.89	-2.01	+3.00	+0.9
	Q40-5	○	○		+6.49	-2.01	8.50	+7.49	+3.89	-2.01	+3.19	+0.9
	Q40-6	○	○		+6.53	-1.97	8.50	+7.53	+3.93	-1.97	+3.20	+1.0
	Q40-7	○	○		+6.48	-2.02	8.50	+7.49	+3.88	-2.02	+3.01	+0.9
	Q40-8	○	○		+6.52	-2.48	9.00	+7.52	+3.92	-2.48	+3.14	+0.7
	Q40-9	○	○		+6.53	-1.97	8.50	+7.56	+3.93	-1.97	+3.18	+1.0
	Q41-1	○	○		+6.66	-1.84	8.50	+7.68	+4.06	-1.84	+4.16	+1.1
	Q41-2	○	○		+6.62	-1.88	8.50	+7.62	+4.02	-1.88	+3.62	+1.1
	Q41-3	○	○		+6.54	-1.96	8.50	+7.54	+3.94	-1.96	+4.02	+1.0
	Q41-4	○	○		+6.58	-1.92	8.50	+7.58	+3.98	-1.92	+3.20	+1.0
	Q41-5	○	○		+6.58	-1.92	8.50	+7.58	+3.98	-1.92	+3.00	+1.0
	Q41-6	○	○		+6.51	-1.49	8.00	+7.58	+4.01	-1.49	+4.21	+1.3
	Q41-7	○	○		+6.55	-1.95	8.50	+7.55	+3.95	-1.95	+3.17	+1.0
	Q41-8	○	○		+6.51	-1.99	8.50	+7.51	+3.91	-1.99	+3.16	+1.0
	Q41-9	○	○		+6.52	-1.98	8.50	+7.52	+3.92	-1.98	+3.23	+1.0
	Q42-1	○	○		+6.47	-1.53	8.00	+7.47	+3.87	-1.53	+4.02	+1.2
	Q42-3	○	○		+10.34	-1.66	12.00	+11.40	+5.84	-1.66	+3.79	+2.1
	Q42-4	○	○		+6.40	-1.60	8.00	+7.40	+3.90	-1.60	+3.38	+1.1
	Q42-7	○	○		+6.40	-1.60	8.00	+7.40	+3.90	-1.60	+3.04	+1.1
	R38-2	○	○		+6.51	-3.49	10.00	+7.51	+4.04	-3.49	+1.39	+0.3
	R38-3	○	○		+6.48	-3.02	9.50	+7.48	+3.98	-3.02	+1.77	+0.5
	R39-1	○	○		+6.48	-3.02	9.50	+7.55	+3.98	-3.02	+1.64	+0.5
	R39-2	○	○		+6.53	-2.47	9.00	+7.55	+4.03	-2.47	+1.53	+0.8
	R39-3	○	○		+6.53	-2.47	9.00	+7.53	+4.03	-2.47	+1.91	+0.8
	R40-1	○	○		+6.53	-2.47	9.00	+7.53	+4.03	-2.47	+2.32	+0.8
	R40-2	○	○		+6.53	-2.47	9.00	+7.53	+4.03	-2.47	+2.63	+0.8
	R40-3	○	○		+6.57	-1.93	8.50	+7.57	+3.97	-1.93	+3.07	+1.0
	R41-1	○	○		+6.57	-1.93	8.50	+7.60	+3.97	-1.93	+2.91	+1.0
	R41-2	○	○		+6.59	-1.91	8.50	+7.62	+3.99	-1.91	+2.54	+1.0
	R41-3	○	○		+6.51	-2.09	8.60	+7.51	+4.01	-2.09	+4.66	+1.2
	R41-5	○	○		+6.64	-1.86	8.50	+7.64	+4.04	-1.86	+3.03	+1.1
	R41-6	○	○		+6.58	-1.92	8.50	+7.58	+3.98	-1.92	+1.27	+1.0
	R42-1	○	○		+6.39	-1.61	8.00	+7.40	+3.89	-1.61	+2.81	+1.1
	R42-4	○	○		+6.47	-1.53	8.00	+7.47	+3.97	-1.53	+1.82	+1.2
箇所数		1313	1313	3	1313	1313	1313		1313	1313	1313	1313