


ボーリング及び井戸の設定【6街区】(1/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	A5-2	○	○		+6.56	-4.44	11.0	+7.56	+4.00	-4.20	+3.26	-0.47
	A5-3	○	○		+6.53	-4.47	11.0	+7.53	+4.00	-4.20	-0.77	-2.49
	A5-6	○	○		+6.53	-4.48	11.0	+7.53	+4.00	-4.20	+3.38	-0.41
	A5-9	○	○		+6.47	-4.53	11.0	+7.47	+4.00	-4.40	-0.88	-2.64
	A6-1	○	○		+6.53	-4.47	11.0	+7.53	+4.00	-4.20	+0.03	-2.08
	A6-2	○	○		+6.51	-4.49	11.0	+7.51	+4.00	-4.20	+1.41	-1.39
	A6-3	○	○		+6.05	-4.95	11.0	+7.05	+4.00	-4.00	+3.50	-0.25
	A6-4	○	○		+6.62	-4.39	11.0	+7.62	+4.00	-4.20	+3.22	-0.49
	A6-5	○	○		+6.61	-4.39	11.0	+7.61	+4.00	-4.20	+2.96	-0.62
	A6-6	○	○		+6.11	-4.40	10.5	+7.61	+4.00	-4.20	+1.86	-1.17
	A6-7	○	○		+6.46	-4.54	11.0	+7.46	+4.00	-4.40	+2.01	-1.19
	A6-8	○	○		+6.56	-4.44	11.0	+7.56	+4.00	-4.40	+3.71	-0.34
	A6-9	○	○		+6.35	-4.65	11.0	+7.35	+4.00	-4.40	+2.45	-0.97
	A7-1	○	○		+6.63	-4.37	11.0	+7.63	+4.00	-4.20	-0.82	-2.51
	A7-2	○	○		+6.42	-4.58	11.0	+7.42	+4.00	-4.20	+0.17	-2.01
	A7-3	○	○		+6.86	-4.64	11.5	+7.36	+4.00	-4.20	+3.26	-0.47
	A7-4	○	○		+6.31	-4.69	11.0	+7.31	+4.00	-4.20	+1.91	-1.15
	A7-5	○	○		+6.32	-4.68	11.0	+7.32	+4.00	-4.20	+3.62	-0.29
	A7-6	○	○		+3.99	-4.51	8.5	+5.49	+3.99	-4.40	+3.19	-0.61
	A7-7	○	○		+6.38	-4.62	11.0	+7.38	+4.00	-4.40	+3.78	-0.31
	A7-8	○	○		+3.89	-4.62	8.5	+5.39	+3.89	-4.40	+3.59	-0.41
	A7-9	○	○		+3.97	-4.53	8.5	+5.47	+3.97	-4.40	+3.57	-0.42
	A8-1	○	○		+4.02	-4.48	8.5	+5.52	+4.02	-4.40	-2.98	-3.69
	A8-2	○	○		+3.88	-4.62	8.5	+5.38	+3.88	-4.40	-2.82	-3.61
	A8-3	○	○		+3.92	-4.58	8.5	+5.42	+3.92	-4.40	-3.63	-4.02
	A8-4	○	○		+4.03	-4.47	8.5	+5.53	+4.03	-4.40	+0.83	-1.79
	A8-5	○	○		+3.98	-5.02	9.0	+4.98	+3.98	-4.60	+1.38	-1.61
	A8-6	○	○		+3.94	-5.06	9.0	+4.94	+3.94	-4.60	-1.26	-2.93
	A8-7	○	○		+3.73	-4.78	8.5	+5.23	+3.73	-4.60	+3.43	-0.59
	A8-8	○	○		+3.91	-5.09	9.0	+4.91	+3.91	-4.60	+3.31	-0.65
	A8-9	○	○		+3.97	-5.03	9.0	+4.97	+3.97	-4.80	+3.47	-0.67
	A9-1	○	○		+3.83	-4.67	8.5	+5.33	+3.83	-4.40	+0.38	-2.01
	A9-2	○	○		+3.84	-4.66	8.5	+5.34	+3.84	-4.20	-4.26	-4.23
	A9-3	○	○		+3.99	-4.01	8.0	+4.99	+3.99	-3.80	-2.31	-3.06
	A9-4	○	○		+4.12	-4.88	9.0	+5.12	+4.12	-4.60	+3.02	-0.79
	A9-5	○	○		+4.15	-5.35	既実施箇所	+5.02	+3.02	-4.85	+3.40	-0.73
	A9-6	○	○		+5.76	-4.24	10.0	+6.76	+4.00	-4.00	+2.76	-0.62
	A9-7	○	○		+4.12	-4.88	9.0	+5.12	+4.12	-4.60	+3.42	-0.59
	A9-8	○	○		+5.10	-4.90	10.0	+6.10	+4.00	-4.60	+3.65	-0.48
	A9-9	○	○		+4.19	-4.82	9.0	+5.19	+4.19	-4.40	+3.39	-0.51
	A10-1	○	○		+4.00	-4.00	8.0	+5.00	+4.00	-3.60	+2.85	-0.38
	A10-2	○	○		+6.76	-3.74	10.5	+8.26	+4.00	-3.60	-0.59	-2.09
	A10-3	○	○		+4.43	-4.08	8.5	+5.93	+4.43	-3.80	-1.78	-2.79
	A10-4	○	○		+6.17	-3.83	10.0	+7.17	+4.00	-3.80	+0.02	-1.89
	A10-5	○	○		+4.37	-4.14	8.5	+5.87	+4.37	-3.80	+3.42	-0.19
	A10-6	○	○		+3.92	-4.08	8.0	+4.92	+3.92	-4.00	+3.42	-0.29
	A10-7	○	○		+4.16	-4.34	8.5	+5.66	+4.16	-4.20	+2.71	-0.75
	A10-8	○	○		+4.11	-4.40	8.5	+5.61	+4.11	-4.00	+1.96	-1.02
	A10-9	○	○		+4.00	-4.50	8.5	+5.50	+4.00	-4.20	+2.95	-0.62
	A11-1	○	○		+3.66	-4.34	8.0	+4.66	+3.66	-4.00	-0.34	-2.17
	A11-2	○	○		+3.56	-4.44	8.0	+4.56	+3.56	-4.20	+0.16	-2.02
	A11-3	○	○		+3.51	-4.49	8.0	+4.51	+3.51	-4.20	-0.04	-2.12
	A11-4	○	○		+3.75	-4.25	8.0	+4.75	+3.75	-4.00	+1.95	-1.02
	A11-5	○	○		+3.57	-4.43	8.0	+4.57	+3.57	-4.20	+2.37	-0.91
	A11-6	○	○		+3.56	-4.44	8.0	+4.56	+3.56	-4.40	+2.61	-0.89
	A11-7	○	○		+3.71	-4.29	8.0	+4.71	+3.71	-4.20	+1.56	-1.32
	A11-8	○	○		+3.61	-4.89	8.5	+5.11	+3.61	-4.40	+2.16	-1.12
	A11-9	○	○		+3.46	-4.54	8.0	+4.46	+3.46	-4.40	+2.61	-0.89
	A12-1	○	○		+3.41	-4.59	8.0	+4.41	+3.41	-4.40	-0.09	-2.24
	A12-2	○	○		+3.35	-4.65	8.0	+4.35	+3.35	-4.60	-0.75	-2.67
	A12-3	○	○		+3.29	-5.21	8.5	+4.79	+3.29	-4.80	-0.81	-2.81
	A12-4	○	○		+3.45	-5.05	8.5	+4.95	+3.45	-4.60	+2.75	-0.93
	A12-5	○	○		+3.34	-4.66	8.0	+4.34	+3.34	-4.60	-1.26	-2.93
	A12-6	○	○		+3.29	-5.21	8.5	+4.79	+3.29	-4.80	-0.56	-2.68

ボーリング及び井戸の設定【6街区】(2/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	A12-7	○	○		+3.29	-4.71	8.0	+4.29	+3.29	-4.60	+2.69	-0.96
	A12-8	○	○		+3.25	-5.25	8.5	+4.75	+3.25	-4.80	-0.35	-2.58
	A12-9	○	○		+3.17	-4.83	8.0	+4.17	+3.17	-4.80	+2.61	-1.10
	A13-1	○	○		+3.28	-5.22	8.5	+4.78	+3.28	-4.80	+2.18	-1.31
	A13-2	○	○		+3.38	-9.62	13.0	+4.38	+3.38	-5.00	+3.18	-0.91
	A13-3	○	○		+3.47	-7.53	既実施箇所	+4.49	+2.49	-7.03	+1.87	-2.58
	A13-4	○	○		+3.33	-5.68	9.0	+4.33	+3.33	-5.00	+1.03	-1.99
	A13-5	○	○		+3.34	-5.16	8.5	+4.84	+3.34	-5.00	+1.79	-1.60
	A13-6	○	○		+3.44	-5.06	8.5	+4.94	+3.44	-5.00	+2.74	-1.13
	A13-7	○	○		+3.29	-5.21	8.5	+4.79	+3.29	-5.00	+2.59	-1.21
	A13-8	○	○		+3.25	-5.25	8.5	+4.75	+3.25	-5.00	+2.55	-1.23
	A13-9	○	○		+3.32	-5.18	8.5	+4.82	+3.32	-5.00	+2.62	-1.19
	A14-1	○	○		+3.53	-4.97	8.5	+5.03	+3.53	-4.80	+2.33	-1.23
	A14-2	○	○		+3.58	-4.92	8.5	+5.08	+3.58	-4.80	+2.13	-1.33
	A14-3	○	○		+3.67	-4.83	8.5	+5.17	+3.67	-4.80	+2.82	-0.99
	A14-4	○	○		+3.63	-5.37	9.0	+4.63	+3.63	-5.00	+2.98	-1.01
	A14-5	○	○		+3.84	-5.16	9.0	+4.84	+3.84	-5.00	+3.14	-0.93
	A14-6	○	○		+4.00	-5.00	9.0	+5.00	+4.00	-5.00	+3.35	-0.83
	A14-7	○	○		+4.32	-5.18	9.5	+4.82	+4.32	-5.00	+3.62	-0.69
	A14-8	○	○		+4.21	-5.29	9.5	+4.71	+4.21	-5.00	+3.21	-0.90
	A14-9	○	○		+4.34	-5.16	9.5	+4.84	+4.34	-5.00	+3.09	-0.96
	A15-1	○	○		+3.77	-5.23	9.0	+4.77	+3.77	-4.80	+3.02	-0.89
	A15-2	○	○		+3.88	-5.12	9.0	+4.88	+3.88	-4.80	+3.08	-0.86
	A15-3	○	○		+3.86	-4.64	8.5	+5.36	+3.86	-4.60	+2.16	-1.22
	A15-4	○	○		+4.05	-5.45	9.5	+4.55	+4.05	-5.00	+3.30	-0.85
	A15-5	○	○		+4.06	-4.94	9.0	+5.06	+4.06	-4.80	+3.26	-0.77
	A15-6	○	○		+4.07	-4.93	9.0	+5.07	+4.07	-4.80	+2.37	-1.22
	A15-7	○	○		+4.42	-5.08	9.5	+4.92	+4.42	-5.00	+3.37	-0.82
	A15-8	○	○		+4.46	-5.04	9.5	+4.96	+4.46	-5.00	+3.31	-0.85
	A15-9	○	○		+4.40	-5.10	9.5	+4.90	+4.40	-5.00	+3.20	-0.90
	A16-1	○	○		+3.85	-4.65	8.5	+5.35	+3.85	-4.60	+2.65	-0.98
	A16-2	○	○		+3.80	-4.70	8.5	+5.30	+3.80	-4.40	+3.10	-0.65
	A16-3	○	○		+3.83	-5.17	9.0	+4.83	+3.83	-4.40	+3.13	-0.64
	A16-4	○	○		+4.08	-4.92	9.0	+5.08	+4.08	-4.60	+3.08	-0.76
	A16-5	○	○		+4.05	-4.95	9.0	+5.05	+4.05	-4.60	+3.05	-0.77
	A16-6	○	○		+4.03	-4.47	8.5	+5.53	+4.03	-4.40	+3.18	-0.61
	A16-7	○	○		+4.44	-5.06	9.5	+4.94	+4.44	-4.80	+3.44	-0.68
	A16-8	○	○		+4.43	-5.07	9.5	+4.93	+4.43	-4.80	+3.43	-0.68
	A16-9	○	○		+4.42	-5.08	9.5	+4.92	+4.42	-4.60	+3.27	-0.66
	A17-1	○	○		+3.87	-4.63	8.5	+5.37	+3.87	-4.40	+2.27	-1.06
	A17-2	○	○		+3.89	-4.61	8.5	+5.39	+3.89	-4.40	+2.89	-0.76
	A17-3	○	○		+3.99	-4.51	8.5	+5.49	+3.99	-4.20	+2.99	-0.60
	A17-4	○	○		+4.10	-4.40	8.5	+5.60	+4.10	-4.40	+3.10	-0.65
	A17-5	○	○		+4.16	-4.84	9.0	+5.16	+4.16	-4.40	+3.16	-0.62
	A17-6	○	○		+4.18	-4.83	9.0	+5.18	+4.18	-4.40	+3.23	-0.59
	A17-7	○	○		+4.39	-4.61	9.0	+5.39	+4.39	-4.60	+3.24	-0.68
	A17-8	○	○		+4.36	-4.64	9.0	+5.36	+4.36	-4.60	+3.11	-0.75
	A17-9	○	○		+4.32	-4.68	9.0	+5.32	+4.32	-4.60	+3.17	-0.71
	A18-1	○	○		+3.96	-4.54	8.5	+5.46	+3.96	-4.20	+2.86	-0.67
	A18-2	○	○		+4.03	-4.47	8.5	+5.53	+4.03	-4.20	+3.03	-0.59
	A18-3	○	○		+4.10	-4.40	8.5	+5.60	+4.10	-4.20	+3.05	-0.58
	A18-4	○	○		+4.17	-4.84	9.0	+5.17	+4.17	-4.40	+3.22	-0.59
	A18-5	○	○		+4.20	-4.81	9.0	+5.20	+4.20	-4.40	+3.10	-0.65
	A18-6	○	○		+4.15	-4.85	9.0	+5.15	+4.15	-4.40	+3.05	-0.68
	A18-7	○	○		+4.33	-4.67	9.0	+5.33	+4.33	-4.60	+3.23	-0.69
	A18-8	○	○		+4.31	-4.69	9.0	+5.31	+4.31	-4.40	+3.21	-0.59
	A18-9	○	○		+4.30	-4.70	9.0	+5.30	+4.30	-4.40	+1.90	-1.25
	A19-1	○	○		+4.15	-4.36	8.5	+5.65	+4.15	-4.20	+3.05	-0.58
	A19-2	○	○		+4.07	-4.43	8.5	+5.57	+4.07	-4.00	+3.07	-0.46
	A19-3	○	○		+3.99	-4.01	8.0	+5.99	+3.99	-3.80	+3.09	-0.35
	A19-4	○	○		+4.12	-4.38	8.5	+5.62	+4.12	-4.20	+3.22	-0.49
	A19-5	○	○		+4.12	-5.28	既実施箇所	+5.10	+3.10	-4.78	+3.22	-0.78
	A19-6	○	○		+4.10	-4.40	8.5	+5.60	+4.10	-4.00	+3.20	-0.40
	A19-7	○	○		+4.27	-4.73	9.0	+5.27	+4.27	-4.40	+3.17	-0.62
	A19-8	○	○		+4.36	-4.64	9.0	+5.36	+4.36	-4.20	+4.06	-0.07
	A19-9	○	○		+4.21	-4.29	8.5	+5.71	+4.21	-4.20	+3.21	-0.50
	A20-1	○	○		+4.07	-4.93	9.0	+5.07	+4.07	-3.60	+3.87	+0.13
	A20-2	○	○		+4.13	-3.88	8.0	+6.13	+4.13	-3.80	+2.93	-0.44

ボーリング及び井戸の設定【6街区】(3/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	A20-3	○	○		+4.11	-3.89	8.0	+6.11	+4.11	-3.80	+3.01	-0.39
	A20-4	○	○		+4.22	-4.28	8.5	+5.72	+4.22	-3.80	+3.22	-0.29
	A20-5	○	○		+4.12	-3.88	8.0	+6.12	+4.12	-3.80	+3.12	-0.34
	A20-6	○	○		+4.22	-4.28	8.5	+5.72	+4.22	-4.00	+3.17	-0.42
	A20-7	○	○		+4.19	-4.31	8.5	+5.69	+4.19	-4.00	+3.14	-0.43
	A20-8	○	○		+4.26	-4.24	8.5	+5.76	+4.26	-4.00	+3.16	-0.42
	A20-9	○	○		+4.29	-4.21	8.5	+5.79	+4.29	-4.00	+3.19	-0.41
	A21-1	○	○		+4.19	-4.31	8.5	+5.69	+4.19	-4.00	+2.99	-0.50
	A21-2	○	○		+4.28	-4.22	8.5	+5.78	+4.28	-4.20	+2.08	-1.06
	A21-3	○	○		+4.23	-4.77	9.0	+5.23	+4.23	-4.40	+2.03	-1.19
	A21-4	○	○		+4.19	-4.31	8.5	+5.69	+4.19	-4.00	+3.19	-0.41
	A21-5	○	○		+4.20	-4.30	8.5	+5.70	+4.20	-4.20	+3.05	-0.58
	A21-6	○	○		+4.04	-4.46	8.5	+5.54	+4.04	-4.40	+3.14	-0.63
	A21-7	○	○		+4.25	-4.25	8.5	+5.75	+4.25	-4.20	+3.15	-0.52
	A21-8	○	○		+4.24	-4.76	9.0	+5.24	+4.24	-4.40	+3.14	-0.63
	A21-9	○	○		+4.26	-4.74	9.0	+5.26	+4.26	-4.40	+3.16	-0.62
	A22-1	○	○		+4.15	-4.85	9.0	+5.15	+4.15	-4.60	-0.05	-2.33
	A22-2	○	○		+4.14	-4.86	9.0	+5.14	+4.14	-4.80	+2.89	-0.95
	A22-3	○	○		+4.31	-5.19	9.5	+4.81	+4.31	-4.80	+2.91	-0.95
	A22-4	○	○		+4.02	-4.98	9.0	+5.02	+4.02	-4.60	+3.22	-0.69
	A22-5	○	○		+4.06	-4.94	9.0	+5.06	+4.06	-4.80	+3.16	-0.82
	A22-6	○	○		+4.12	-5.39	9.5	+4.62	+4.12	-5.00	+2.92	-1.04
	A22-7	○	○		+4.26	-4.74	9.0	+5.26	+4.26	-4.60	+3.16	-0.72
	A22-8	○	○		+4.28	-5.22	9.5	+4.78	+4.28	-4.80	+3.08	-0.86
	A22-9	○	○		+4.23	-5.27	9.5	+4.73	+4.23	-5.00	+3.18	-0.91
	A23-1	○	○		+4.24	-5.26	9.5	+4.74	+4.24	-5.00	+2.84	-1.08
	A23-2	○	○		+4.44	-5.56	10.0	+5.44	+4.44	-5.20	+2.74	-1.23
	A23-3	○	○		+4.42	-5.58	10.0	+5.42	+4.42	-5.20	+2.67	-1.27
	A23-4	○	○		+4.15	-5.35	9.5	+4.65	+4.15	-5.00	+3.15	-0.92
	A23-5	○	○		+4.06	-5.44	9.5	+4.56	+4.06	-5.20	+3.06	-1.07
	A23-6	○	○		+4.26	-5.24	9.5	+4.76	+4.26	-5.20	+3.26	-0.97
	A23-7	○	○		+4.11	-5.39	9.5	+4.61	+4.11	-5.00	+3.06	-0.97
	A23-8	○	○		+4.06	-5.44	9.5	+4.56	+4.06	-5.20	+3.06	-1.07
	A23-9	○	○		+4.26	-5.24	9.5	+4.76	+4.26	-5.20	+3.16	-1.02
	A24-1	○	○		+4.44	-5.56	10.0	+5.44	+4.44	-5.20	+2.89	-1.16
	A24-2	○	○		+4.44	-5.57	10.0	+5.44	+4.44	-5.20	+3.09	-1.06
	A24-3	○	○		+4.15	-5.35	9.5	+4.65	+4.15	-5.00	+2.75	-1.12
	A24-4	○	○		+4.29	-5.21	9.5	+4.79	+4.29	-5.20	+3.09	-1.06
	A24-5	○	○		+4.24	-5.26	9.5	+4.74	+4.24	-5.20	+3.14	-1.03
	A24-6	○	○		+4.09	-5.42	9.5	+4.59	+4.09	-5.00	+3.24	-0.88
	A24-7	○	○		+4.23	-5.27	9.5	+4.73	+4.23	-5.20	+3.08	-1.06
	A24-8	○	○		+4.18	-5.32	9.5	+4.68	+4.18	-5.20	+3.18	-1.01
	A24-9	○	○		+4.50	-5.50	10.0	+5.50	+4.50	-5.20	+3.20	-1.00
	A25-1	○	○		+4.11	-5.39	9.5	+4.61	+4.11	-5.00	+2.71	-1.15
	A25-2	○	○		+4.06	-5.44	9.5	+4.56	+4.06	-5.00	+2.51	-1.24
	A25-3	○	○		+4.23	-5.27	9.5	+4.73	+4.23	-5.20	+2.38	-1.41
	A25-4	○	○		+4.04	-5.46	9.5	+4.54	+4.04	-5.00	+3.09	-0.95
	A25-5	○	○		+3.97	-5.43	既実施箇所	+5.06	+3.06	-4.93	+3.12	-0.91
	A25-6	○	○		+4.30	-5.20	9.5	+4.80	+4.30	-5.00	+3.10	-0.95
	A25-7	○	○		+4.53	-5.47	10.0	+4.53	+4.53	-5.00	+3.13	-0.93
	A25-8	○	○		+4.49	-5.01	9.5	+4.99	+4.49	-5.00	+3.09	-0.95
	A25-9	○	○		+4.45	-5.05	9.5	+4.95	+4.45	-5.00	+3.10	-0.95
	A26-1	○	○		+4.18	-5.32	9.5	+4.68	+4.18	-5.20	+2.43	-1.39
	A26-2	○	○		+4.18	-5.82	10.0	+4.18	+4.18	-5.20	+2.23	-1.49
	A26-3	○	○		+6.61	-4.89	11.5	+7.11	+4.00	-4.60	+2.46	-1.07
	A26-4	○	○		+4.27	-5.24	9.5	+4.77	+4.27	-5.20	+2.82	-1.19
	A26-5	○	○		+4.18	-5.32	9.5	+4.68	+4.18	-5.00	+2.63	-1.19
	A26-6	○	○		+6.54	-4.97	11.5	+7.04	+4.00	-4.60	+2.64	-0.98
	A26-7	○	○		+4.46	-5.04	9.5	+4.96	+4.46	-5.00	+2.86	-1.07
	A26-8	○	○		+4.08	-4.92	9.0	+5.08	+4.08	-4.80	+2.63	-1.09
	B5-2	○	○		+6.19	-4.81	11.0	+7.19	+4.00	-4.40	+2.14	-1.13
	B5-3	○	○		+6.20	-4.80	11.0	+7.20	+4.00	-4.40	+3.55	-0.42
	B5-5	○	○		+6.36	-4.64	11.0	+7.36	+4.00	-4.60	+3.61	-0.49
	B5-6	○	○		+6.32	-4.68	11.0	+7.32	+4.00	-4.60	+3.72	-0.44
	B5-9	○	○	都市整備局実施								
	B6-1	○	○		+6.22	-4.78	11.0	+7.22	+4.00	-4.40	-1.23	-2.81
	B6-2	○	○		+6.27	-4.74	11.0	+7.27	+4.00	-4.40	+3.57	-0.42
	B6-3	○	○		+6.32	-4.68	11.0	+7.32	+4.00	-4.40	+1.02	-1.69

ボーリング及び井戸の設定【6街区】(4/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	B6-4	○	○		+6.34	-4.66	11.0	+7.34	+4.00	-4.60	+3.84	-0.38
	B6-5	○	○		+6.34	-4.66	11.0	+7.34	+4.00	-4.60	+3.79	-0.41
	B6-6	○	○		+4.36	-4.64	9.0	+5.36	+4.36	-4.60	-0.99	-2.80
	B6-7	○	○		+5.31	-4.70	10.0	+6.31	+4.00	-4.60	+3.31	-0.65
	B6-8	○	○		+5.00	-5.01	10.0	+6.00	+4.00	-4.60	+3.05	-0.78
	B6-9	○	○		+4.26	-4.74	9.0	+5.26	+4.00	-4.60	+3.46	-0.57
	B7-1	○	○		+3.78	-4.72	8.5	+5.28	+3.78	-4.40	+2.98	-0.71
	B7-2	○	○		+5.22	-4.78	10.0	+6.22	+4.00	-4.40	+0.22	-2.09
	B7-3	○	○		+3.96	-5.04	9.0	+4.96	+3.96	-4.60	-1.44	-3.02
	B7-4	○	○		+4.07	-4.93	9.0	+5.07	+4.07	-4.60	+3.17	-0.71
	B7-5	○	○		+4.55	-4.95	9.5	+5.05	+4.55	-4.60	-2.40	-3.50
	B7-6	○	○		+3.94	-5.06	9.0	+4.94	+3.94	-4.60	+1.99	-1.31
	B7-7	○	○		+4.32	-4.68	9.0	+5.32	+4.32	-4.60	-3.78	-4.19
	B7-8	○	○		+4.10	-4.90	9.0	+5.10	+4.10	-4.60	+3.20	-0.70
	B7-9	○	○		+3.87	-4.63	8.5	+5.37	+3.87	-4.60	-0.63	-2.61
	B8-1	○	○		+3.96	-5.04	9.0	+4.96	+3.96	-4.60	+3.56	-0.52
	B8-2	○	○		+4.02	-4.98	9.0	+5.02	+4.02	-4.60	+3.12	-0.74
	B8-3	○	○		+4.11	-4.89	9.0	+5.11	+4.11	-4.80	+1.16	-1.82
	B8-4	○	○		+4.10	-4.90	9.0	+5.10	+4.10	-4.60	-2.15	-3.37
	B8-5	○	○		+4.17	-4.83	9.0	+5.17	+4.17	-4.60	+0.27	-2.17
	B8-6	○	○		+4.19	-4.81	9.0	+5.19	+4.19	-4.80	+1.59	-1.61
	B8-7	○	○		+4.51	-4.99	9.5	+5.01	+4.51	-4.60	-0.74	-2.67
	B8-8	○	○		+4.50	-5.00	9.5	+5.00	+4.50	-4.60	-0.25	-2.42
	B8-9	○	○		+4.35	-4.65	9.0	+5.35	+4.35	-4.60	+2.90	-0.85
	B9-1	○	○		+4.29	-5.22	9.5	+4.79	+4.29	-4.80	+2.94	-0.93
	B9-2	○	○		+4.30	-4.70	9.0	+5.30	+4.30	-4.60	+3.45	-0.58
	B9-3	○	○		+4.34	-4.66	9.0	+5.34	+4.34	-4.40	+3.39	-0.51
	B9-4	○	○		+4.37	-5.13	9.5	+4.87	+4.37	-4.80	+0.47	-2.17
	B9-5	○	○		+4.42	-5.08	9.5	+4.92	+4.42	-4.60	-2.38	-3.49
	B9-6	○	○		+4.43	-5.07	9.5	+4.93	+4.43	-4.60	+3.38	-0.61
	B9-7	○	○		+4.43	-5.07	9.5	+4.93	+4.43	-4.60	+3.58	-0.51
	B9-8	○	○		+4.42	-5.08	9.5	+4.92	+4.42	-4.60	+3.52	-0.54
	B9-9	○	○		+4.37	-4.63	9.0	+5.37	+4.37	-4.60	-1.48	-3.04
	B10-1	○	○		+4.27	-4.74	9.0	+5.27	+4.27	-4.40	-0.99	-2.69
	B10-2	○	○		+4.10	-4.40	8.5	+5.60	+4.10	-4.20	+2.30	-0.95
	B10-3	○	○		+3.92	-4.58	8.5	+5.42	+3.92	-4.20	+2.72	-0.74
	B10-4	○	○		+4.42	-4.58	9.0	+5.42	+4.42	-4.40	-0.18	-2.29
	B10-5	○	○		+4.23	-4.77	9.0	+5.23	+4.23	-4.40	-1.22	-2.81
	B10-6	○	○		+3.97	-4.54	8.5	+5.47	+3.97	-4.40	-0.44	-2.42
	B10-7	○	○		+4.33	-4.67	9.0	+5.33	+4.33	-4.60	+3.48	-0.56
	B10-8	○	○		+4.27	-4.73	9.0	+5.27	+4.27	-4.60	-0.23	-2.42
	B10-9	○	○		+3.81	-4.70	8.5	+5.31	+3.81	-4.60	+3.51	-0.55
	B11-1	○	○		+3.83	-4.67	8.5	+5.33	+3.83	-4.40	+0.88	-1.76
	B11-2	○	○		+3.68	-4.82	8.5	+5.18	+3.68	-4.40	+0.83	-1.79
	B11-3	○	○		+3.61	-4.89	8.5	+5.11	+3.61	-4.40	-0.19	-2.30
	B11-4	○	○		+3.90	-4.60	8.5	+5.40	+3.90	-4.40	-1.45	-2.92
	B11-5	○	○		+3.84	-4.66	8.5	+5.34	+3.84	-4.40	-2.56	-3.48
	B11-6	○	○		+3.82	-4.68	8.5	+5.32	+3.82	-4.60	+0.22	-2.19
	B11-7	○	○		+3.79	-4.71	8.5	+5.29	+3.79	-4.40	-0.01	-2.21
	B11-8	○	○		+3.82	-4.68	8.5	+5.32	+3.82	-4.60	+1.92	-1.34
	B11-9	○	○		+3.69	-4.81	8.5	+5.19	+3.69	-4.60	+1.64	-1.48
	B12-1	○	○		+3.13	-4.87	8.0	+4.13	+3.13	-4.60	+2.53	-1.03
	B12-2	○	○		+2.83	-5.17	8.0	+3.83	+2.83	-4.80	+2.23	-1.29
	B12-3	○	○		+2.69	-4.82	7.5	+3.19	+2.69	-4.80	+2.39	-1.21
	B12-4	○	○		+3.73	-4.77	8.5	+5.23	+3.73	-4.60	+1.68	-1.46
	B12-5	○	○		+3.22	-4.78	8.0	+4.22	+3.22	-4.60	+2.72	-0.94
	B12-6	○	○		+3.23	-5.27	8.5	+4.73	+3.23	-4.80	+1.38	-1.71
	B12-7	○	○		+3.50	-5.01	8.5	+5.00	+3.50	-4.60	+2.35	-1.13
	B12-8	○	○		+3.54	-4.96	8.5	+5.04	+3.54	-4.60	+2.54	-1.03
	B12-9	○	○		+3.47	-5.03	8.5	+4.97	+3.47	-4.80	+1.47	-1.66
	B13-1	○	○		+2.95	-5.06	8.0	+3.95	+2.95	-5.00	+2.55	-1.23
	B13-2	○	○		+3.02	-5.48	8.5	+4.52	+3.02	-5.00	+2.62	-1.19
	B13-3	○	○		+3.38	-5.12	8.5	+4.88	+3.38	-5.00	+3.18	-0.91
	B13-4	○	○		+2.76	-5.25	8.0	+3.76	+2.76	-4.80	+2.56	-1.12
	B13-5	○	○		+2.91	-5.09	8.0	+3.91	+2.91	-5.00	+2.61	-1.20
	B13-6	○	○		+3.33	-5.17	8.5	+4.83	+3.33	-5.00	+3.13	-0.93
	B13-7	○	○		+3.12	-4.88	8.0	+4.12	+3.12	-4.80	-0.28	-2.54
	B13-8	○	○		+3.05	-4.95	8.0	+4.05	+3.05	-4.80	+2.55	-1.13

ボーリング及び井戸の設定【6街区】(5/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	B13-9	○	○		+3.30	-5.21	8.5	+4.80	+3.30	-5.00	+3.10	-0.95
	B14-1	○	○		+3.98	-5.53	9.5	+4.48	+3.98	-5.20	+3.13	-1.04
	B14-2	○	○		+4.58	-5.42	10.0	+5.58	+4.58	-5.20	+3.13	-1.03
	B14-3	○	○		+5.69	-5.31	11.0	+6.69	+5.19	-5.20	+2.69	-1.25
	B14-4	○	○		+3.82	-5.68	9.5	+4.32	+3.82	-5.20	+3.22	-0.99
	B14-5	○	○		+4.25	-5.25	9.5	+4.75	+4.25	-5.20	+2.95	-1.12
	B14-6	○	○		+5.65	-5.35	11.0	+6.65	+5.15	-5.20	+3.25	-0.97
	B14-7	○	○		+3.70	-5.30	9.0	+4.70	+3.70	-5.20	+3.25	-0.97
	B14-8	○	○		+4.23	-5.27	9.5	+4.73	+4.23	-5.20	+3.28	-0.96
	B14-9	○	○		+5.72	-5.78	11.5	+6.22	+5.22	-5.40	+3.72	-0.84
	B15-1	○	○		+5.50	-5.50	11.0	+6.50	+5.00	-5.20	+3.25	-0.97
	B15-2	○	○		+5.95	-5.55	11.5	+6.45	+5.45	-5.20	+3.20	-1.00
	B15-3	○	○		+5.95	-5.05	11.0	+6.95	+5.45	-5.00	+3.30	-0.85
	B15-4	○	○		+5.80	-5.70	11.5	+6.30	+5.30	-5.40	+3.55	-0.93
	B15-5	○	○		+5.46	-5.54	11.0	+6.46	+4.96	-5.40	+3.21	-1.10
	B15-6	○	○		+5.74	-5.27	11.0	+6.74	+5.24	-5.20	+2.54	-1.33
	B15-7	○	○		+5.81	-5.69	11.5	+6.31	+5.31	-5.60	+2.01	-1.80
	B15-8	○	○		+5.47	-6.03	11.5	+5.97	+4.97	-5.60	+2.47	-1.57
	B15-9	○	○		+5.81	-5.69	11.5	+6.31	+5.31	-5.60	+3.11	-1.25
	B16-1	○	○		+5.80	-5.20	11.0	+6.80	+5.30	-5.00	+2.15	-1.42
	B16-2	○	○		+5.80	-5.20	11.0	+6.80	+5.30	-5.00	+3.20	-0.90
	B16-3	○	○		+5.74	-5.26	11.0	+6.74	+5.24	-4.80	+3.09	-0.86
	B16-4	○	○		+6.15	-5.35	11.5	+6.65	+5.65	-5.20	+3.00	-1.10
	B16-5	○	○		+5.98	-5.52	11.5	+6.48	+5.48	-5.20	+4.23	-0.48
	B16-6	○	○		+5.71	-5.29	11.0	+6.71	+5.21	-5.00	+2.71	-1.15
	B16-7	○	○		+5.90	-5.61	11.5	+6.40	+5.40	-5.40	+2.95	-1.23
	B16-8	○	○		+6.02	-5.48	11.5	+6.52	+5.52	-5.20	+1.82	-1.69
	B16-9	○	○		+5.80	-5.21	11.0	+6.80	+5.30	-5.20	+3.10	-1.05
	B17-1	○	○		+5.93	-5.07	11.0	+6.93	+5.43	-4.80	+2.88	-0.96
	B17-2	○	○		+5.96	-5.04	11.0	+6.96	+5.46	-4.80	+2.81	-1.00
	B17-3	○	○		+5.95	-5.05	11.0	+6.95	+5.45	-4.60	+3.35	-0.62
	B17-4	○	○		+6.01	-5.49	11.5	+6.51	+5.51	-5.00	+3.36	-0.82
	B17-5	○	○		+6.00	-5.00	11.0	+7.00	+5.50	-4.80	+2.85	-0.98
	B17-6	○	○		+5.97	-5.03	11.0	+6.97	+5.47	-4.80	+2.97	-0.91
	B17-7	○	○		+3.89	-5.11	9.0	+4.89	+3.39	-5.00	+0.09	-2.45
	B17-8	○	○		+5.95	-5.05	11.0	+6.95	+5.45	-5.00	+3.40	-0.80
	B17-9	○	○		+5.97	-5.04	11.0	+6.97	+5.47	-5.00	+3.47	-0.77
	B18-1	○	○		+6.05	-4.95	11.0	+7.05	+5.55	-4.60	+2.50	-1.05
	B18-2	○	○		+6.03	-4.97	11.0	+7.03	+5.53	-4.60	+4.13	-0.23
	B18-3	○	○		+5.75	-4.76	10.5	+7.25	+5.75	-4.60	+3.35	-0.63
	B18-4	○	○		+5.92	-5.08	11.0	+6.92	+5.42	-4.80	+3.17	-0.81
	B18-5	○	○		+5.99	-5.01	11.0	+6.99	+5.49	-4.60	+3.29	-0.66
	B18-6	○	○		+5.88	-4.62	10.5	+7.38	+5.88	-4.60	+2.48	-1.06
	B18-7	○	○		+5.86	-5.14	11.0	+6.86	+5.36	-4.80	+2.76	-1.02
	B18-8	○	○		+5.97	-5.03	11.0	+6.97	+5.47	-4.80	+3.27	-0.77
	B18-9	○	○		+5.94	-5.07	11.0	+6.94	+5.44	-4.80	+2.49	-1.16
	B19-1	○	○		+5.71	-4.79	10.5	+7.21	+5.71	-4.40	+3.21	-0.60
	B19-2	○	○		+4.22	-4.78	9.0	+5.22	+4.22	-4.40	+3.22	-0.59
	B19-3	○	○		+4.22	-4.29	8.5	+5.72	+4.22	-4.20	+3.22	-0.49
	B19-4	○	○		+5.84	-4.66	10.5	+7.34	+5.84	-4.60	+3.19	-0.70
	B19-5	○	○		+4.24	-4.76	9.0	+5.24	+4.24	-4.40	+3.19	-0.61
	B19-6	○	○		+4.30	-4.70	9.0	+5.30	+4.30	-4.20	+3.10	-0.55
	B19-7	○	○		+5.90	-4.60	10.5	+7.40	+5.90	-4.60	+1.75	-1.43
	B19-8	○	○		+4.23	-4.77	9.0	+5.23	+4.23	-4.40	+3.18	-0.61
	B19-9	○	○		+4.31	-4.69	9.0	+5.31	+4.31	-4.40	+3.11	-0.65
	B20-1	○	○		+4.27	-4.23	8.5	+5.77	+4.27	-4.00	+3.12	-0.44
	B20-2	○	○		+4.29	-4.21	8.5	+5.79	+4.29	-4.00	+3.14	-0.43
	B20-3	○	○		+4.25	-4.25	8.5	+5.75	+4.25	-4.20	+3.20	-0.50
	B20-4	○	○		+4.29	-4.21	8.5	+5.79	+4.29	-4.20	+3.19	-0.50
	B20-5	○	○		+4.25	-4.25	8.5	+5.75	+4.25	-4.20	+3.20	-0.50
	B20-6	○	○		+4.29	-4.21	8.5	+5.79	+4.29	-4.20	+2.74	-0.73
	B20-7	○	○		+4.32	-4.68	9.0	+5.32	+4.32	-4.20	+3.17	-0.52
	B20-8	○	○		+4.24	-4.26	8.5	+5.74	+4.24	-4.20	+3.19	-0.51
	B20-9	○	○		+4.36	-4.64	9.0	+5.36	+4.36	-4.20	+3.21	-0.49
	B21-1	○	○		+4.30	-4.70	9.0	+5.30	+4.30	-4.20	+3.20	-0.50
	B21-2	○	○		+4.32	-4.68	9.0	+5.32	+4.32	-4.40	+3.17	-0.62
	B21-3	○	○		+4.30	-4.70	9.0	+5.30	+4.30	-4.60	+3.35	-0.63
	B21-4	○	○		+4.36	-4.65	9.0	+5.36	+4.36	-4.20	+3.16	-0.52

ボーリング及び井戸の設定【6街区】(6/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	B21-5	○	○		+4.35	-4.65	9.0	+5.35	+4.35	-4.40	+3.10	-0.65
	B21-6	○	○		+4.34	-4.66	9.0	+5.34	+4.34	-4.60	+3.19	-0.71
	B21-7	○	○		+4.37	-4.63	9.0	+5.37	+4.37	-4.20	+3.22	-0.49
	B21-8	○	○		+4.38	-4.62	9.0	+5.38	+4.38	-4.40	+3.18	-0.61
	B21-9	○	○		+4.39	-4.61	9.0	+5.39	+4.39	-4.60	+3.14	-0.73
	B22-1	○	○		+4.32	-5.18	9.5	+4.82	+4.32	-4.80	+3.17	-0.81
	B22-2	○	○		+4.37	-5.13	9.5	+4.87	+4.37	-4.80	+3.12	-0.84
	B22-3	○	○		+4.27	-5.23	9.5	+4.77	+4.27	-5.00	+3.07	-0.97
	B22-4	○	○		+4.40	-5.10	9.5	+4.90	+4.40	-4.80	+3.10	-0.85
	B22-5	○	○		+4.33	-5.17	9.5	+4.83	+4.33	-5.00	+3.03	-0.98
	B22-6	○	○		+4.31	-5.19	9.5	+4.81	+4.31	-5.00	+3.11	-0.95
	B22-7	○	○		+4.40	-5.10	9.5	+4.90	+4.40	-4.80	+3.15	-0.83
	B22-8	○	○		+4.35	-5.15	9.5	+4.85	+4.35	-5.00	+3.15	-0.92
	B22-9	○	○		+4.30	-5.70	10.0	+5.30	+4.30	-5.20	+3.20	-1.00
	B23-1	○	○		+4.17	-5.33	9.5	+4.67	+4.17	-5.20	+3.12	-1.04
	B23-2	○	○		+4.08	-5.42	9.5	+4.58	+4.08	-5.20	+3.13	-1.04
	B23-3	○	○		+4.29	-5.21	9.5	+4.79	+4.29	-5.20	+3.14	-1.03
	B23-4	○	○		+4.13	-5.37	9.5	+4.63	+4.13	-5.20	+3.13	-1.04
	B23-5	○	○		+4.10	-5.40	9.5	+4.60	+4.10	-5.20	+3.15	-1.03
	B23-6	○	○		+4.36	-5.64	10.0	+5.36	+4.36	-5.20	+3.21	-1.00
	B23-7	○	○		+4.26	-5.24	9.5	+4.76	+4.26	-5.20	+3.06	-1.07
	B23-8	○	○		+4.03	-5.47	9.5	+4.53	+4.03	-5.40	+3.13	-1.13
	B23-9	○	○		+4.43	-5.57	10.0	+5.43	+4.43	-5.40	+3.23	-1.09
	B24-1	○	○		+4.25	-5.25	9.5	+4.75	+4.25	-5.20	+3.15	-1.02
	B24-2	○	○		+4.24	-5.26	9.5	+4.74	+4.24	-5.20	+3.14	-1.03
	B24-3	○	○		+4.45	-5.55	10.0	+5.45	+4.45	-5.20	+3.15	-1.03
	B24-4	○	○		+4.27	-5.23	9.5	+4.77	+4.27	-5.20	+3.22	-0.99
	B24-5	○	○		+4.19	-5.31	9.5	+4.69	+4.19	-5.20	+3.19	-1.01
	B24-6	○	○		+4.37	-5.63	10.0	+5.37	+4.37	-5.20	+3.12	-1.04
	B24-7	○	○		+4.33	-5.67	10.0	+5.33	+4.33	-5.40	+3.13	-1.13
	B24-8	○	○		+4.25	-5.25	9.5	+4.75	+4.25	-5.20	+3.10	-1.05
	B24-9	○	○		+4.40	-5.60	10.0	+5.40	+4.40	-5.20	+4.15	-0.53
	B25-1	○	○		+4.47	-5.03	9.5	+4.97	+4.47	-5.00	+3.12	-0.94
	B25-2	○	○		+4.45	-5.05	9.5	+4.95	+4.45	-5.00	+2.95	-1.02
	B25-3	○	○		+4.50	-5.50	10.0	+5.50	+4.50	-5.00	+2.85	-1.07
	B25-4	○	○		+4.41	-5.09	9.5	+4.91	+4.41	-5.00	+3.01	-1.00
	B25-5	○	○		+4.41	-5.09	9.5	+4.91	+4.41	-5.00	+3.06	-0.97
	B25-6	○	○		+4.42	-5.08	9.5	+4.92	+4.42	-4.80	+2.87	-0.97
	B25-7	○	○		+4.41	-5.10	9.5	+4.91	+4.41	-5.00	+3.06	-0.97
	B25-8	○	○		+4.40	-5.11	9.5	+4.90	+4.40	-5.00	+3.05	-0.98
	B25-9	○	○		+4.47	-5.03	9.5	+4.97	+4.47	-4.80	+2.87	-0.96
	B26-1	○	○		+4.50	-5.00	9.5	+5.00	+4.50	-4.80	+2.95	-0.93
	B26-2	○	○		+4.05	-4.95	9.0	+5.05	+4.05	-4.60	+2.65	-0.98
	B26-4	○	○		+4.37	-4.63	9.0	+5.37	+4.37	-4.60	+2.72	-0.94
	B26-5	○	○		+4.14	-4.87	9.0	+5.14	+4.14	-4.40	+2.84	-0.78
	B26-7	○	○		+4.43	-4.57	9.0	+5.43	+4.43	-4.40	+3.03	-0.68
	B26-8	○	○		+4.07	-4.43	8.5	+5.57	+4.07	-4.20	+3.07	-0.56
	C5-3	○	○	都市整備局実施								
	C5-6	○	○	都市整備局実施								
	C5-9	○	○	都市整備局実施								
	C6-1	○	○		+5.46	-5.04	10.5	+6.96	+4.00	-4.60	-1.54	-3.07
	C6-2	○	○		+5.40	-4.61	10.0	+6.40	+4.00	-4.60	+0.69	-1.95
	C6-3	○	○		+4.23	-4.77	9.0	+5.23	+4.23	-4.60	-3.47	-4.04
	C6-4	○	○		+5.44	-5.06	10.5	+6.94	+4.00	-4.80	+3.49	-0.66
	C6-5	○	○		+5.44	-5.06	10.5	+6.94	+4.00	-4.80	+0.74	-2.03
	C6-6	○	○		+4.20	-4.80	9.0	+5.20	+4.20	-4.80	-0.90	-2.85
	C6-7	○	○		+5.51	-5.00	10.5	+7.01	+4.00	-4.80	+3.51	-0.65
	C6-8	○	○		+5.45	-5.05	10.5	+6.95	+4.00	-4.80	+3.55	-0.63
	C6-9	○	○		+4.19	-4.81	9.0	+5.19	+4.19	-4.80	+0.49	-2.16
	C7-1	○	○		+4.15	-4.85	9.0	+5.15	+4.15	-4.60	-3.20	-3.90
	C7-2	○	○		+4.09	-4.91	9.0	+5.09	+4.09	-4.60	-2.11	-3.35
	C7-3	○	○		+3.89	-4.61	8.5	+5.39	+3.89	-4.60	+3.34	-0.63
	C7-4	○	○		+4.10	-4.91	9.0	+5.10	+4.10	-4.60	-3.21	-3.90
	C7-5	○	○		+4.02	-4.98	9.0	+5.02	+4.02	-4.60	-4.03	-4.32
	C7-6	○	○		+3.83	-4.67	8.5	+5.33	+3.83	-4.60	-0.52	-2.56
	C7-7	○	○		+4.05	-4.95	9.0	+5.05	+4.05	-4.60	-2.65	-3.63
	C7-8	○	○		+3.83	-4.67	8.5	+5.33	+3.83	-4.60	-3.47	-4.03
	C7-9	○	○		+3.77	-4.73	8.5	+5.27	+3.77	-4.40	+3.42	-0.49

ボーリング及び井戸の設定【6街区】(7/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	C8-1	○	○		+3.96	-5.04	9.0	+4.96	+3.96	-4.60	+1.56	-1.52
	C8-2	○	○		+4.02	-4.98	9.0	+5.02	+4.02	-4.60	+2.72	-0.94
	C8-3	○	○		+4.28	-4.72	9.0	+5.28	+4.28	-4.60	+1.78	-1.41
	C8-4	○	○		+3.91	-5.09	9.0	+4.91	+3.91	-4.60	+3.46	-0.57
	C8-5	○	○		+3.90	-5.10	9.0	+4.90	+3.90	-4.60	-4.10	-4.35
	C8-6	○	○		+3.89	-4.61	8.5	+5.39	+3.89	-4.60	-2.21	-3.40
	C8-7	○	○		+3.86	-4.64	8.5	+5.36	+3.86	-4.60	+2.56	-1.02
	C8-8	○	○		+3.78	-4.73	8.5	+5.28	+3.78	-4.60	-3.88	-4.24
	C8-9	○	○		+3.72	-4.78	8.5	+5.22	+3.72	-4.60	+3.07	-0.77
	C9-1	○	○		+4.10	-4.90	9.0	+5.10	+4.10	-4.60	+2.25	-1.18
	C9-2	○	○		+4.12	-4.88	9.0	+5.12	+4.12	-4.60	-0.33	-2.47
	C9-3	○	○		+4.20	-4.80	9.0	+5.20	+4.20	-4.60	-0.75	-2.67
	C9-4	○	○		+3.88	-4.62	8.5	+5.38	+3.88	-4.60	-3.87	-4.24
	C9-5	○	○		+3.94	-5.06	9.0	+4.94	+3.94	-4.60	-3.66	-4.13
	C9-6	○	○		+4.06	-4.94	9.0	+5.06	+4.06	-4.80	+0.66	-2.07
	C9-7	○	○		+3.78	-4.72	8.5	+5.28	+3.78	-4.60	-2.82	-3.71
	C9-8	○	○		+3.76	-4.74	8.5	+5.26	+3.76	-4.60	-1.89	-3.25
	C9-9	○	○		+3.83	-5.17	9.0	+4.83	+3.83	-4.80	-0.22	-2.51
	C10-1	○	○		+4.20	-4.80	9.0	+5.20	+4.20	-4.60	+3.45	-0.58
	C10-2	○	○		+3.77	-4.73	8.5	+5.27	+3.77	-4.60	+0.47	-2.07
	C10-3	○	○		+3.72	-4.78	8.5	+5.22	+3.72	-4.60	+0.82	-1.89
	C10-4	○	○		+4.03	-4.98	9.0	+5.03	+4.03	-4.80	+2.43	-1.19
	C10-5	○	○		+3.67	-4.83	8.5	+5.17	+3.67	-4.60	-2.33	-3.46
	C10-6	○	○		+3.57	-4.93	8.5	+5.07	+3.57	-4.60	-0.08	-2.34
	C10-7	○	○		+3.77	-5.23	9.0	+4.77	+3.77	-4.80	+3.37	-0.72
	C10-8	○	○		+3.55	-4.95	8.5	+5.05	+3.55	-4.80	+1.85	-1.48
	C10-9	○	○		+3.55	-4.95	8.5	+5.05	+3.55	-4.60	+0.95	-1.83
	C11-1	○	○		+3.76	-4.74	8.5	+5.26	+3.76	-4.60	+1.91	-1.35
	C11-2	○	○		+3.77	-4.73	8.5	+5.27	+3.77	-4.60	+1.57	-1.52
	C11-3	○	○		+3.68	-4.82	8.5	+5.18	+3.68	-4.60	-0.12	-2.36
	C11-4	○	○		+3.68	-4.82	8.5	+5.18	+3.68	-4.60	+2.48	-1.06
	C11-5	○	○		+3.60	-5.40	既実施箇所	+4.50	+2.50	-4.90	+3.10	-0.90
	C11-6	○	○		+3.69	-4.81	8.5	+5.19	+3.69	-4.60	+2.19	-1.21
	C11-7	○	○		+3.58	-4.92	8.5	+5.08	+3.58	-4.60	+2.43	-1.09
	C11-8	○	○		+3.59	-4.92	8.5	+5.09	+3.59	-4.60	+1.64	-1.48
	C11-9	○	○		+3.59	-4.41	8.0	+4.59	+3.59	-4.40	+1.49	-1.46
	C12-1	○	○		+3.67	-4.84	8.5	+5.17	+3.67	-4.60	+1.57	-1.52
	C12-2	○	○		+3.63	-4.87	8.5	+5.13	+3.63	-4.60	+0.53	-2.03
	C12-3	○	○		+3.51	-4.99	8.5	+5.01	+3.51	-4.60	-0.69	-2.65
	C12-4	○	○		+3.75	-4.75	8.5	+5.25	+3.75	-4.60	+1.60	-1.50
	C12-5	○	○		+3.63	-4.88	8.5	+5.13	+3.63	-4.60	+3.18	-0.71
	C12-6	○	○		+3.58	-4.92	8.5	+5.08	+3.58	-4.60	+2.98	-0.81
	C12-7	○	○		+3.56	-4.45	8.0	+4.56	+3.56	-4.40	+1.61	-1.40
	C12-8	○	○		+3.56	-4.44	8.0	+4.56	+3.56	-4.40	+2.86	-0.77
	C12-9	○	○		+3.30	-4.70	8.0	+4.30	+3.30	-4.40	+2.70	-0.85
	C13-1	○	○		+3.14	-4.86	8.0	+4.14	+3.14	-4.60	+0.44	-2.08
	C13-2	○	○		+3.05	-4.95	8.0	+4.05	+3.05	-4.80	+2.65	-1.07
	C13-3	○	○		+3.25	-5.25	8.5	+4.75	+3.25	-5.00	+3.15	-0.92
	C13-4	○	○		+3.09	-4.91	8.0	+4.09	+3.09	-4.60	+0.94	-1.83
	C13-5	○	○		+3.11	-4.89	8.0	+4.11	+3.11	-4.60	+2.61	-1.00
	C13-6	○	○		+3.27	-5.23	8.5	+4.77	+3.27	-4.80	+3.17	-0.82
	C13-7	○	○		+2.99	-4.51	7.5	+3.49	+2.99	-4.40	+2.89	-0.76
	C13-8	○	○		+2.27	-4.73	7.0	+3.27	+2.27	-4.40	+1.67	-1.36
	C13-9	○	○		+3.28	-4.72	8.0	+4.28	+3.28	-4.60	+3.23	-0.69
	C14-1	○	○		+3.86	-5.64	9.5	+4.36	+3.86	-5.20	+3.16	-1.02
	C14-2	○	○		+4.14	-5.86	10.0	+5.14	+4.14	-5.40	+3.64	-0.88
	C14-3	○	○		+5.70	-5.80	11.5	+6.20	+5.20	-5.60	+3.85	-0.87
	C14-4	○	○		+3.98	-5.02	9.0	+4.98	+3.98	-5.00	+3.28	-0.86
	C14-5	○	○		+4.13	-5.37	9.5	+4.63	+4.13	-5.20	+3.18	-1.01
	C14-6	○	○		+5.51	-6.00	11.5	+6.01	+5.01	-5.60	+3.16	-1.22
	C14-7	○	○		+3.85	-5.15	9.0	+4.85	+3.85	-5.00	+3.40	-0.80
	C14-8	○	○		+4.02	-5.48	9.5	+4.52	+4.02	-5.20	+3.72	-0.74
	C14-9	○	○		+4.63	-5.87	10.5	+6.13	+4.13	-5.40	+3.48	-0.96
	C15-1	○	○		+5.52	-5.98	11.5	+6.02	+5.02	-5.80	+3.32	-1.24
	C15-2	○	○		+5.69	-5.81	11.5	+6.19	+5.19	-5.80	+3.34	-1.23
	C15-3	○	○		+5.67	-5.83	11.5	+6.17	+5.17	-5.80	+3.07	-1.36
	C15-4	○	○		+5.37	-6.13	11.5	+5.87	+4.87	-5.80	+3.07	-1.37
	C15-5	○	○		+5.15	-6.35	11.5	+5.65	+4.65	-6.00	+3.45	-1.28

ボーリング及び井戸の設定【6街区】(8/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	C15-6	○	○		+4.71	-6.29	11.0	+5.71	+4.21	-5.80	+3.71	-1.04
	C15-7	○	○		+4.68	-5.83	10.5	+6.18	+4.18	-5.60	+2.98	-1.31
	C15-8	○	○		+4.47	-6.03	10.5	+5.97	+3.97	-5.80	+2.77	-1.51
	C15-9	○	○		+4.23	-6.27	10.5	+5.73	+3.73	-5.80	+3.23	-1.29
	C16-1	○	○		+4.13	-5.87	10.0	+6.13	+3.63	-5.60	+1.93	-1.83
	C16-2	○	○		+5.65	-5.85	11.5	+6.15	+5.15	-5.40	+3.30	-1.05
	C16-3	○	○		+5.36	-5.64	11.0	+6.36	+4.86	-5.40	+3.21	-1.10
	C16-4	○	○		+4.93	-6.07	11.0	+5.93	+4.43	-5.60	+3.43	-1.09
	C16-5	○	○		+5.27	-5.73	11.0	+6.27	+4.77	-5.40	+3.17	-1.12
	C16-6	○	○		+5.23	-5.77	11.0	+6.23	+4.73	-5.40	+3.13	-1.14
	C16-7	○	○		+4.67	-5.83	10.5	+6.17	+4.17	-5.60	+3.22	-1.19
	C16-8	○	○		+5.06	-5.44	10.5	+6.56	+4.56	-5.40	+2.36	-1.52
	C16-9	○	○		+5.11	-5.89	11.0	+6.11	+4.61	-5.40	+3.36	-1.02
	C17-1	○	○		+4.71	-5.29	10.0	+5.71	+4.21	-5.20	+2.41	-1.39
	C17-2	○	○		+4.66	-5.34	10.0	+5.66	+4.16	-5.20	+0.76	-2.22
	C17-3	○	○		+5.50	-5.00	10.5	+7.00	+5.00	-5.00	+3.30	-0.85
	C17-4	○	○		+5.02	-5.48	10.5	+6.52	+4.52	-5.20	+2.92	-1.14
	C17-5	○	○		+5.15	-5.35	10.5	+6.65	+4.65	-5.20	+3.10	-1.05
	C17-6	○	○		+5.06	-5.44	10.5	+6.56	+4.56	-5.20	+1.16	-2.02
	C17-7	○	○		+5.10	-5.40	10.5	+6.60	+4.60	-5.20	+3.05	-1.07
	C17-8	○	○		+5.28	-5.22	10.5	+6.78	+4.78	-5.20	+3.28	-0.96
	C17-9	○	○		+3.70	-5.30	9.0	+4.70	+3.20	-5.20	+3.30	-0.95
	C18-1	○	○		+5.81	-5.19	11.0	+6.81	+5.31	-5.00	+3.16	-0.92
	C18-2	○	○		+5.84	-5.16	11.0	+6.84	+5.34	-5.00	+2.74	-1.13
	C18-3	○	○		+5.83	-5.17	11.0	+6.83	+5.33	-4.80	+3.08	-0.86
	C18-4	○	○		+5.95	-5.05	11.0	+6.95	+5.45	-5.00	+3.00	-1.00
	C18-5	○	○		+5.77	-5.23	11.0	+6.77	+5.27	-5.00	+2.97	-1.02
	C18-6	○	○		+5.73	-5.27	11.0	+6.73	+5.23	-5.00	+3.18	-0.91
	C18-7	○	○		+3.78	-5.22	9.0	+4.78	+3.28	-5.20	+3.13	-1.04
	C18-8	○	○		+4.69	-5.31	10.0	+5.69	+4.19	-5.20	+3.14	-1.03
	C18-9	○	○		+5.09	-5.41	10.5	+6.59	+4.59	-5.00	+3.49	-0.76
	C19-1	○	○		+5.83	-5.17	11.0	+6.83	+5.33	-4.80	+2.48	-1.16
	C19-2	○	○		+4.36	-4.64	9.0	+5.36	+4.36	-4.60	+3.21	-0.69
	C19-3	○	○		+4.34	-4.66	9.0	+5.34	+4.34	-4.40	+3.14	-0.63
	C19-4	○	○		+5.66	-4.84	10.5	+7.16	+5.16	-4.80	+3.46	-0.67
	C19-5	○	○		+4.40	-5.10	9.5	+4.90	+4.40	-4.80	+3.25	-0.78
	C19-6	○	○		+4.33	-4.67	9.0	+5.33	+4.33	-4.60	+3.18	-0.71
	C19-7	○	○		+5.10	-5.40	10.5	+6.60	+4.60	-5.00	+3.50	-0.75
	C19-8	○	○		+4.43	-5.08	9.5	+4.93	+4.43	-5.00	+3.23	-0.89
	C19-9	○	○		+4.30	-5.20	9.5	+4.80	+4.30	-4.80	+3.10	-0.85
	C20-1	○	○		+4.35	-4.65	9.0	+5.35	+4.35	-4.20	+3.15	-0.53
	C20-2	○	○		+4.33	-4.67	9.0	+5.33	+4.33	-4.20	+3.18	-0.51
	C20-3	○	○		+4.40	-4.60	9.0	+5.40	+4.40	-4.20	+3.20	-0.50
	C20-4	○	○		+4.36	-4.64	9.0	+5.36	+4.36	-4.40	+3.11	-0.65
	C20-5	○	○		+4.24	-4.26	8.5	+5.74	+4.24	-4.20	+3.19	-0.51
	C20-6	○	○		+4.37	-4.63	9.0	+5.37	+4.37	-4.20	+3.17	-0.52
	C20-7	○	○		+4.34	-4.67	9.0	+5.34	+4.34	-4.60	+3.14	-0.73
	C20-8	○	○		+4.32	-4.68	9.0	+5.32	+4.32	-4.40	+3.22	-0.59
	C20-9	○	○		+4.32	-4.69	9.0	+5.32	+4.32	-4.40	+3.22	-0.59
	C21-1	○	○		+4.35	-4.65	9.0	+5.35	+4.35	-4.40	+3.35	-0.53
	C21-2	○	○		+4.38	-4.62	9.0	+5.38	+4.38	-4.60	+2.18	-1.21
	C21-3	○	○		+4.39	-4.61	9.0	+5.39	+4.39	-4.60	+3.14	-0.73
	C21-4	○	○		+4.38	-4.62	9.0	+5.38	+4.38	-4.40	+3.23	-0.59
	C21-5	○	○		+4.37	-4.63	9.0	+5.37	+4.37	-4.60	+3.32	-0.64
	C21-6	○	○		+4.39	-5.12	9.5	+4.89	+4.39	-4.80	+3.14	-0.83
	C21-7	○	○		+4.38	-4.62	9.0	+5.38	+4.38	-4.60	+3.18	-0.71
	C21-8	○	○		+4.29	-4.71	9.0	+5.29	+4.29	-4.60	+3.19	-0.71
	C21-9	○	○		+4.37	-5.13	9.5	+4.87	+4.37	-4.80	+3.17	-0.82
	C22-1	○	○		+4.38	-5.12	9.5	+4.88	+4.38	-4.80	+3.08	-0.86
	C22-2	○	○		+4.31	-5.19	9.5	+4.81	+4.31	-5.00	+3.11	-0.95
	C22-3	○	○		+4.28	-5.22	9.5	+4.78	+4.28	-5.20	+3.18	-1.01
	C22-4	○	○		+4.38	-5.12	9.5	+4.88	+4.38	-4.80	+3.08	-0.86
	C22-5	○	○		+4.34	-5.16	9.5	+4.84	+4.34	-5.00	+3.14	-0.93
	C22-6	○	○		+4.32	-5.68	10.0	+5.32	+4.32	-5.20	+3.17	-1.01
	C22-7	○	○		+4.35	-5.15	9.5	+4.85	+4.35	-5.00	+3.00	-1.00
	C22-8	○	○		+4.34	-5.16	9.5	+4.84	+4.34	-5.00	+3.14	-0.93
	C22-9	○	○		+4.27	-5.23	9.5	+4.77	+4.27	-5.20	+3.17	-1.01
	C23-1	○	○		+4.07	-5.43	9.5	+4.57	+4.07	-5.20	+2.97	-1.12

ボーリング及び井戸の設定【6街区】(9/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	C23-2	○	○		+4.06	-5.44	9.5	+4.56	+4.06	-5.40	+3.26	-1.07
	C23-3	○	○		+4.44	-5.56	10.0	+5.44	+4.44	-5.40	+3.29	-1.05
	C23-4	○	○		+4.16	-5.84	10.0	+5.16	+4.16	-5.40	+3.16	-1.12
	C23-5	○	○		+4.06	-5.44	9.5	+4.56	+4.06	-5.40	+3.06	-1.17
	C23-6	○	○		+4.43	-5.57	10.0	+5.43	+4.43	-5.40	+3.13	-1.14
	C23-7	○	○		+4.11	-5.89	10.0	+5.11	+4.11	-5.40	+3.11	-1.14
	C23-8	○	○		+4.15	-5.85	10.0	+5.15	+4.15	-5.40	+3.05	-1.18
	C23-9	○	○		+4.40	-5.60	10.0	+5.40	+4.40	-5.40	+3.20	-1.10
	C24-1	○	○		+4.32	-5.68	10.0	+5.32	+4.32	-5.40	+3.07	-1.16
	C24-2	○	○		+4.37	-5.63	10.0	+5.37	+4.37	-5.40	+3.17	-1.12
	C24-3	○	○		+4.42	-5.58	10.0	+5.42	+4.42	-5.20	+3.12	-1.04
	C24-4	○	○		+4.40	-5.60	10.0	+5.40	+4.40	-5.40	+3.10	-1.15
	C24-5	○	○		+4.42	-5.58	10.0	+5.42	+4.42	-5.40	+2.97	-1.21
	C24-6	○	○		+4.41	-5.59	10.0	+5.41	+4.41	-5.20	+3.01	-1.09
	C24-7	○	○		+4.42	-5.58	10.0	+5.42	+4.42	-5.40	+3.07	-1.16
	C24-8	○	○		+4.44	-5.56	10.0	+5.44	+4.44	-5.20	+3.04	-1.08
	C24-9	○	○		+4.38	-5.62	10.0	+5.38	+4.38	-5.20	+3.08	-1.06
	C25-1	○	○		+4.38	-5.12	9.5	+4.88	+4.38	-5.00	+2.93	-1.03
	C25-2	○	○		+4.38	-5.12	9.5	+4.88	+4.38	-4.80	+3.03	-0.89
	C25-3	○	○		+4.45	-5.05	9.5	+4.95	+4.45	-4.60	+3.00	-0.80
	C25-4	○	○		+4.31	-5.69	10.0	+5.31	+4.31	-5.20	+3.01	-1.09
	C25-5	○	○		+4.35	-5.15	9.5	+4.85	+4.35	-4.80	+2.95	-0.92
	C25-6	○	○		+4.45	-4.56	9.0	+5.45	+4.45	-4.40	+1.90	-1.25
	C25-7	○	○		+4.32	-5.68	10.0	+5.32	+4.32	-5.00	+3.17	-0.91
	C25-8	○	○		+4.34	-4.67	9.0	+5.34	+4.34	-4.60	+2.94	-0.83
	C25-9	○	○		+4.46	-4.54	9.0	+5.46	+4.46	-4.20	+3.01	-0.60
	C26-1	○	○		+4.36	-4.65	9.0	+5.36	+4.36	-4.40	+3.01	-0.70
	C26-2	○	○		+4.34	-4.16	8.5	+5.84	+4.34	-4.00	+3.04	-0.48
	C26-4	○	○		+4.41	-4.60	9.0	+5.41	+4.41	-4.20	+3.11	-0.55
	C26-5	○	○		+4.31	-4.19	8.5	+5.81	+4.31	-3.80	+3.11	-0.35
	C26-7	○	○		+4.42	-4.08	8.5	+5.92	+4.42	-3.80	+3.07	-0.37
	C26-8	○	○		+4.33	-3.67	8.0	+6.33	+4.33	-3.60	+3.23	-0.19
	D5-3	○	○		都市整備局実施							
	D5-6	○	○		都市整備局実施							
	D5-9	○	○		都市整備局実施							
	D6-1	○	○		+5.46	-5.04	10.5	+6.96	+4.00	-4.80	+1.86	-1.47
	D6-2	○	○		+5.36	-5.14	10.5	+6.86	+4.00	-4.80	+1.16	-1.82
	D6-3	○	○		+4.13	-5.87	10.0	+6.13	+4.13	-4.80	+1.63	-1.59
	D6-4	○	○		+5.47	-5.03	10.5	+6.97	+4.00	-4.80	+2.92	-0.94
	D6-5	○	○		+5.39	-5.12	10.5	+6.89	+4.00	-4.80	+3.24	-0.78
	D6-6	○	○		+4.14	-4.86	9.0	+5.14	+4.14	-4.80	+0.49	-2.16
	D6-7	○	○		+3.69	-4.81	8.5	+5.19	+3.69	-4.80	+1.79	-1.50
	D6-8	○	○		+5.42	-5.08	10.5	+6.92	+4.00	-4.80	+0.52	-2.14
	D6-9	○	○		+4.13	-4.87	9.0	+5.13	+4.13	-4.60	-0.07	-2.34
	D7-1	○	○		+4.03	-4.97	9.0	+5.03	+4.03	-4.60	-1.22	-2.91
	D7-2	○	○		+3.94	-4.56	8.5	+5.44	+3.94	-4.40	-1.46	-2.93
	D7-3	○	○		+3.71	-4.79	8.5	+5.21	+3.71	-4.40	-2.74	-3.57
	D7-4	○	○		+4.04	-4.96	9.0	+5.04	+4.04	-4.60	+0.89	-1.85
	D7-5	○	○		+3.91	-4.59	8.5	+5.41	+3.91	-4.20	+3.46	-0.37
	D7-6	○	○		+3.69	-4.82	8.5	+5.19	+3.69	-4.40	+3.49	-0.46
	D7-7	○	○		+4.06	-4.44	8.5	+5.56	+4.06	-4.40	+3.36	-0.52
	D7-8	○	○		+3.97	-4.54	8.5	+5.47	+3.97	-4.40	+1.47	-1.47
	D7-9	○	○		+3.59	-4.41	8.0	+4.59	+3.59	-4.40	-2.91	-3.65
	D8-1	○	○		+3.84	-4.66	8.5	+5.34	+3.84	-4.40	-2.16	-3.28
	D8-2	○	○		+3.92	-4.58	8.5	+5.42	+3.92	-4.40	+1.02	-1.69
	D8-3	○	○		+3.94	-5.06	9.0	+4.94	+3.94	-4.60	+1.29	-1.66
	D8-4	○	○		+3.81	-4.69	8.5	+5.31	+3.81	-4.40	+3.31	-0.55
	D8-5	○	○		+3.81	-4.69	8.5	+5.31	+3.81	-4.40	+1.01	-1.70
	D8-6	○	○		+3.88	-4.62	8.5	+5.38	+3.88	-4.40	+1.78	-1.31
	D8-7	○	○		+3.62	-4.88	8.5	+5.12	+3.62	-4.40	+2.26	-1.07
	D8-8	○	○		+3.62	-4.88	8.5	+5.12	+3.62	-4.40	+3.22	-0.59
	D8-9	○	○		+3.66	-4.84	8.5	+5.16	+3.66	-4.40	+0.86	-1.77
	D9-1	○	○		+3.87	-4.63	8.5	+5.37	+3.87	-4.60	+1.77	-1.42
	D9-2	○	○		+3.82	-4.68	8.5	+5.32	+3.82	-4.60	+3.62	-0.49
	D9-3	○	○		+3.71	-5.29	9.0	+4.71	+3.71	-4.80	+1.21	-1.80
	D9-4	○	○		+3.84	-4.66	8.5	+5.34	+3.84	-4.60	+2.19	-1.20
	D9-5	○	○		+3.84	-4.66	8.5	+5.34	+3.84	-4.60	+0.04	-2.28
	D9-6	○	○		+3.77	-4.74	8.5	+5.27	+3.77	-4.60	+3.42	-0.59

ボーリング及び井戸の設定【6街区】(10/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	D9-7	○	○		+3.75	-4.75	8.5	+5.25	+3.75	-4.40	+3.35	-0.53
	D9-8	○	○		+3.75	-4.75	8.5	+5.25	+3.75	-4.40	+2.75	-0.83
	D9-9	○	○		+3.51	-4.99	8.5	+5.01	+3.51	-4.60	+2.76	-0.92
	D10-1	○	○	○	+3.72	-5.28	9.0	+4.72	+3.72	-4.80	+3.12	-0.84
	D10-2	○	○		+3.48	-5.02	8.5	+4.98	+3.48	-4.80	+1.63	-1.59
	D10-3	○	○		+3.48	-5.02	8.5	+4.98	+3.48	-4.60	+2.98	-0.81
	D10-4	○	○	○	+3.61	-4.89	8.5	+5.11	+3.61	-4.80	+3.41	-0.69
	D10-5	○	○		+3.62	-5.38	既実施箇所	+4.68	+2.68	-4.88	+3.22	-0.83
	D10-6	○	○		+3.64	-4.86	8.5	+5.14	+3.64	-4.60	+0.34	-2.13
	D10-7	○	○		+3.46	-5.05	8.5	+4.96	+3.46	-4.60	+3.41	-0.60
	D10-8	○	○		+3.58	-4.92	8.5	+5.08	+3.58	-4.60	+1.58	-1.51
	D10-9	○	○		+3.72	-4.78	8.5	+5.22	+3.72	-4.60	+1.67	-1.46
	D11-1	○	○		+3.49	-5.01	8.5	+4.99	+3.49	-4.60	+3.04	-0.78
	D11-2	○	○		+3.43	-4.57	8.0	+4.43	+3.43	-4.40	+3.03	-0.68
	D11-3	○	○		+3.36	-4.64	8.0	+4.36	+3.36	-4.40	+2.91	-0.75
	D11-4	○	○		+3.56	-4.94	8.5	+5.06	+3.56	-4.60	-1.34	-2.97
	D11-5	○	○	○	+3.47	-4.53	8.0	+4.47	+3.47	-4.40	+1.22	-1.59
	D11-6	○	○		+3.44	-4.56	8.0	+4.44	+3.44	-4.40	+2.99	-0.70
	D11-7	○	○		+3.59	-4.41	8.0	+4.59	+3.59	-4.40	+2.84	-0.78
	D11-8	○	○		+3.39	-4.61	8.0	+4.39	+3.39	-4.20	+3.09	-0.55
	D11-9	○	○		+3.37	-4.63	8.0	+4.37	+3.37	-4.20	+2.97	-0.62
	D12-1	○	○		+3.19	-4.81	8.0	+4.19	+3.19	-4.40	+2.49	-0.96
	D12-2	○	○		+3.34	-4.66	既実施箇所	+4.37	+2.37	-4.16	+2.99	-0.59
	D12-3	○	○		+3.17	-4.83	8.0	+4.17	+3.17	-4.40	+2.47	-0.96
	D12-4	○	○		+3.51	-5.49	既実施箇所	+4.55	+2.55	-4.99	+2.96	-1.02
	D12-5	○	○		+3.58	-5.42	既実施箇所	+4.60	+2.60	-4.92	+3.43	-0.75
	D12-6	○	○		+3.56	-5.44	既実施箇所	+4.35	+2.35	-4.94	+3.16	-0.89
	D12-7	○	○		+3.36	-4.64	8.0	+4.36	+3.36	-4.20	+2.66	-0.77
	D12-8	○	○		+3.61	-5.39	既実施箇所	+4.60	+2.60	-4.89	+3.06	-0.92
	D12-9	○	○		+3.50	-4.50	8.0	+4.50	+3.50	-4.20	+3.00	-0.60
	D13-1	○	○		+3.22	-4.28	7.5	+4.72	+3.22	-4.20	+2.52	-0.84
	D13-2	○	○		+3.47	-5.03	8.5	+4.97	+3.47	-4.40	+2.97	-0.72
	D13-3	○	○		+3.36	-4.65	8.0	+4.36	+3.36	-4.60	+3.26	-0.67
	D13-4	○	○		+3.42	-4.58	8.0	+4.42	+3.42	-4.20	+3.07	-0.57
	D13-5	○	○		+3.34	-4.66	8.0	+4.34	+3.34	-4.20	+2.99	-0.61
	D13-6	○	○		+3.36	-4.64	8.0	+4.36	+3.36	-4.40	+3.21	-0.60
	D13-7	○	○		+3.52	-4.49	8.0	+4.52	+3.52	-4.20	+3.12	-0.54
	D13-8	○	○		+3.57	-4.43	8.0	+4.57	+3.57	-4.20	+3.12	-0.54
	D13-9	○	○		+3.41	-4.59	8.0	+4.41	+3.41	-4.40	+3.21	-0.60
	D14-1	○	○		+3.78	-5.22	9.0	+4.78	+3.78	-4.80	+2.93	-0.93
	D14-2	○	○		+4.00	-5.50	9.5	+4.50	+4.00	-5.00	+3.10	-0.95
	D14-3	○	○		+4.64	-5.36	10.0	+5.64	+4.64	-5.20	+3.04	-1.08
	D14-4	○	○		+3.40	-4.60	8.0	+4.40	+3.40	-4.60	+3.20	-0.70
	D14-5	○	○		+3.97	-5.03	9.0	+4.97	+3.97	-5.00	+3.27	-0.87
	D14-6	○	○		+4.28	-5.22	9.5	+4.78	+4.28	-5.20	+3.48	-0.86
	D14-7	○	○		+3.87	-4.63	8.5	+5.37	+3.87	-4.60	+3.42	-0.59
	D14-8	○	○		+3.92	-5.08	9.0	+4.92	+3.92	-4.80	+3.02	-0.89
	D14-9	○	○		+4.11	-5.39	9.5	+4.61	+4.11	-5.00	+3.41	-0.80
	D15-1	○	○		+4.20	-5.80	10.0	+5.20	+3.70	-5.40	+2.05	-1.67
	D15-2	○	○		+4.81	-5.69	10.5	+5.31	+4.81	-5.60	+4.01	-0.80
	D15-3	○	○		+4.26	-5.74	10.0	+5.26	+3.76	-5.60	+3.06	-1.27
	D15-4	○	○		+4.38	-5.62	10.0	+5.38	+3.88	-5.40	+3.28	-1.06
	D15-5	○	○		+4.57	-5.43	10.0	+5.57	+4.57	-5.40	+3.37	-1.02
	D15-6	○	○		+4.55	-5.45	10.0	+5.55	+4.55	-5.40	+3.50	-0.95
	D15-7	○	○		+4.20	-5.30	9.5	+4.70	+4.20	-5.20	+3.30	-0.95
	D15-8	○	○		+4.50	-5.51	10.0	+5.50	+4.50	-5.20	+3.30	-0.95
	D15-9	○	○		+4.60	-5.41	10.0	+5.60	+4.60	-5.40	+3.85	-0.78
	D16-1	○	○		+4.09	-5.91	10.0	+5.09	+3.59	-5.60	+3.39	-1.11
	D16-2	○	○		+4.54	-5.46	10.0	+5.54	+4.04	-5.40	+3.54	-0.93
	D16-3	○	○		+5.10	-5.90	11.0	+6.10	+5.10	-5.40	+4.10	-0.65
	D16-4	○	○		+4.65	-5.85	10.5	+6.15	+4.15	-5.40	+3.40	-1.00
	D16-5	○	○		+4.06	-5.44	9.5	+4.56	+3.56	-5.40	+3.71	-0.84
	D16-6	○	○		+4.24	-5.76	10.0	+5.24	+3.74	-5.40	+3.54	-0.93
	D16-7	○	○		+4.54	-5.46	10.0	+5.54	+4.54	-5.40	+3.24	-1.08
	D16-8	○	○		+4.61	-5.39	10.0	+5.61	+4.11	-5.20	+3.51	-0.84
	D16-9	○	○		+4.24	-5.26	9.5	+4.74	+3.74	-5.20	+3.59	-0.81
	D17-1	○	○		+4.46	-5.54	10.0	+5.46	+3.96	-5.20	+3.36	-0.92
	D17-2	○	○		+4.08	-5.42	9.5	+5.58	+3.58	-5.20	+3.68	-0.76

ボーリング及び井戸の設定【6街区】(11/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	D17-3	○	○		+3.90	-5.60	9.5	+4.40	+3.40	-5.20	+3.25	-0.98
	D17-4	○	○		+4.02	-5.48	9.5	+4.52	+3.52	-5.20	+1.97	-1.62
	D17-5	○	○		+3.99	-5.51	9.5	+4.49	+3.49	-5.20	+3.34	-0.93
	D17-6	○	○		+4.23	-5.27	9.5	+4.73	+3.73	-5.20	+3.63	-0.79
	D17-7	○	○		+4.47	-5.54	10.0	+5.47	+3.97	-5.20	+3.67	-0.77
	D17-8	○	○		+4.28	-5.22	9.5	+4.78	+3.78	-5.20	+3.43	-0.88
	D17-9	○	○		+4.68	-5.33	10.0	+5.68	+4.18	-5.20	+3.48	-0.86
	D18-1	○	○		+3.98	-5.52	9.5	+4.48	+3.48	-5.20	+3.28	-0.96
	D18-2	○	○		+4.95	-5.55	10.5	+6.45	+4.45	-5.20	+3.25	-0.97
	D18-3	○	○		+4.79	-5.21	10.0	+5.79	+4.29	-5.20	+3.44	-0.88
	D18-4	○	○		+4.43	-5.57	10.0	+5.43	+3.93	-5.20	+3.03	-1.08
	D18-5	○	○		+4.76	-5.24	10.0	+5.76	+4.26	-5.20	+3.21	-0.99
	D18-6	○	○		+4.74	-5.26	10.0	+5.74	+4.24	-5.20	+3.39	-0.90
	D18-7	○	○		+4.52	-5.48	10.0	+5.52	+4.02	-5.20	+3.57	-0.82
	D18-8	○	○		+4.40	-5.60	10.0	+5.40	+3.90	-5.20	+2.75	-1.23
	D18-9	○	○		+4.65	-5.35	10.0	+5.65	+4.15	-5.00	+3.25	-0.88
	D19-1	○	○		+4.72	-5.28	10.0	+5.72	+4.72	-5.00	+3.27	-0.86
	D19-2	○	○		+4.33	-5.17	9.5	+4.83	+4.33	-5.00	+3.23	-0.89
	D19-3	○	○		+4.37	-5.13	9.5	+4.87	+4.37	-5.00	+3.32	-0.84
	D19-4	○	○		+4.61	-5.39	10.0	+5.61	+4.61	-5.00	+3.31	-0.85
	D19-5	○	○		+4.32	-5.18	9.5	+4.82	+4.32	-5.00	+3.32	-0.84
	D19-6	○	○		+4.33	-5.17	9.5	+4.83	+4.33	-5.00	+3.28	-0.86
	D19-7	○	○		+4.51	-5.49	10.0	+5.51	+4.51	-5.00	+3.31	-0.85
	D19-8	○	○		+4.41	-5.09	9.5	+4.91	+4.41	-5.00	+3.41	-0.79
	D19-9	○	○		+4.29	-5.21	9.5	+4.79	+4.29	-5.00	+3.34	-0.83
	D20-1	○	○		+4.39	-5.61	10.0	+5.39	+4.39	-5.00	+4.19	-0.41
	D20-2	○	○		+4.39	-5.11	9.5	+4.89	+4.39	-4.80	+3.39	-0.70
	D20-3	○	○		+4.38	-4.62	9.0	+5.38	+4.38	-4.60	+3.38	-0.61
	D20-4	○	○		+4.40	-5.11	9.5	+4.90	+4.40	-5.00	+3.35	-0.83
	D20-5	○	○		+4.40	-5.10	9.5	+4.90	+4.40	-4.80	+3.40	-0.70
	D20-6	○	○		+4.37	-5.13	9.5	+4.87	+4.37	-4.80	+3.27	-0.76
	D20-7	○	○		+4.34	-5.16	9.5	+4.84	+4.34	-4.80	+3.34	-0.73
	D20-8	○	○		+4.34	-5.16	9.5	+4.84	+4.34	-4.80	+3.34	-0.73
	D20-9	○	○		+4.35	-5.16	9.5	+4.85	+4.35	-4.80	+3.35	-0.73
	D21-1	○	○		+4.39	-4.61	9.0	+5.39	+4.39	-4.60	+3.34	-0.63
	D21-2	○	○		+4.28	-4.72	9.0	+5.28	+4.28	-4.60	+3.38	-0.61
	D21-3	○	○		+4.32	-5.18	9.5	+4.82	+4.32	-4.80	+3.32	-0.74
	D21-4	○	○		+4.37	-4.63	9.0	+5.37	+4.37	-4.60	+3.37	-0.61
	D21-5	○	○		+4.33	-4.67	9.0	+5.33	+4.33	-4.60	+3.28	-0.66
	D21-6	○	○		+4.33	-5.17	9.5	+4.83	+4.33	-4.80	+3.33	-0.74
	D21-7	○	○		+4.36	-4.65	9.0	+5.36	+4.36	-4.60	+3.36	-0.62
	D21-8	○	○		+4.28	-4.72	9.0	+5.28	+4.28	-4.60	+3.28	-0.66
	D21-9	○	○		+4.35	-4.65	9.0	+5.35	+4.35	-4.60	+3.30	-0.65
	D22-1	○	○		+4.32	-5.18	9.5	+4.82	+4.32	-4.80	+3.12	-0.84
	D22-2	○	○		+4.40	-5.60	既実施箇所	+5.25	+3.26	-5.10	+3.25	-0.93
	D22-3	○	○		+4.27	-5.23	9.5	+4.77	+4.27	-5.20	+3.22	-0.99
	D22-4	○	○		+4.41	-5.10	9.5	+4.91	+4.41	-4.80	+3.31	-0.75
	D22-5	○	○		+4.36	-5.14	9.5	+4.86	+4.36	-5.00	+3.26	-0.87
	D22-6	○	○		+4.29	-5.22	9.5	+4.79	+4.29	-5.00	+3.29	-0.86
	D22-7	○	○		+4.41	-5.09	9.5	+4.91	+4.41	-4.60	+3.31	-0.65
	D22-8	○	○		+4.35	-5.15	9.5	+4.85	+4.35	-4.80	+3.25	-0.77
	D22-9	○	○		+4.25	-5.25	9.5	+4.75	+4.25	-4.80	+3.20	-0.80
	D23-1	○	○		+4.16	-5.34	9.5	+4.66	+4.16	-5.20	+3.16	-1.02
	D23-2	○	○		+4.07	-5.93	10.0	+5.07	+4.07	-5.40	+3.22	-1.09
	D23-3	○	○		+4.39	-5.61	10.0	+5.39	+4.39	-5.20	+3.09	-1.05
	D23-4	○	○		+4.22	-5.28	9.5	+4.72	+4.22	-5.00	+3.12	-0.94
	D23-5	○	○		+4.15	-5.36	9.5	+4.65	+4.15	-5.20	+3.15	-1.03
	D23-6	○	○		+4.25	-5.26	9.5	+4.75	+4.25	-5.00	+3.10	-0.95
	D23-7	○	○		+4.11	-4.89	9.0	+5.11	+4.11	-4.80	+3.21	-0.80
	D23-8	○	○		+4.09	-4.91	9.0	+5.09	+4.09	-4.80	+3.14	-0.83
	D23-9	○	○		+4.29	-5.21	9.5	+4.79	+4.29	-4.80	+3.14	-0.83
	D24-1	○	○		+4.40	-5.60	10.0	+5.40	+4.40	-5.20	+3.05	-1.07
	D24-2	○	○		+4.44	-5.57	10.0	+5.44	+4.44	-5.20	+3.04	-1.08
	D24-3	○	○		+4.28	-5.22	9.5	+4.78	+4.28	-5.00	+3.13	-0.93
	D24-4	○	○		+4.37	-5.13	9.5	+4.87	+4.37	-5.00	+3.17	-0.91
	D24-5	○	○		+4.41	-5.09	9.5	+4.91	+4.41	-4.80	+3.11	-0.85
	D24-6	○	○		+4.28	-5.22	9.5	+4.78	+4.28	-4.80	+3.28	-0.76
	D24-7	○	○		+4.32	-5.18	9.5	+4.82	+4.32	-4.80	+3.07	-0.87

ボーリング及び井戸の設定【6街区】(12/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	D24-8	○	○		+4.31	-5.69	10.0	+5.31	+4.31	-4.60	+4.01	-0.29
	D24-9	○	○		+4.31	-4.69	9.0	+5.31	+4.31	-4.40	+3.16	-0.62
	D25-1	○	○		+4.41	-5.09	9.5	+4.91	+4.41	-4.80	+3.41	-0.70
	D25-2	○	○		+4.44	-4.56	9.0	+5.44	+4.44	-4.40	+3.04	-0.68
	D25-3	○	○		+4.41	-4.09	8.5	+5.91	+4.41	-4.00	+3.06	-0.47
	D25-4	○	○		+4.33	-4.67	9.0	+5.33	+4.33	-4.40	+3.13	-0.64
	D25-5	○	○		+4.36	-4.64	9.0	+5.36	+4.36	-4.20	+2.81	-0.69
	D25-6	○	○		+4.26	-4.24	8.5	+5.76	+4.26	-3.80	-0.24	-2.02
	D25-7	○	○		+4.31	-4.69	9.0	+5.31	+4.31	-4.20	+2.96	-0.62
	D25-8	○	○		+4.17	-3.83	8.0	+5.17	+4.17	-3.80	+2.57	-0.61
	D25-9	○	○		+4.42	-3.58	8.0	+5.42	+4.42	-3.40	+3.12	-0.14
	D26-1	○	○		+4.26	-3.74	8.0	+5.26	+4.26	-3.60	+2.71	-0.44
	D26-2	○	○		+4.44	-3.56	8.0	+5.44	+4.44	-3.40	+2.59	-0.40
	D26-4	○	○		+4.17	-3.83	既実施箇所	+5.08	+3.09	-3.33	+3.02	-0.16
	D26-5	○	○		+4.17	-3.33	7.5	+4.67	+4.17	-3.20	+2.82	-0.19
	D26-7	○	○		+4.37	-3.63	8.0	+5.37	+4.37	-3.20	+0.12	-1.54
	D26-8	○	○		+4.46	-3.04	7.5	+6.96	+4.46	-2.80	+1.51	-0.64
	D26-9	○	○		+8.62	-2.89	11.5	+9.12	+4.00	-2.80	+2.82	+0.01
	D27-7	○	○		+8.62	-2.88	11.5	+9.12	+4.00	-2.80	+3.57	+0.39
	D27-8	○	○		+8.52	-2.98	11.5	+9.02	+4.00	-2.80	+3.47	+0.34
	D27-9	○	○		+8.72	-3.28	12.0	+9.72	+4.00	-2.80	+3.42	+0.31
	D28-7	○	○		+8.79	-3.21	12.0	+9.79	+4.00	-2.80	+2.79	-0.01
	E5-3	○	○		都市整備局実施							
	E5-6	○	○		都市整備局実施							
	E5-9	○	○		都市整備局実施							
	E6-1	○	○		+5.49	-5.01	10.5	+5.99	+4.00	-4.80	+3.44	-0.68
	E6-2	○	○		+5.41	-5.09	10.5	+5.91	+4.00	-4.60	+1.21	-1.69
	E6-3	○	○		+4.13	-4.87	9.0	+5.13	+4.13	-4.60	+2.63	-0.99
	E6-4	○	○		+5.51	-5.00	10.5	+7.01	+4.00	-4.60	+1.56	-1.52
	E6-5	○	○		+5.44	-5.06	10.5	+6.94	+4.00	-4.60	+2.89	-0.86
	E6-6	○	○		+4.14	-4.86	9.0	+5.14	+4.14	-4.60	+0.94	-1.83
	E6-7	○	○		+5.55	-4.95	10.5	+7.05	+4.00	-4.60	-1.10	-2.85
	E6-8	○	○		+5.47	-5.03	10.5	+6.97	+4.00	-4.60	-2.88	-3.74
	E6-9	○	○		+4.13	-4.87	9.0	+5.13	+4.13	-4.60	+2.63	-0.99
	E7-1	○	○		+4.05	-4.95	9.0	+5.05	+4.05	-4.60	+1.00	-1.80
	E7-2	○	○		+3.92	-4.58	8.5	+5.42	+3.92	-4.40	+1.92	-1.24
	E7-3	○	○		+3.69	-4.82	8.5	+5.19	+3.69	-4.40	-2.92	-3.66
	E7-4	○	○		+4.10	-4.90	9.0	+5.10	+4.10	-4.60	-2.11	-3.36
	E7-5	○	○		+3.93	-5.07	9.0	+4.93	+3.93	-4.60	-0.07	-2.34
	E7-6	○	○		+3.71	-4.79	8.5	+5.21	+3.71	-4.40	+1.46	-1.47
	E7-7	○	○		+4.09	-4.91	9.0	+5.09	+4.09	-4.60	+2.94	-0.83
	E7-8	○	○		+3.89	-4.61	8.5	+5.39	+3.89	-4.60	-0.13	-2.36
	E7-9	○	○		+3.71	-4.79	8.5	+5.21	+3.71	-4.60	+3.51	-0.55
	E8-1	○	○		+3.45	-4.55	8.0	+4.45	+3.45	-4.40	-2.15	-3.28
	E8-2	○	○		+3.55	-4.46	8.0	+4.55	+3.55	-4.40	+1.05	-1.68
	E8-3	○	○		+3.66	-4.84	8.5	+5.16	+3.66	-4.40	+1.71	-1.35
	E8-4	○	○		+3.51	-4.49	8.0	+4.51	+3.51	-4.40	+0.31	-2.05
	E8-5	○	○		+3.52	-4.49	8.0	+4.52	+3.52	-4.40	+3.32	-0.54
	E8-6	○	○		+3.63	-4.37	8.0	+4.63	+3.63	-4.20	+0.13	-2.04
	E8-7	○	○		+3.65	-4.85	8.5	+5.15	+3.65	-4.40	+2.42	-0.99
	E8-8	○	○		+3.57	-4.44	8.0	+4.57	+3.57	-4.40	+1.62	-1.39
	E8-9	○	○		+3.65	-4.35	8.0	+4.65	+3.65	-4.20	+1.25	-1.47
	E9-1	○	○		+3.77	-4.74	8.5	+5.27	+3.77	-4.40	+1.77	-1.32
	E9-2	○	○		+3.69	-4.81	8.5	+5.19	+3.69	-4.40	+1.54	-1.43
	E9-3	○	○		+3.45	-4.56	8.0	+4.45	+3.45	-4.40	+3.25	-0.58
	E9-4	○	○		+3.69	-4.31	8.0	+4.69	+3.69	-4.20	-1.06	-2.63
	E9-5	○	○		+3.59	-4.42	8.0	+4.59	+3.59	-4.20	-0.37	-2.28
	E9-6	○	○		+3.18	-4.32	7.5	+4.68	+3.18	-4.20	+3.03	-0.59
	E9-7	○	○		+3.65	-4.35	8.0	+4.65	+3.65	-4.20	+1.10	-1.55
	E9-8	○	○		+3.68	-4.32	8.0	+4.68	+3.68	-4.20	+0.13	-2.04
	E9-9	○	○		+3.64	-4.36	8.0	+4.64	+3.64	-4.20	+2.09	-1.06
	E10-1	○	○		+3.46	-4.54	8.0	+4.46	+3.46	-4.40	+3.26	-0.57
	E10-2	○	○		+3.52	-4.48	8.0	+4.52	+3.52	-4.40	+3.32	-0.54
	E10-3	○	○		+3.56	-4.44	8.0	+4.56	+3.56	-4.40	+3.31	-0.55
	E10-4	○	○		+3.57	-4.43	8.0	+4.57	+3.57	-4.20	+3.42	-0.39
	E10-5	○	○		+3.55	-4.45	8.0	+4.55	+3.55	-4.20	+3.35	-0.42
	E10-6	○	○		+3.47	-4.53	8.0	+4.47	+3.47	-4.20	+3.16	-0.52
	E10-7	○	○		+3.67	-4.34	8.0	+4.67	+3.67	-4.20	+3.27	-0.47

ボーリング及び井戸の設定【6街区】(13/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	E10-8	○	○		+3.72	-4.29	8.0	+4.72	+3.72	-4.20	+3.52	-0.34
	E10-9	○	○		+3.51	-4.49	8.0	+4.51	+3.51	-4.20	+3.21	-0.49
	E11-1	○	○		+3.58	-4.42	8.0	+4.58	+3.58	-4.20	+3.33	-0.43
	E11-2	○	○		+3.40	-4.60	8.0	+4.40	+3.40	-4.20	+3.20	-0.50
	E11-3	○	○		+3.53	-4.47	8.0	+4.53	+3.53	-4.00	+3.28	-0.36
	E11-4	○	○		+3.39	-4.12	7.5	+3.89	+3.39	-4.00	+2.34	-0.83
	E11-5	○	○		+3.39	-4.11	7.5	+3.89	+3.39	-4.00	+3.29	-0.35
	E11-6	○	○		+3.55	-4.45	8.0	+4.55	+3.55	-4.00	+3.15	-0.42
	E11-7	○	○		+3.25	-4.25	7.5	+3.75	+3.25	-4.00	+3.10	-0.45
	E11-8	○	○		+3.20	-3.81	7.0	+4.20	+3.20	-3.80	+2.90	-0.45
	E11-9	○	○		+3.41	-4.09	7.5	+3.91	+3.41	-3.80	+3.21	-0.29
	E12-1	○	○		+3.50	-4.00	7.5	+4.00	+3.50	-4.00	+3.30	-0.35
	E12-2	○	○		+3.55	-4.45	8.0	+3.55	+3.55	-4.00	+3.45	-0.27
	E12-3	○	○		+3.57	-4.44	8.0	+3.57	+3.57	-4.00	+2.57	-0.72
	E12-4	○	○		+3.42	-4.08	7.5	+3.92	+3.42	-4.00	+2.62	-0.69
	E12-5	○	○		+3.54	-4.46	8.0	+4.54	+3.54	-4.00	+2.64	-0.68
	E12-6	○	○		+3.63	-4.37	8.0	+4.63	+3.63	-4.00	+2.08	-0.96
	E12-7	○	○		+3.27	-4.23	7.5	+3.77	+3.27	-3.80	+2.22	-0.79
	E12-8	○	○		+3.44	-4.06	7.5	+3.94	+3.44	-3.80	+3.04	-0.38
	E12-9	○	○		+3.38	-4.12	7.5	+3.88	+3.38	-3.80	+2.28	-0.76
	E13-1	○	○		+3.74	-4.26	8.0	+4.74	+3.74	-4.00	+3.14	-0.43
	E13-2	○	○		+3.71	-4.29	8.0	+4.71	+3.71	-4.20	+3.21	-0.50
	E13-3	○	○		+3.47	-4.53	8.0	+4.47	+3.47	-4.20	+3.17	-0.52
	E13-4	○	○		+3.74	-4.26	8.0	+4.74	+3.74	-4.00	+3.14	-0.43
	E13-5	○	○		+3.69	-4.31	8.0	+4.69	+3.69	-4.00	+3.14	-0.43
	E13-6	○	○		+3.51	-4.49	8.0	+4.51	+3.51	-4.20	+3.21	-0.50
	E13-7	○	○		+3.69	-3.81	7.5	+4.19	+3.69	-3.80	+3.14	-0.33
	E13-8	○	○		+3.75	-4.25	8.0	+4.75	+3.75	-4.00	+3.05	-0.48
	E13-9	○	○		+3.54	-4.46	8.0	+4.54	+3.54	-4.20	+3.24	-0.48
	E14-1	○	○		+3.64	-4.86	8.5	+5.14	+3.64	-4.40	+3.39	-0.51
	E14-2	○	○		+3.84	-4.66	8.5	+5.34	+3.84	-4.60	+3.24	-0.68
	E14-3	○	○		+4.18	-4.82	9.0	+5.18	+4.18	-4.80	+3.28	-0.76
	E14-4	○	○		+3.61	-4.89	8.5	+5.11	+3.61	-4.40	+3.11	-0.65
	E14-5	○	○		+3.93	-5.07	9.0	+4.93	+3.93	-4.60	+3.23	-0.69
	E14-6	○	○		+3.84	-5.16	9.0	+4.84	+3.84	-4.80	+3.34	-0.73
	E14-7	○	○		+3.76	-4.74	8.5	+5.26	+3.76	-4.40	+3.31	-0.55
	E14-8	○	○		+3.95	-5.05	9.0	+4.95	+3.95	-4.60	+3.25	-0.68
	E14-9	○	○		+3.76	-4.74	8.5	+5.26	+3.76	-4.60	+3.31	-0.65
	E15-1	○	○		+4.28	-5.23	9.5	+4.78	+4.28	-5.00	+3.33	-0.84
	E15-2	○	○		+4.52	-5.48	10.0	+5.52	+4.52	-5.20	+3.32	-0.94
	E15-3	○	○		+4.65	-5.35	10.0	+5.65	+4.65	-5.20	+3.30	-0.95
	E15-4	○	○		+4.20	-5.30	9.5	+4.70	+4.20	-4.80	+3.30	-0.75
	E15-5	○	○		+4.37	-5.13	9.5	+4.87	+4.37	-5.00	+3.27	-0.87
	E15-6	○	○		+4.54	-5.46	10.0	+5.54	+4.54	-5.00	+2.99	-1.01
	E15-7	○	○		+4.59	-4.91	9.5	+5.09	+4.59	-4.80	+3.84	-0.48
	E15-8	○	○		+4.21	-5.29	9.5	+4.71	+4.21	-5.00	+3.21	-0.90
	E15-9	○	○		+4.19	-5.31	9.5	+4.69	+4.19	-5.00	+3.09	-0.95
	E16-1	○	○		+4.70	-5.30	10.0	+5.70	+4.70	-5.20	+3.15	-1.03
	E16-2	○	○		+4.48	-4.52	既実施箇所	+5.49	+3.49	-4.02	+3.33	-0.35
	E16-3	○	○		+4.70	-5.30	10.0	+5.70	+4.20	-5.20	+3.35	-0.93
	E16-4	○	○		+4.62	-5.38	10.0	+5.62	+4.62	-5.00	+3.57	-0.71
	E16-5	○	○		+4.71	-5.29	10.0	+5.71	+4.71	-5.00	+3.36	-0.82
	E16-6	○	○		+4.46	-5.04	9.5	+4.96	+4.46	-5.00	+3.46	-0.77
	E16-7	○	○		+4.32	-5.18	9.5	+4.82	+4.32	-5.00	+3.32	-0.84
	E16-8	○	○		+4.04	-5.47	9.5	+4.54	+4.04	-5.00	+2.74	-1.13
	E16-9	○	○		+4.17	-5.33	9.5	+4.67	+4.17	-5.00	+3.17	-0.92
	E17-1	○	○		+4.52	-5.48	10.0	+5.52	+4.02	-5.20	+3.52	-0.84
	E17-2	○	○		+4.35	-5.65	10.0	+5.35	+3.85	-5.20	+3.45	-0.87
	E17-3	○	○		+4.48	-5.53	10.0	+5.48	+3.98	-5.20	+3.53	-0.84
	E17-4	○	○		+4.47	-5.04	9.5	+4.97	+3.97	-5.00	+3.42	-0.79
	E17-5	○	○		+4.51	-5.49	10.0	+4.51	+4.01	-5.00	+3.41	-0.80
	E17-6	○	○		+4.56	-5.44	10.0	+4.56	+4.06	-5.00	+2.56	-1.22
	E17-7	○	○		+4.11	-5.39	9.5	+4.61	+3.61	-5.00	+3.41	-0.79
	E17-8	○	○		+3.72	-5.28	9.0	+4.72	+3.22	-4.80	+3.42	-0.69
	E17-9	○	○		+4.11	-4.89	9.0	+5.11	+3.61	-4.80	+3.31	-0.75
	E18-1	○	○		+4.55	-5.45	10.0	+5.55	+4.55	-5.00	+3.30	-0.85
	E18-2	○	○		+4.58	-5.42	10.0	+5.58	+4.58	-5.00	+3.38	-0.81
	E18-3	○	○		+4.59	-5.41	10.0	+5.59	+4.59	-5.00	+3.39	-0.80

ボーリング及び井戸の設定【6街区】(14/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	E18-4	○	○		+4.51	-5.49	10.0	+5.51	+4.51	-5.00	+3.41	-0.79
	E18-5	○	○		+4.41	-5.09	9.5	+4.91	+4.41	-4.80	+3.21	-0.79
	E18-6	○	○		+4.39	-5.11	9.5	+4.89	+4.39	-4.80	+3.59	-0.60
	E18-7	○	○		+4.16	-4.84	9.0	+5.16	+4.16	-4.80	+2.71	-1.05
	E18-8	○	○		+4.09	-4.91	9.0	+5.09	+4.09	-4.60	+2.84	-0.88
	E18-9	○	○		+4.14	-4.86	9.0	+5.14	+4.14	-4.60	+2.74	-0.93
	E19-1	○	○		+4.50	-5.00	9.5	+5.00	+4.50	-4.80	+3.30	-0.75
	E19-2	○	○		+4.26	-5.24	9.5	+4.76	+4.26	-4.80	+3.26	-0.77
	E19-3	○	○		+4.26	-5.24	9.5	+4.76	+4.26	-4.80	+3.36	-0.72
	E19-4	○	○		+4.18	-4.82	9.0	+5.18	+4.18	-4.60	+3.38	-0.61
	E19-5	○	○		+4.09	-5.41	既実施箇所	+5.09	+3.09	-4.91	+3.09	-0.91
	E19-6	○	○		+4.25	-4.75	9.0	+5.25	+4.25	-4.60	+3.10	-0.75
	E19-7	○	○		+4.04	-4.96	9.0	+5.04	+4.04	-4.60	+3.29	-0.66
	E19-8	○	○		+3.88	-4.62	8.5	+5.38	+3.88	-4.40	+3.13	-0.63
	E19-9	○	○		+3.52	-4.48	8.0	+4.52	+3.52	-4.40	+2.32	-1.04
	E20-1	○	○		+4.29	-5.21	9.5	+4.79	+4.29	-4.80	+3.29	-0.76
	E20-2	○	○		+4.29	-4.71	9.0	+5.29	+4.29	-4.60	+3.39	-0.60
	E20-3	○	○		+4.26	-4.74	9.0	+5.26	+4.26	-4.60	+3.31	-0.65
	E20-4	○	○		+4.25	-4.75	9.0	+5.25	+4.25	-4.60	+3.30	-0.65
	E20-5	○	○		+4.33	-4.67	9.0	+5.33	+4.33	-4.60	+3.18	-0.71
	E20-6	○	○		+4.24	-4.77	9.0	+5.24	+4.24	-4.40	+3.24	-0.58
	E20-7	○	○		+3.52	-4.49	8.0	+4.52	+3.52	-4.40	+3.22	-0.59
	E20-8	○	○		+3.45	-4.55	8.0	+4.45	+3.45	-4.40	+3.15	-0.63
	E20-9	○	○		+3.67	-4.83	8.5	+5.17	+3.67	-4.40	+2.87	-0.76
	E21-1	○	○		+4.22	-4.78	9.0	+5.22	+4.22	-4.60	+3.22	-0.69
	E21-2	○	○		+4.24	-4.77	9.0	+5.24	+4.24	-4.60	+3.34	-0.63
	E21-3	○	○		+4.23	-4.77	9.0	+5.23	+4.23	-4.60	+3.43	-0.58
	E21-4	○	○		+4.31	-4.69	9.0	+5.31	+4.31	-4.40	+3.21	-0.59
	E21-5	○	○		+4.18	-4.82	9.0	+5.18	+4.18	-4.40	+3.13	-0.63
	E21-6	○	○		+4.18	-4.82	9.0	+5.18	+4.18	-4.40	+3.38	-0.51
	E21-7	○	○		+4.60	-4.40	9.0	+5.60	+4.60	-4.40	+2.90	-0.75
	E21-8	○	○		+4.35	-4.65	9.0	+5.35	+4.35	-4.20	+1.20	-1.50
	E21-9	○	○		+3.53	-4.47	8.0	+5.53	+3.53	-4.20	+2.83	-0.68
	E22-1	○	○		+4.40	-5.10	9.5	+4.90	+4.40	-4.60	+3.30	-0.65
	E22-2	○	○		+4.32	-4.68	9.0	+5.32	+4.32	-4.60	+3.17	-0.72
	E22-3	○	○		+4.32	-4.68	9.0	+5.32	+4.32	-4.60	+3.67	-0.47
	E22-4	○	○		+4.15	-4.85	9.0	+5.15	+4.15	-4.40	+3.10	-0.65
	E22-5	○	○		+4.17	-4.83	9.0	+5.17	+4.17	-4.40	+3.22	-0.59
	E22-6	○	○		+4.18	-4.82	9.0	+5.18	+4.18	-4.40	+3.08	-0.66
	E22-7	○	○		+3.66	-4.34	8.0	+5.66	+3.66	-4.20	+0.76	-1.72
	E22-8	○	○		+3.94	-4.56	8.5	+5.44	+3.94	-4.20	+2.14	-1.03
	E22-9	○	○		+3.97	-4.53	8.5	+5.47	+3.97	-4.20	+3.02	-0.59
	E23-1	○	○		+4.21	-4.79	9.0	+5.21	+4.21	-4.60	+3.16	-0.72
	E23-2	○	○		+4.27	-4.74	9.0	+5.27	+4.27	-4.60	+1.77	-1.42
	E23-3	○	○		+4.26	-4.75	9.0	+5.26	+4.26	-4.60	+3.16	-0.72
	E23-4	○	○		+4.00	-4.50	8.5	+5.50	+4.00	-4.40	+2.30	-1.05
	E23-5	○	○		+3.98	-4.52	8.5	+5.48	+3.98	-4.40	+3.18	-0.61
	E23-6	○	○		+3.98	-4.52	8.5	+5.48	+3.98	-4.40	+2.98	-0.71
	E23-7	○	○		+3.95	-4.56	8.5	+5.45	+3.95	-4.20	+2.05	-1.08
	E23-8	○	○		+4.15	-4.35	8.5	+5.65	+4.15	-4.20	+2.95	-0.62
	E23-9	○	○		+4.22	-4.28	8.5	+5.72	+4.22	-4.20	+2.37	-0.91
	E24-1	○	○		+4.11	-4.89	9.0	+5.11	+4.11	-4.60	+3.16	-0.72
	E24-2	○	○		+4.19	-4.81	9.0	+5.19	+4.19	-4.40	+3.14	-0.63
	E24-3	○	○		+4.20	-4.30	8.5	+5.70	+4.20	-4.20	+3.15	-0.53
	E24-4	○	○		+4.15	-4.35	8.5	+5.65	+4.15	-4.20	+3.25	-0.47
	E24-5	○	○		+4.14	-4.36	8.5	+5.64	+4.14	-4.20	+1.59	-1.30
	E24-6	○	○		+4.18	-4.32	8.5	+5.68	+4.18	-4.00	+2.93	-0.53
	E24-7	○	○		+4.25	-4.25	8.5	+5.75	+4.25	-4.00	+3.35	-0.33
	E24-8	○	○		+4.27	-4.23	8.5	+5.77	+4.27	-4.00	+2.72	-0.64
	E24-9	○	○		+4.13	-3.87	8.0	+5.13	+4.13	-3.80	+2.98	-0.41
	E25-1	○	○		+4.27	-4.24	8.5	+5.77	+4.27	-4.00	+1.77	-1.12
	E25-2	○	○		+4.15	-3.85	8.0	+5.15	+4.15	-3.60	+3.05	-0.28
	E25-3	○	○		+4.12	-3.38	7.5	+4.62	+4.12	-3.20	+2.92	-0.14
	E25-4	○	○		+4.23	-4.28	8.5	+5.73	+4.23	-3.80	+2.98	-0.41
	E25-5	○	○		+4.29	-3.71	8.0	+5.29	+4.29	-3.60	+3.04	-0.28
	E25-6	○	○		+4.19	-3.31	7.5	+4.69	+4.19	-3.20	+2.89	-0.16
	E25-7	○	○		+4.90	-4.10	9.0	+5.90	+4.90	-3.60	+3.90	+0.15
	E25-8	○	○		+4.19	-3.81	8.0	+6.19	+4.19	-3.60	+2.64	-0.48

ボーリング及び井戸の設定【6街区】(15/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	E25-9	○	○		+4.20	-3.31	7.5	+4.70	+4.20	-3.20	+2.55	-0.33
	E26-1	○	○		+4.41	-3.09	7.5	+4.91	+4.41	-3.00	+1.71	-0.65
	E26-2	○	○		+4.26	-3.24	7.5	+4.76	+4.26	-2.80	+1.16	-0.82
	E26-3	○	○		+8.61	-2.90	11.5	+9.11	+4.00	-2.60	+2.96	+0.18
	E26-4	○	○		+4.13	-3.37	既実施箇所	+5.12	+3.12	-2.87	+3.43	+0.28
	E26-5	○	○		+4.38	-2.62	7.0	+5.38	+4.38	-2.60	+4.18	+0.79
	E26-6	○	○		+8.61	-2.90	11.5	+9.11	+4.00	-2.60	+2.06	-0.27
	E26-7	○	○		+4.24	-3.26	7.5	+5.74	+4.24	-3.00	+2.99	-0.00
	E26-8	○	○		+4.50	-3.00	7.5	+6.00	+4.50	-2.60	+3.20	+0.30
	E26-9	○	○		+8.60	-2.91	11.5	+9.10	+4.00	-2.60	+7.20	+2.30
	E27-1	○	○		+8.66	-2.85	11.5	+9.16	+4.00	-2.60	+3.61	+0.50
	E27-2	○	○		+8.69	-2.81	11.5	+9.19	+4.00	-2.60	+3.39	+0.40
	E27-3	○	○		+8.65	-2.85	11.5	+9.15	+4.00	-2.60	+3.55	+0.48
	E27-4	○	○		+8.64	-2.86	11.5	+9.14	+4.00	-2.60	+3.59	+0.50
	E27-5	○	○		+8.68	-2.82	11.5	+9.18	+4.00	-2.60	+3.13	+0.26
	E27-6	○	○		+8.65	-2.85	11.5	+9.15	+4.00	-2.60	+3.55	+0.48
	E27-7	○	○		+8.69	-2.82	11.5	+9.19	+4.00	-2.40	+1.04	-0.68
	E27-8	○	○		+8.69	-2.81	11.5	+9.19	+4.00	-2.60	+2.64	+0.02
	E27-9	○	○		+8.68	-2.82	11.5	+9.18	+4.00	-2.60	+1.93	-0.34
	E28-1	○	○		+8.75	-2.75	11.5	+9.25	+4.00	-2.60	+2.90	+0.15
	E28-4	○	○		+8.66	-2.84	11.5	+9.16	+4.00	-2.60	+2.51	-0.04
	E28-7	○	○		+8.70	-2.80	11.5	+9.20	+4.00	-2.60	+2.70	+0.05
	F5-3	○	○		都市整備局実施							
	F5-6	○	○		都市整備局実施							
	F6-1	○	○		+5.53	-4.97	10.5	+7.03	+4.00	-4.60	+2.48	-1.06
	F6-2	○	○		+5.38	-4.62	10.0	+6.38	+4.00	-4.60	+1.73	-1.43
	F6-3	○	○	○	+4.23	-4.77	9.0	+5.23	+4.23	-4.60	+3.18	-0.71
	F6-4	○	○		+5.55	-4.95	10.5	+7.05	+4.00	-4.60	+3.95	-0.32
	F6-5	○	○		+5.43	-5.07	10.5	+6.93	+4.00	-4.60	+3.03	-0.79
	F6-6	○	○		+4.16	-4.84	9.0	+5.16	+4.16	-4.60	+3.81	-0.39
	F6-7	○	○		+5.58	-4.92	10.5	+7.08	+4.00	-4.60	-0.52	-2.56
	F6-8	○	○		+5.54	-4.96	10.5	+7.04	+4.00	-4.60	-3.46	-4.03
	F6-9	○	○		+5.55	-4.95	10.5	+7.05	+4.00	-4.60	-1.65	-3.13
	F7-1	○	○		+4.13	-4.87	9.0	+5.13	+4.13	-4.80	+2.08	-1.36
	F7-2	○	○		+3.90	-5.10	9.0	+4.90	+3.90	-4.80	+3.50	-0.65
	F7-3	○	○		+3.68	-4.82	8.5	+5.18	+3.68	-4.60	-3.42	-4.01
	F7-4	○	○		+4.19	-4.81	9.0	+5.19	+4.19	-4.80	+3.54	-0.63
	F7-5	○	○		+4.07	-4.93	9.0	+5.07	+4.07	-4.80	+3.67	-0.57
	F7-6	○	○		+4.04	-4.96	9.0	+5.04	+4.04	-4.80	-1.21	-3.01
	F7-7	○	○		+4.19	-4.81	9.0	+5.19	+4.19	-4.80	-1.71	-3.26
	F7-8	○	○		+4.05	-4.95	9.0	+5.05	+4.05	-4.80	+0.80	-2.00
	F7-9	○	○		+4.63	-4.87	9.5	+5.13	+4.63	-4.80	+1.18	-1.81
	F8-1	○	○		+3.69	-4.81	8.5	+5.19	+3.69	-4.60	+3.29	-0.66
	F8-2	○	○		+3.71	-4.79	8.5	+5.21	+3.71	-4.40	+3.51	-0.45
	F8-3	○	○		+3.63	-4.37	8.0	+4.63	+3.63	-4.20	+3.48	-0.36
	F8-4	○	○		+3.70	-4.80	8.5	+5.20	+3.70	-4.60	-2.80	-3.70
	F8-5	○	○		+3.83	-4.67	8.5	+5.33	+3.83	-4.40	-1.47	-2.94
	F8-6	○	○		+3.68	-4.33	8.0	+4.68	+3.68	-4.20	+3.48	-0.36
	F8-7	○	○	○	+3.96	-5.04	9.0	+4.96	+3.96	-4.80	+1.31	-1.75
	F8-8	○	○		+3.83	-4.67	8.5	+5.33	+3.83	-4.60	+1.38	-1.61
	F8-9	○	○		+3.83	-4.67	8.5	+5.33	+3.83	-4.40	-1.02	-2.71
	F9-1	○	○		+3.55	-4.45	8.0	+4.55	+3.55	-4.00	+3.25	-0.37
	F9-2	○	○		+3.46	-4.05	7.5	+3.96	+3.46	-4.00	+1.01	-1.50
	F9-3	○	○		+3.54	-4.46	8.0	+4.54	+3.54	-4.00	+2.19	-0.91
	F9-4	○	○		+3.52	-4.48	8.0	+4.52	+3.52	-4.00	+2.05	-0.98
	F9-5	○	○		+3.57	-4.43	既実施箇所	+4.54	+2.54	-3.93	+3.47	-0.23
	F9-6	○	○		+3.56	-4.45	8.0	+4.56	+3.56	-4.00	+2.86	-0.57
	F9-7	○	○		+3.90	-4.60	8.5	+5.40	+3.90	-4.20	+2.45	-0.87
	F9-8	○	○		+3.98	-4.02	8.0	+4.98	+3.98	-4.00	+3.43	-0.29
	F9-9	○	○		+4.00	-4.50	8.5	+5.50	+4.00	-4.20	+3.10	-0.55
	F10-1	○	○		+3.60	-4.40	8.0	+4.60	+3.60	-4.20	+1.50	-1.35
	F10-2	○	○		+3.57	-4.43	8.0	+4.57	+3.57	-4.20	+2.62	-0.79
	F10-3	○	○		+3.46	-4.54	8.0	+4.46	+3.46	-4.20	+2.56	-0.82
	F10-4	○	○		+3.62	-5.38	9.0	+4.62	+3.62	-4.20	+3.42	-0.39
	F10-5	○	○		+3.57	-4.43	8.0	+4.57	+3.57	-4.40	+3.37	-0.52
	F10-6	○	○		+3.71	-4.80	8.5	+5.21	+3.71	-4.40	-0.80	-2.60
	F10-7	○	○		+4.02	-4.48	8.5	+5.52	+4.02	-4.40	+3.37	-0.52
	F10-8	○	○		+3.98	-5.02	9.0	+4.98	+3.98	-4.60	+2.78	-0.91

ボーリング及び井戸の設定【6街区】(16/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	F10-9	○	○		+3.87	-4.63	8.5	+5.37	+3.87	-4.60	+1.42	-1.59
	F11-1	○	○		+3.46	-4.04	7.5	+3.96	+3.46	-3.80	+3.16	-0.32
	F11-2	○	○		+3.15	-3.85	7.0	+4.15	+3.15	-3.60	+2.95	-0.32
	F11-3	○	○		+3.40	-3.61	7.0	+4.40	+3.40	-3.60	+3.05	-0.28
	F11-4	○	○		+3.68	-4.32	8.0	+4.68	+3.68	-4.00	+3.23	-0.39
	F11-5	○	○		+3.65	-4.35	既実施箇所	+4.66	+2.66	-3.85	+3.25	-0.30
	F11-6	○	○		+3.80	-3.70	7.5	+4.30	+3.80	-3.60	+3.35	-0.13
	F11-7	○	○		+3.87	-4.63	8.5	+5.37	+3.87	-4.20	+3.42	-0.39
	F11-8	○	○		+3.95	-4.05	8.0	+4.95	+3.95	-3.80	+3.40	-0.20
	F11-9	○	○		+5.15	-3.85	9.0	+6.15	+3.80	-3.80	+3.60	-0.10
	F12-1	○	○		+3.46	-4.04	7.5	+3.96	+3.46	-3.60	+3.31	-0.15
	F12-2	○	○		+3.54	-3.96	7.5	+4.04	+3.54	-3.80	+2.84	-0.48
	F12-3	○	○		+3.57	-3.93	7.5	+4.07	+3.57	-3.80	+3.12	-0.34
	F12-4	○	○		+3.85	-3.65	7.5	+4.35	+3.85	-3.60	+3.25	-0.17
	F12-5	○	○		+3.95	-4.05	8.0	+4.95	+3.95	-3.80	+3.20	-0.30
	F12-6	○	○		+4.04	-3.96	8.0	+5.04	+4.04	-3.80	+3.44	-0.18
	F12-7	○	○		+5.26	-4.24	9.5	+5.76	+3.85	-3.80	+3.61	-0.09
	F12-8	○	○		+5.08	-3.92	9.0	+6.08	+3.95	-3.80	+3.18	-0.31
	F12-9	○	○		+4.09	-3.92	8.0	+5.09	+4.09	-3.80	+3.44	-0.18
	F13-1	○	○		+3.58	-3.93	7.5	+4.08	+3.58	-3.80	+3.18	-0.31
	F13-2	○	○		+3.91	-4.09	8.0	+4.91	+3.91	-4.00	+3.01	-0.49
	F13-3	○	○		+3.61	-4.39	8.0	+4.61	+3.61	-4.00	+3.11	-0.45
	F13-4	○	○		+4.12	-3.88	8.0	+5.12	+4.12	-3.80	+2.92	-0.44
	F13-5	○	○		+4.03	-4.47	8.5	+5.53	+4.03	-3.80	+3.03	-0.38
	F13-6	○	○		+3.58	-4.42	8.0	+4.58	+3.58	-4.00	+2.63	-0.68
	F13-7	○	○		+4.15	-3.85	8.0	+5.15	+4.15	-3.80	+3.35	-0.23
	F13-8	○	○		+3.83	-4.17	8.0	+4.83	+3.83	-4.00	+3.43	-0.29
	F13-9	○	○		+3.66	-4.35	8.0	+4.66	+3.66	-4.00	+2.96	-0.52
	F14-1	○	○		+3.70	-4.30	8.0	+4.70	+3.70	-4.20	+3.20	-0.50
	F14-2	○	○		+3.86	-4.64	8.5	+5.36	+3.86	-4.40	+3.36	-0.52
	F14-3	○	○		+3.78	-4.72	8.5	+5.28	+3.78	-4.60	+3.48	-0.56
	F14-4	○	○		+3.57	-4.43	8.0	+4.57	+3.57	-4.20	+3.27	-0.46
	F14-5	○	○		+3.63	-5.37	既実施箇所	+4.63	+2.64	-4.87	+3.28	-0.80
	F14-6	○	○		+3.68	-4.82	8.5	+5.18	+3.68	-4.60	+3.28	-0.66
	F14-7	○	○		+3.73	-4.77	8.5	+5.23	+3.73	-4.40	+3.28	-0.56
	F14-8	○	○		+3.64	-4.86	8.5	+5.14	+3.64	-4.40	+3.14	-0.63
	F14-9	○	○		+4.84	-4.67	9.5	+5.34	+3.68	-4.60	+3.44	-0.58
	F15-1	○	○		+3.98	-5.02	9.0	+4.98	+3.98	-4.80	+3.68	-0.56
	F15-2	○	○		+3.88	-5.12	9.0	+4.88	+3.88	-4.80	+3.58	-0.61
	F15-3	○	○		+3.58	-4.92	8.5	+5.08	+3.58	-4.80	+3.23	-0.79
	F15-4	○	○		+3.72	-4.79	8.5	+5.22	+3.72	-4.60	+3.32	-0.64
	F15-5	○	○		+3.71	-5.29	9.0	+4.71	+3.71	-4.80	+3.31	-0.74
	F15-6	○	○		+3.58	-4.93	8.5	+5.08	+3.58	-4.80	+3.08	-0.86
	F15-7	○	○		+4.74	-4.76	9.5	+5.24	+3.72	-4.60	+3.29	-0.65
	F15-8	○	○		+4.64	-4.86	9.5	+5.14	+3.71	-4.60	+3.29	-0.66
	F15-9	○	○		+4.50	-5.00	9.5	+5.00	+3.58	-4.60	+3.25	-0.68
	F16-1	○	○		+3.64	-4.86	8.5	+5.14	+3.64	-4.80	+3.14	-0.83
	F16-2	○	○		+3.65	-5.36	9.0	+4.65	+3.65	-5.00	+3.20	-0.90
	F16-3	○	○		+3.65	-4.85	8.5	+5.15	+3.65	-4.80	+2.90	-0.95
	F16-4	○	○		+3.69	-4.81	8.5	+5.19	+3.69	-4.80	+2.94	-0.93
	F16-5	○	○		+3.73	-5.27	9.0	+4.73	+3.73	-4.80	+3.33	-0.74
	F16-6	○	○		+3.73	-5.27	9.0	+4.73	+3.73	-4.80	+3.38	-0.71
	F16-7	○	○		+4.52	-4.98	9.5	+5.02	+3.69	-4.80	+3.32	-0.74
	F16-8	○	○		+4.41	-5.09	9.5	+4.91	+3.73	-4.60	+3.36	-0.62
	F16-9	○	○		+4.21	-4.79	9.0	+5.21	+3.73	-4.60	+3.36	-0.62
	F17-1	○	○		+3.64	-4.86	8.5	+5.14	+3.64	-4.80	+0.89	-1.96
	F17-2	○	○		+3.66	-4.84	8.5	+5.16	+3.66	-4.80	+3.21	-0.79
	F17-3	○	○		+3.56	-4.94	8.5	+5.06	+3.56	-4.60	+0.71	-1.94
	F17-4	○	○		+3.77	-4.74	8.5	+5.27	+3.77	-4.60	+1.47	-1.57
	F17-5	○	○		+3.79	-4.72	8.5	+5.29	+3.79	-4.60	+2.84	-0.88
	F17-6	○	○		+3.66	-4.84	8.5	+5.16	+3.66	-4.60	+3.26	-0.67
	F17-7	○	○		+4.18	-4.82	9.0	+5.18	+3.77	-4.60	+3.38	-0.61
	F17-8	○	○		+3.72	-5.29	9.0	+4.72	+3.72	-4.40	+3.42	-0.49
	F17-9	○	○		+3.66	-4.84	8.5	+5.16	+3.66	-4.40	+3.36	-0.52
	F18-1	○	○		+3.88	-4.62	8.5	+5.38	+3.88	-4.60	+2.03	-1.28
	F18-2	○	○		+3.83	-4.67	8.5	+5.33	+3.83	-4.60	+2.38	-1.11
	F18-3	○	○		+3.72	-4.78	8.5	+5.22	+3.72	-4.40	+2.92	-0.74
	F18-4	○	○		+3.61	-4.89	8.5	+5.11	+3.61	-4.40	+1.86	-1.27

ボーリング及び井戸の設定【6街区】(17/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	F18-5	○	○		+3.60	-4.41	8.0	+4.60	+3.60	-4.40	+2.90	-0.75
	F18-6	○	○		+3.63	-4.87	8.5	+5.13	+3.63	-4.40	+3.08	-0.66
	F18-7	○	○		+3.62	-4.88	8.5	+5.12	+3.62	-4.40	+3.27	-0.56
	F18-8	○	○		+3.60	-4.40	8.0	+4.60	+3.60	-4.40	+2.30	-1.05
	F18-9	○	○		+3.63	-4.87	8.5	+5.13	+3.63	-4.40	+3.18	-0.61
	F19-1	○	○		+3.76	-4.74	8.5	+5.26	+3.76	-4.40	+2.86	-0.77
	F19-2	○	○		+3.64	-4.86	8.5	+5.14	+3.64	-4.40	+3.04	-0.68
	F19-3	○	○		+3.62	-4.88	8.5	+5.12	+3.62	-4.40	+2.62	-0.89
	F19-4	○	○		+3.62	-4.88	8.5	+5.12	+3.62	-4.40	+3.02	-0.69
	F19-5	○	○		+3.58	-4.42	8.0	+4.58	+3.58	-4.20	+2.88	-0.66
	F19-6	○	○		+3.60	-4.40	8.0	+4.60	+3.60	-4.20	+3.10	-0.55
	F19-7	○	○		+3.63	-4.37	8.0	+4.63	+3.63	-4.20	+3.13	-0.54
	F19-8	○	○		+3.63	-4.37	8.0	+4.63	+3.63	-4.20	+3.18	-0.51
	F19-9	○	○		+3.65	-4.35	8.0	+4.65	+3.65	-4.20	+3.30	-0.45
	F20-1	○	○		+3.64	-4.86	8.5	+5.14	+3.64	-4.40	+3.14	-0.63
	F20-2	○	○		+3.64	-4.36	8.0	+4.64	+3.64	-4.20	+3.34	-0.43
	F20-3	○	○		+3.62	-4.38	8.0	+4.62	+3.62	-4.20	+3.07	-0.56
	F20-4	○	○		+3.64	-4.37	8.0	+4.64	+3.64	-4.20	+2.79	-0.71
	F20-5	○	○		+3.63	-4.37	8.0	+4.63	+3.63	-4.20	+3.13	-0.54
	F20-6	○	○		+3.67	-4.33	8.0	+4.67	+3.67	-4.20	+3.22	-0.49
	F20-7	○	○		+3.66	-4.34	8.0	+4.66	+3.66	-4.20	+3.36	-0.42
	F20-8	○	○		+3.71	-4.30	8.0	+4.71	+3.71	-4.20	+3.36	-0.42
	F20-9	○	○		+3.62	-4.38	8.0	+4.62	+3.62	-4.20	+3.27	-0.46
	F21-1	○	○		+3.61	-4.39	8.0	+4.61	+3.61	-4.20	+2.91	-0.65
	F21-2	○	○		+3.63	-4.37	8.0	+4.63	+3.63	-4.20	+2.33	-0.94
	F21-3	○	○		+3.63	-4.38	8.0	+4.63	+3.63	-4.00	+1.53	-1.24
	F21-4	○	○		+3.63	-4.37	8.0	+4.63	+3.63	-4.20	+1.38	-1.41
	F21-5	○	○		+3.66	-4.34	8.0	+4.66	+3.66	-4.20	+2.16	-1.02
	F21-6	○	○		+3.72	-4.28	8.0	+4.72	+3.72	-4.00	+1.07	-1.47
	F21-7	○	○		+3.74	-4.26	8.0	+4.74	+3.74	-4.20	+2.14	-1.03
	F21-8	○	○		+3.80	-4.21	8.0	+4.80	+3.80	-4.20	+3.30	-0.45
	F21-9	○	○		+3.71	-4.29	8.0	+4.71	+3.71	-4.00	+3.41	-0.29
	F22-1	○	○		+3.60	-4.40	8.0	+4.60	+3.60	-4.00	+3.15	-0.42
	F22-2	○	○		+3.54	-4.47	8.0	+4.54	+3.54	-4.00	+2.29	-0.86
	F22-3	○	○		+3.56	-4.44	8.0	+4.56	+3.56	-4.00	+2.61	-0.69
	F22-4	○	○		+3.72	-4.28	8.0	+4.72	+3.72	-4.00	+1.87	-1.06
	F22-5	○	○		+3.77	-4.23	既実施箇所	+4.68	+2.68	-3.73	+3.07	-0.33
	F22-6	○	○		+3.66	-4.34	8.0	+4.66	+3.66	-4.00	+1.76	-1.12
	F22-7	○	○		+3.71	-4.30	8.0	+4.71	+3.71	-4.00	+1.26	-1.37
	F22-8	○	○		+3.85	-4.15	8.0	+4.85	+3.85	-4.00	+1.20	-1.40
	F22-9	○	○		+3.96	-4.54	8.5	+5.46	+3.96	-4.20	+2.61	-0.80
	F23-1	○	○		+4.17	-4.33	8.5	+5.67	+4.17	-4.00	+2.82	-0.59
	F23-2	○	○		+4.12	-4.38	8.5	+5.62	+4.12	-4.00	+3.07	-0.46
	F23-3	○	○		+4.04	-4.47	8.5	+5.54	+4.04	-4.00	+2.99	-0.51
	F23-4	○	○		+3.96	-4.04	8.0	+4.96	+3.96	-4.00	+2.56	-0.72
	F23-5	○	○		+3.98	-4.02	8.0	+4.98	+3.98	-4.00	+1.93	-1.04
	F23-6	○	○		+4.01	-3.99	8.0	+6.01	+4.01	-3.80	+1.81	-0.99
	F23-7	○	○		+3.97	-4.03	8.0	+4.97	+3.97	-4.00	+2.07	-0.96
	F23-8	○	○		+4.62	-4.38	9.0	+5.62	+4.00	-4.00	+3.17	-0.42
	F23-9	○	○		+5.25	-4.25	9.5	+5.75	+4.00	-3.80	+3.20	-0.30
	F24-1	○	○		+4.12	-3.88	8.0	+5.12	+4.12	-3.80	+3.12	-0.34
	F24-2	○	○		+4.09	-3.91	8.0	+5.09	+4.09	-3.80	+0.99	-1.41
	F24-3	○	○		+4.17	-3.83	8.0	+5.17	+4.17	-3.60	+1.82	-0.89
	F24-4	○	○		+4.04	-3.96	8.0	+5.04	+4.04	-3.60	+1.94	-0.83
	F24-5	○	○		+4.21	-3.79	8.0	+5.21	+4.21	-3.40	+3.41	+0.01
	F24-6	○	○		+3.95	-3.55	7.5	+4.45	+3.95	-3.20	+3.00	-0.10
	F24-7	○	○		+5.62	-3.89	9.5	+6.12	+4.00	-3.40	+3.17	-0.12
	F24-8	○	○		+6.28	-3.22	9.5	+6.78	+4.00	-3.20	+2.93	-0.14
	F24-9	○	○		+6.65	-3.35	10.0	+7.65	+4.00	-3.00	+5.50	+1.25
	F25-1	○	○		+5.59	-3.41	9.0	+6.59	+4.00	-3.40	+2.94	-0.23
	F25-2	○	○		+4.28	-3.72	8.0	+5.28	+4.28	-3.40	+2.38	-0.51
	F25-3	○	○		+4.23	-4.77	9.0	+5.23	+4.23	-3.20	+3.18	-0.01
	F25-4	○	○		+6.26	-3.24	9.5	+6.76	+4.00	-3.00	+2.96	-0.02
	F25-5	○	○		+4.10	-2.90	7.0	+5.10	+4.10	-2.80	+3.15	+0.17
	F25-6	○	○		+4.25	-2.75	7.0	+5.25	+4.25	-2.40	+2.95	+0.28
	F25-7	○	○		+6.89	-3.12	10.0	+7.89	+4.00	-2.80	+5.79	+1.49
	F25-8	○	○		+7.58	-2.42	10.0	+8.58	+4.00	-2.40	+4.98	+1.29
	F25-9	○	○		+4.21	-2.29	6.5	+5.71	+4.21	-2.20	+3.16	+0.48

ボーリング及び井戸の設定【6街区】(18/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	F26-1	○	○		+4.40	-3.10	7.5	+5.90	+4.40	-2.80	+3.05	+0.13
	F26-2	○	○		+8.57	-2.93	11.5	+9.07	+4.00	-2.60	-0.18	-1.39
	F26-3	○	○		+8.63	-2.87	11.5	+9.13	+4.00	-2.40	+0.18	-1.11
	F26-4	○	○		+4.33	-5.07	既実施箇所	+5.36	+3.37	-4.57	+3.58	-0.75
	F26-5	○	○		+8.53	-2.47	11.0	+9.53	+4.00	-2.40	-1.32	-1.86
	F26-6	○	○		+8.58	-2.43	11.0	+9.58	+4.00	-2.40	+3.58	+0.59
	F26-7	○	○		+7.95	-2.55	10.5	+9.45	+4.00	-2.20	+3.15	+0.48
	F26-8	○	○		+8.48	-2.52	11.0	+9.48	+4.00	-2.20	+0.93	-0.63
	F26-9	○	○		+8.63	-2.37	11.0	+9.63	+4.00	-2.20	-1.17	-1.68
	F27-1	○	○		+8.64	-2.86	11.5	+9.14	+4.00	-2.40	+2.24	-0.08
	F27-2	○	○		+8.70	-2.80	11.5	+9.20	+4.00	-2.40	+3.50	+0.55
	F27-3	○	○		+8.66	-2.84	11.5	+9.16	+4.00	-2.60	+1.06	-0.77
	F27-4	○	○		+8.55	-2.46	11.0	+9.55	+4.00	-2.40	+3.90	+0.75
	F27-5	○	○		+8.69	-2.81	11.5	+9.19	+4.00	-2.40	+3.44	+0.52
	F27-6	○	○		+8.63	-2.88	11.5	+9.13	+4.00	-2.60	+3.68	+0.54
	F27-7	○	○		+8.59	-2.41	11.0	+9.59	+4.00	-2.40	+3.99	+0.79
	F27-8	○	○		+8.49	-2.51	11.0	+9.49	+4.00	-2.40	+2.19	-0.11
	F27-9	○	○		+8.48	-3.02	11.5	+8.98	+4.00	-2.60	+0.68	-0.96
	F28-1	○	○		+8.59	-2.91	11.5	+9.09	+4.00	-2.60	-0.86	-1.73
	F28-4	○	○		+8.29	-2.71	11.0	+9.29	+4.00	-2.60	+3.59	+0.50
	G6-2	○	○		+5.50	-4.51	10.0	+5.50	+4.00	-4.40	+4.00	-0.20
	G6-3	○	○		+5.63	-4.87	10.5	+7.13	+4.00	-4.60	+3.12	-3.86
	G6-5	○	○		+6.43	-4.57	11.0	+7.43	+4.00	-4.40	+2.88	-0.76
	G6-6	○	○		+6.40	-5.60	12.0	+7.40	+4.00	-4.60	+3.90	-0.35
	G6-9	○	○		+6.52	-4.98	11.5	+7.02	+4.00	-4.60	-0.28	-2.44
	G7-1	○	○		+4.30	-5.20	9.5	+4.80	+4.30	-4.80	+0.30	-2.25
	G7-2	○	○		+4.25	-5.26	9.5	+4.75	+4.25	-5.00	-3.76	-4.38
	G7-3	○	○		+4.98	-5.02	10.0	+5.98	+4.04	-5.00	-3.27	-4.13
	G7-4	○	○		+4.22	-5.28	9.5	+4.72	+4.22	-4.80	+2.42	-1.19
	G7-5	○	○		+4.26	-5.24	9.5	+4.76	+4.26	-5.00	-2.04	-3.52
	G7-6	○	○		+4.23	-5.27	9.5	+4.73	+4.23	-5.20	+0.83	-2.19
	G7-7	○	○		+6.37	-5.13	11.5	+6.87	+4.00	-4.80	+0.67	-2.07
	G7-8	○	○		+4.36	-5.64	10.0	+5.36	+4.00	-5.20	-1.99	-3.60
	G7-9	○	○		+4.51	-5.49	10.0	+5.51	+4.00	-5.40	+1.16	-2.12
	G8-1	○	○		+4.87	-5.13	10.0	+5.87	+3.70	-5.00	+3.57	-0.71
	G8-2	○	○		+4.62	-4.88	9.5	+5.12	+3.83	-4.80	+2.97	-0.92
	G8-3	○	○		+4.53	-4.97	9.5	+5.03	+3.68	-4.60	+3.73	-0.44
	G8-4	○	○		+5.56	-5.44	11.0	+6.56	+4.00	-5.00	-0.99	-2.99
	G8-5	○	○		+5.41	-5.09	10.5	+6.91	+4.00	-5.00	-2.19	-3.60
	G8-6	○	○		+5.53	-4.97	10.5	+7.03	+4.00	-4.60	-2.27	-3.43
	G8-7	○	○		+6.00	-5.50	11.5	+6.50	+4.00	-5.20	+3.55	-0.83
	G8-8	○	○		+6.60	-5.40	12.0	+7.60	+4.00	-5.00	+2.70	-1.15
	G8-9	○	○		+6.34	-5.16	11.5	+6.84	+4.00	-4.80	+3.49	-0.65
	G9-1	○	○		+4.71	-4.79	9.5	+5.21	+3.51	-4.40	+3.76	-0.32
	G9-2	○	○		+4.82	-4.68	9.5	+5.32	+3.57	-4.20	+3.59	-0.30
	G9-3	○	○		+5.27	-4.73	10.0	+6.27	+3.56	-4.40	+3.87	-0.26
	G9-4	○	○		+5.47	-4.53	10.0	+6.47	+4.00	-4.40	+2.32	-1.04
	G9-5	○	○		+5.85	-4.65	10.5	+7.35	+4.00	-4.40	+3.50	-0.45
	G9-6	○	○		+5.81	-4.69	10.5	+7.31	+4.00	-4.60	+3.76	-0.42
	G10-1	○	○		+5.30	-4.70	10.0	+6.30	+3.62	-4.60	+3.60	-0.50
	G10-2	○	○		+5.25	-5.25	10.5	+6.75	+3.57	-5.00	+3.75	-0.63
	G10-3	○	○		+5.21	-5.29	10.5	+6.71	+3.71	-5.00	+3.46	-0.77
	G10-4	○	○		+5.80	-5.20	11.0	+6.80	+4.00	-4.80	+3.70	-0.55
	G10-5	○	○		+6.41	-5.09	11.5	+6.91	+4.00	-5.00	+3.71	-0.65
	G10-6	○	○		+6.41	-5.09	11.5	+6.91	+4.00	-5.00	+3.51	-0.75
	G11-1	○	○		+5.38	-4.62	10.0	+6.38	+3.68	-4.60	+3.88	-0.36
	G11-2	○	○		+5.35	-4.65	10.0	+6.35	+3.66	-4.40	+3.70	-0.35
	G11-3	○	○		+5.33	-4.67	10.0	+6.33	+3.80	-4.20	+3.83	-0.19
	G11-4	○	○		+6.39	-5.11	11.5	+6.89	+4.00	-4.80	+3.44	-0.68
	G11-5	○	○		+6.40	-5.10	11.5	+6.90	+4.00	-4.60	+1.65	-1.47
	G11-6	○	○		+6.41	-4.59	11.0	+7.41	+4.00	-4.40	+1.36	-1.52
	G12-1	○	○		+5.28	-4.22	9.5	+5.78	+3.85	-4.00	+3.23	-0.39
	G12-2	○	○		+4.98	-4.02	9.0	+5.98	+3.95	-4.00	+3.13	-0.43
	G12-3	○	○		+4.97	-4.03	9.0	+5.97	+4.04	-4.00	+3.22	-0.39
	G12-4	○	○		+6.41	-4.59	11.0	+7.41	+4.00	-4.20	+1.91	-1.14
	G12-5	○	○		+6.39	-4.61	11.0	+7.39	+4.00	-4.20	+3.39	-0.41
	G12-6	○	○		+6.37	-4.13	10.5	+7.87	+4.00	-4.00	-0.93	-2.46
	G13-1	○	○		+5.03	-4.48	9.5	+5.53	+4.12	-4.00	+3.17	-0.42

ボーリング及び井戸の設定【6街区】(19/20)


街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	G13-2	○	○		+4.99	-4.01	9.0	+5.99	+4.03	-4.00	+3.34	-0.33
	G13-3	○	○		+5.00	-4.50	9.5	+5.50	+3.58	-4.20	+3.35	-0.42
	G13-4	○	○		+6.29	-4.21	10.5	+7.79	+4.00	-4.00	+2.44	-0.78
	G13-5	○	○		+6.31	-4.19	10.5	+7.81	+4.00	-4.00	+3.36	-0.32
	G13-6	○	○		+6.29	-4.21	10.5	+7.79	+4.00	-4.20	+3.29	-0.45
	G14-1	○	○		+4.90	-4.61	9.5	+5.40	+3.57	-4.40	+3.25	-0.58
	G14-2	○	○		+4.92	-5.08	10.0	+4.92	+3.62	-4.60	+3.30	-0.65
	G14-3	○	○		+4.77	-4.73	9.5	+5.27	+3.68	-4.60	+3.32	-0.64
	G14-4	○	○		+6.35	-4.65	11.0	+7.35	+4.00	-4.40	+3.35	-0.53
	G14-5	○	○		+6.74	-4.76	11.5	+7.24	+4.00	-4.40	+3.39	-0.50
	G14-6	○	○		+6.65	-4.85	11.5	+7.15	+4.00	-4.60	+3.35	-0.62
	G15-1	○	○		+4.72	-4.78	9.5	+5.22	+3.72	-4.60	+3.32	-0.64
	G15-2	○	○		+4.58	-4.92	9.5	+5.08	+3.71	-4.60	+3.58	-0.51
	G15-3	○	○		+4.49	-5.01	9.5	+4.99	+3.58	-4.60	+3.29	-0.66
	G15-4	○	○		+6.58	-4.92	11.5	+7.08	+4.00	-4.60	+3.08	-0.76
	G15-5	○	○		+6.60	-4.90	11.5	+7.10	+4.00	-4.60	+2.25	-1.18
	G15-6	○	○		+6.52	-4.48	11.0	+7.52	+4.00	-4.40	+2.27	-1.06
	G16-1	○	○		+4.48	-5.02	9.5	+4.98	+3.69	-4.60	+3.33	-0.63
	G16-2	○	○		+4.39	-4.61	9.0	+5.39	+3.73	-4.60	+3.29	-0.66
	G16-3	○	○		+4.38	-4.63	9.0	+5.38	+3.73	-4.40	+3.28	-0.56
	G16-4	○	○		+6.54	-4.46	11.0	+7.54	+4.00	-4.40	+3.29	-0.55
	G16-5	○	○		+6.51	-4.49	11.0	+7.51	+4.00	-4.40	+3.26	-0.57
	G16-6	○	○		+6.57	-4.43	11.0	+7.57	+4.00	-4.40	+3.47	-0.47
	G17-1	○	○		+4.37	-4.63	9.0	+5.37	+3.77	-4.40	+3.92	-0.24
	G17-2	○	○		+4.32	-4.68	既実施箇所	+5.34	+3.35	-4.18	+3.67	-0.26
	G17-3	○	○		+4.20	-4.30	8.5	+5.70	+4.20	-4.20	+1.90	-1.15
	G17-4	○	○		都市整備局実施							
	G17-5	○	○		都市整備局実施							
	G17-6	○	○		都市整備局実施							
	G18-1	○	○		+4.25	-4.25	8.5	+5.75	+4.25	-4.20	+3.05	-0.57
	G18-2	○	○		+4.31	-4.70	9.0	+5.31	+4.31	-4.20	+2.51	-0.85
	G18-3	○	○		+4.37	-4.63	9.0	+5.37	+4.37	-4.20	+3.27	-0.47
	G18-4	○	○		都市整備局実施							
	G18-5	○	○		都市整備局実施							
	G18-6	○	○		都市整備局実施							
	G19-1	○	○		+4.35	-4.65	9.0	+5.35	+4.35	-4.20	+3.25	-0.48
	G19-2	○	○		+4.41	-4.59	9.0	+5.41	+4.41	-4.20	+3.31	-0.44
	G19-3	○	○		+4.37	-4.63	9.0	+5.37	+4.37	-4.20	+3.32	-0.44
	G19-4	○	○		都市整備局実施							
	G19-5	○	○		都市整備局実施							
	G19-6	○	○		都市整備局実施							
	G20-1	○	○		+4.32	-4.68	9.0	+5.32	+4.32	-4.20	+3.42	-0.39
	G20-2	○	○		+4.28	-4.22	8.5	+5.78	+4.28	-4.20	+2.83	-0.69
	G20-3	○	○		+4.22	-4.28	8.5	+5.72	+4.22	-4.20	+3.32	-0.44
	G20-4	○	○		都市整備局実施							
	G20-5	○	○		都市整備局実施							
	G20-6	○	○		都市整備局実施							
	G21-1	○	○		+4.19	-4.31	8.5	+5.69	+4.19	-4.20	+3.34	-0.43
	G21-2	○	○		+4.14	-4.36	8.5	+5.64	+4.14	-4.20	+3.29	-0.46
	G21-3	○	○		+4.10	-4.41	8.5	+5.60	+4.10	-4.20	+1.20	-1.50
	G21-4	○	○		+7.06	-4.44	11.5	+7.56	+4.00	-4.20	+2.71	-0.74
	G21-5	○	○		都市整備局実施							
	G21-6	○	○		都市整備局実施							
	G22-1	○	○		+4.06	-4.44	8.5	+5.56	+4.06	-4.20	+1.61	-1.30
	G22-2	○	○		+4.02	-4.48	8.5	+5.52	+4.02	-4.20	+2.87	-0.67
	G22-3	○	○		+3.98	-5.02	9.0	+4.98	+3.98	-4.20	+3.38	-0.41
	G22-4	○	○		都市整備局実施							
	G22-5	○	○		都市整備局実施							
	G22-6	○	○		都市整備局実施							
	G23-1	○	○		+4.30	-4.70	9.0	+5.30	+4.00	-4.20	+3.25	-0.47
	G23-2	○	○		+4.69	-3.81	8.5	+6.19	+4.00	-3.80	+3.24	-0.28
	G23-3	○	○		+5.28	-3.72	9.0	+6.28	+4.00	-3.60	+3.23	-0.19
	G23-4	○	○		都市整備局実施							
	G23-5	○	○		都市整備局実施							
	G23-6	○	○		都市整備局実施							
	G24-1	○	○		+5.59	-3.41	9.0	+6.59	+4.00	-3.40	+3.59	+0.10
	G24-2	○	○		+6.32	-3.19	9.5	+6.82	+4.00	-3.00	+3.17	+0.08
	G24-3	○	○		+6.69	-2.81	9.5	+7.19	+4.00	-2.80	+3.19	+0.19

ボーリング及び井戸の設定【6街区】(20/20)

街区	調査機関
6街区	応用地質(株)



街区 (箇所)	調査 地点	調査内容			ボーリングの諸元			井戸の諸元			地下水	
		地下水	土壌	油分	地盤高 (A.P. m)	孔底高 (A.P. m)	掘進長 (m)	管頭高 (A.P. m)	ストレーナ管		地下水位 (A.P. m)	地下水 採取深度 (A.P. m)
									上端 (A.P. m)	下端 (A.P. m)		
	G24-4	○	○		都市整備局実施							
	G24-5	○	○		都市整備局実施							
	G24-6	○	○		都市整備局実施							
	G25-1	○	○		+7.06	-2.94	10.0	+7.06	+4.00	-2.60	+3.26	+0.33
	G25-2	○	○		+7.56	-2.44	10.0	+7.56	+4.00	-2.20	+2.46	+0.13
	G25-3	○	○		+7.68	-2.32	10.0	+7.68	+4.00	-2.20	+3.38	+0.59
	G25-4	○	○		都市整備局実施							
	G25-5	○	○		都市整備局実施							
	G25-6	○	○		都市整備局実施							
	G26-1	○	○		+7.96	-2.04	10.0	+9.96	+4.00	-2.00	+3.31	+0.66
	G26-2	○	○		+8.46	-2.54	11.0	+9.46	+4.00	-2.20	+3.76	+0.78
	G26-3	○	○		+8.56	-2.45	11.0	+9.56	+4.00	-2.20	+3.91	+0.85
	G27-1	○	○		+8.56	-2.44	11.0	+9.56	+4.00	-2.40	+1.01	-0.70
	G27-2	○	○		+8.58	-2.92	11.5	+9.08	+4.00	-2.60	+3.88	+0.64
	G27-3	○	○		+8.52	-2.98	11.5	+9.02	+4.00	-2.60	+3.77	+0.59
	H6-3	○	○		+6.52	-4.98	11.5	+7.02	+4.00	-4.80	-3.68	-4.24
	H7-1	○	○		+6.53	-5.47	12.0	+7.53	+4.00	-5.00	-2.12	-3.56
	H7-2	○	○		+6.34	-5.66	12.0	+7.34	+4.00	-5.20	+1.89	-1.65
	H7-3	○	○		+6.64	-5.86	12.5	+8.14	+4.00	-5.40	-2.56	-3.98